120-2015

CERTIFIED COPY OF ORDER

STATE OF MISSOURI	March Session of the January	March Session of the January Adjourned					
County of Boone	10.1				1.5		
In the County Commission of said county	y, on the 19th	day of	March	20	15		

the following, among other proceedings, were had, viz:

Now on this day the County Commission of the County of Boone does hereby award bid 03-15JAN15 – Single Axle Dump Truck to MHC Kenworth of Columbia, MO for the purchase of one (1) single axle dump truck with spreader/plow control system at a net cost of \$94,833.88 after trade-in offer of \$31,000 for one (1) tandem axle dump truck.

The terms of the bid award are stipulated in the attached Purchase Agreement. It is further ordered the Acting Presiding Commissioner is hereby authorized to sign said Purchase Agreement and Request for Disposal form.

Done this 19th day of March, 2015.

ATTĘST:

Wendy S. Noi Clerk of the County Commission

Daniel K. Atwill Presiding Commissioner

llen

Karen M. Miller Acting Presiding Commissioner

Janet M. Thompson District II Commissioner

BOONE COUNTY

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE: February 25, 2015	FIXED ASS	ET TAG NUMBER:	
DESCRIPTION: 2006 Inter	national 7400 SFA 6x6 Tand	em axle dump truck	RECEIVED
REQUESTED MEANS OF	DISPOSAL: Trade		MAR 112015
OTHER INFORMATION:	/IN: 1HTWHAZT87J416908	3; Miles: 173,242	BOONE COUNTY AUDITOR
CONDITION OF ASSET: H	'oor		
REASON FOR DISPOSITION)N: Truck is planned for rep	lacement in 2015.	
COUNTY / COURT IT DEP OWN USE (this item is appl			ISH TO TRANSFER THIS ITEM FOR ITS
DESIRED DATE FOR ASS	3T REMOVAL TO STORA	GE: None	
WAS ASSET PURCHASED IF YES, ATTACH DOCUM	WITH GRANT FUNDING ENTATION SHOWING FU	YES NO NDING AGENCY/S	PERMISSION TO DISPOSE OF ASSET.
DEPARTMENT: 2040	SIG	NATURE	
AUDITOR ORIGINAL PURCHASE DA	ATE 7-3/-06	RECEIPT INTO	2040-3835 Ha
ORIGINAL COST	97,319	GRANT FUNDI	ed (Y/N) <u>//</u>
ORIGINAL FUNDING SOU	rce <u>2741</u>	_ % FUNDING	
ASSET GROUP	1605	AGENCY DOCUMENTA TRANSFER CO	FION ATTACHED (Y/N) NFIRMED
COUNTY COMMISSION	/ <u>COUNTY_CLERK</u>		
APPROVED DISPOSAL ME	THOD:		
TRANSFER DE	PARTMENT NAME		NUMBER
LC	CATION WITHIN DEPAR	IMENT	<u></u>
IN	DIVIDUAL		······································
TRADE	AUCTIONS	EALED BIDS	
OTHER EXPLAI	N		
COMMISSION ORDER NUM DATE APPROVED	мвек 120-2015 - 3-19-15 - Л. Ли	5 Ilé	
<i>´</i> /			

Boone County Purchasing

Elizabeth Sanders, CPPB Senior Buyer



613 E. Ash Street, Room 111 Columbia, MO 65201 Phone: (573) 886-4393 Fax: (573) 886-4390

MEMORANDUM

TO:	Boone County Commission
FROM:	Elizabeth Sanders, Senior Buyer
DATE:	March 19, 2015
RE:	03-15JAN15 – Single Axle Dump Truck

03-15JAN15 – Single Axle Dump Truck opened on January 15, 2015. Five vendors submitted bids, each with options to consider. Public Works recommends award by lowest responsive bid to MHC Kenworth of Columbia, Missouri.

One (1) single axle dump truck with spreader/plow control system will be purchased, for a net cost of \$94,833.88 after trade-in. Public Works requests permission to dispose of Vehicle No. 1717 (Asset #15640) by accepting Contractor's offer of \$31,000.00 for this tandem axle dump truck. Purchase will be paid from dept 2040 – Public Works Maintenance Operations, account 92400 – Replacement Auto/Trucks. \$137,250.00 was budgeted for this purchase. The Bid Tabulation is attached for your review.

ATT: Bid Tabulation

cc: Greg Edington, Public Works Bid File

	Comments: Exceptions:	4.11		25. [00	4.15	4 14 1.	4.13,	4.12.4.	4,12.3.	4,12.2.	4.12.1.	03-15JAN 4.12	
		Delivery ARO:	Coop? Y or N	tu ali varanki seluki vik inte prine	Grand Total (4.13. minus 4.14.1.)	Inscrational 7400 Tandem axle Truck wy 14 foot dump bed w/hoist VJN# 1HTWHAZT87J416908 Vehicle # 1717 Mileage: approx. 170,108	Subtocal 4.12.2.+ Optional Trade-In Vehicle: 2006	Central Hydraslic/Cantraller System per Section 2.5.	Optional Corten Sides per 2.4.5.	Dump Truck Body per Section 2.4.	2015 Single Axle Dump Truck per Section 2.3.	03-15JAN15 - Single Axie Dump Trucks BID TABULATION A.12. PRICING	
22.3.9. Acr Dyer AD-1P N/A-Choosed BW AD-950: 22.10. Dual Gear required with front traine extension: 23.13. Factors and the add excits that compare Book Company for susper name push burn bracket. Burn Abar, Book Company for susper name push burn bracket. Burn Abar, Book Company for susper name push burn bracket. 23.2.4. Generative American State 2000; 23.5.4. Generative American State 2000; 25.5.4. Model FacChds; 25.5.4. Organizer native spream	Clude shows <u>529.991</u> , but Columba Freightliner's Pricing Page shows 523,991	90-120 chassi 4.12.2. price on Midwest		Quards warranzy requested in bid. Base warrang? Samoths utilized at the warrang? Samoths utilized at the system of the second second second second second at the second second second second General transformed second second second General transformed second seco				\$16,000.00 1	\$0 (Included /No Charge 1	523,991.00 /	\$91,650 <u>.00</u> 1	Columble Freight Systems - Unit Price Oty	
					\$101,641.00	\$30,000.00	\$131,641.00	\$16,000.00	50.00	533,991.00	\$91,650.00	Columbia Freightlinet & Midwest Systems - CAN BUS Unit Price Dy Estended Price	
2.3.3. Air Drye AD: IP WA: - Quoned BW AD 2.3.3.0. Due to the second bill of the extension will negate electric balls. 2:3.4.0. Company will call all electric balls. 2:3.4.0. Company will be apply range of the second bill be apply will be apply range of the second bill of the company will be apply range of the second bill of the company will be apply range of the second bill of the company will be apply range of the second bill of the company will be apply range of the second bill of the second bill of the second bill of the second bill of the particular bill be apply and the second bill of the particular bill bill bill bill bill bill bill bil	4.12.2. pitce on Mich <u>\$35,703</u> , but Column Page shows \$23,991	06		Qualed warranty requ profits unliving the training profits unliving the training service Loss				\$12,712.00 1	SO (Included / No Charge /	\$23,991.00 /	£91.650.00 I	Columbia Freightli Unit Price Qy	
Body 5.6,	4.122, picte oin Midwies Systems Cucke stows <u>595, 703</u> , but Columbia Freightliner's Priceg Page shows 523,991	90-120 chassis	Y	Quard varmey requested in bid; Ease varmey 24 month valvinued mains or walkink; Quard 24 month 100/00 mile; Quard Tena, Allung 7 17 200/00 mile; 500/00 mile; Quard Tena, Allung 7 17 200/00 mile;	598,353.00	530,000 DD	\$128,353.00	\$12,712.00	30,00	\$23,991.00	\$97,650.00	Columbia Freightliner & Midwest Systems - NON CAN EUS Unit Price Op Exampled Price	
2.3.3. Ar Dryne AD: IP NA:- Chuided BW AD 2.3.4.0. Dual Gean request with front familie extension. Exclary Will not result electric basis c-controller Book Company with electric basis. Company bottom hanabet: Book Company is used by the start of the bottom hanabet: Book Company is used by the start of the bottom hanabet: Book Company is used by the start of the bottom hanabet: Book Company is used by the start of the bottom hanabet: Book Company is used by the start of the bottom hanabet: Book Company is the start of the start of the bottom hanabet: Book Company is the start of the start of the bottom hanabet: Book Company is the start of the start of the bottom hanabet: Book Company is the start of the start of the bottom hanabet: Book Company is the start of the start of the bottom hanabet: Book Company is the start of the start of the bottom hanabet: Book Company is the start of the start of the bottom hanabet: Book Company is the start of the start of the bottom hanabet: Book Company is the start of the start of the bottom hanabet: Book Company is the start of the start of the bottom hanabet: Book Company is the start of the start of the bottom hanabet: Book Company is the start of the start of the bottom hanabet: Book Company is the start of the start of the bottom hanabet: Book Company is the start of the start of the bottom hanabet: Book Company is the start of the start of the bottom hanabet: Book Company is the start of the start of the bottom hanabet: Book Company is the start of the start of the start of the bottom hanabet: Book Company is the start of the st		8		Track Quard werniny repeated is bit. Base werning 24 ments within and miles not would Quard 34 ments 3000 miles. Quard 1000 Allans 35 YO 0000 miles. Guard and Columba MO Columba MO Columba MO				\$17.665.00	\$220.00	\$23,471.00	\$91,650,00	Columbia Freig Unit Price	
2.1.3. AC Dryer AD-1P WA- Churied BW AD-SS 2.1.3. AC Dryer AD-1P WA- Churied BW AD-SS 2.1.10. Churic Sean reporter with the transmis- factory will not install electric bake cannol de- factory will not install electric bake cannol de- tactor barrier and the sean cannol de- barrier transmission and the sean cannol de- barrier barrier and the sean cannot de- tactor barrier participation without cannot a cannot barrier and window cover; 2.5.10. Dapage from factor and occover; 2.5.10. Dapage from factor barrier and the sean cover cannot barrier and the sean cover; 2.5.10.		90-120 chassis	Y	4	Tack: Queet vermity repeated is bid. Base werency? A memory weighted miles of whiles. Queed 24 membra 5000 miles: Queed Tack Queed 24 membra 5000 miles. Service Locason - Columics, NPA 4 Columics, PAP 4	\$102,786.00	530,000.00	3777 \$132,786.00	517,665.00	5220.00	1 \$23,471.00	1 \$91,650,00	Columbia Fraghtliner & Knapheide Equipment Juir Price Qy Extended trice
**							5	NO 520,594.00	B 5240.00	30 \$21,653.00	892,288.00		
1.1.2. Elsőng pre baze sezh side: 2.4.6. §* hand gezeleti, sing elge of talligitati sing elge of talligitation (1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.		Ү 120 days	Truck price show include Exceeded Warmany Price: Chelle Extended Gewarps 1: Year / 2000 OX Miles (EVA 1010 Commiss Like Explained Extended New reacy DOL, 14 Year OCO000 miles, Aultere and OR Dis Seriet Transmissione Extended Yearrany, 55 (work)-Chilined Miles: Warmany Transmission Control and Series 7:801 NC Walliss-New Yeards to Year at advers 7:801 NC Walliss-New Yeards to Year at advers 7:801 NC	\$102,535.00	537,000.00	\$134,535.00	3 \$20,594.00		1 521,653.00	1 \$93,288.00	Hildway Sterling Wextorn Star & Kranz of Kanses City Unit Price Oty Extended Price		
<u> </u>				6 g 8		1.00	5.00	4.00 \$17,655.00	<u>\$240.00</u> \$220.00	3,00 \$23,471.00	8.00 \$85,842,88		
		90-120 days	Y	Tracke 12 month bunger to bunger. 34 month engine & aller transmit, 64 month transmitter barby 3 para or childre / para netaalader	195,978.88	\$31,000.00	\$126,978.88	1 \$17,665.00	5	l [1 \$85,542.88	MHC Kenworth-Columbia & Knapheide Equipment Unit Price (27) Extended Price	
	No Midwest Sy		+			0.00	78,88	65.00 \$15.000.00	\$0 Na Charge \$220.00 / Included	71.00 \$23,991.00	42.88 \$85,842.88	9	
	No Midwest Systems Quote Included	90-120 davs	~	Torcho 12 month bunger to humper. 24 month engine de after pennen: 65 month manufation.	394.2				-	-	~	NHC Kannorth-Columbia & Nidwest Systems CAN BUS W Price Oy Extended Price	
				with engine Trucks	\$94,833.88	\$31,000.00	\$125,833.88	\$16,000.00 S12	S0 No Charge S0.00 / included	\$23,991.00 <u>\$23</u>	\$85,842,88. \$85,		
++- +	No Midwest Systems Guote Included	90-120 davs	Y	Tracke 12 annuk bunger is Yamper, 24 conth segme & after tradicione, 60 annuh transmission				S12,712.00 I	'harge 'd I	1	\$85,842.88	MHC Kenworth-Columbia & Midwest Syseens NON CAN BUS Unil Price Oy Exended Price	
/ 	included				\$91,545.88	\$31,000,00	\$122,545,88	\$12,712.00	50.00	\$23,991.00	585,842,88		
++-		EAPP DA		International Chanala Service Los Inference City MO, International 1 Esconded Service Contros densiti at to which was included in prior. International Quere: Syster unbinolo mitage contrast Syster unbinolo mitage contrast Syster unbinolo mitage Dely Hi MO; Duran Buely Historica Angeler 1 y sur P				\$17,665.00	\$220.00	\$23,471,00	\$90,150.00	Scheppers international Knapheide Equ Unit Price Qty	
	ļ		4	sasia Service Loc O, International & Cocaract details netwided in price. ee: 				-	-	<u> </u>	-	ational ide Equ. Qty	

	15 - Single Axle Dump Trucks	Truck Center &	Scheppers k	: nternatio	nal Truck Center &	Scheppen	internation	al Truck Center &	Midway Freightli	ner, Inc.	& Knepheide
	BID TABULATION	ipment	Midwe	st Systen	IS CAN BUS	Midwes	t Systems	NON CAN BUS		uipment	1
4,12.	PRICING	Extended Price	Unit Price	Qty	Extended Price	Unit Price	277	Extended Price	Unit Price	20	Extended Price
4.12.1,	2015 Single Axle Dump Truck per Section 2.3.	\$90,150.00	\$90,150.00	1	\$90,150.00	\$90.150	00 1	\$90,150.00	\$91.438.00		\$91,438.00
4.12.2	Dump Truck Body per Section 2.4.	\$23,471.00	\$23,991.00	,	\$23,991.00	\$23,991.	00 1	\$23,991.00	\$23,471.00	,	\$23,471.00
4.12.3.	Optional Cor-ten Sides per 2.4.5.	\$220.00	\$0 No Charge / Included	1	50.00	\$0 No Charg / Included	·	\$0.00	\$220.00	1	\$220.00
4.12.4.	Central Hydraulic/Controller System per Section 2.5.	\$1 7,665.00	\$16,000.00	1	\$16,000.00	\$12,712.00	1	\$12,712.00	\$17.665.00	,	\$17,665.00
4.13.	Subtolal (4.12.1.+ 4.12.2.+ 4.12.4.):	\$131,286.00			\$130,141.00			\$126,853.00			\$132,574.00
	Optional Trade-In Vehicle: 2006 International 7400 Teadem ade Truck w/ 14 foot dump bed w/hoixt V/h% IHTWHAZT871416908 Vehicle # 1717 Mileage: approx. 170,108	\$30,000.00			\$30,000.00			\$30,000.00			\$32,500.00
4.15.	Grand Total (4.13. minus 4.14.1.)	\$101,286.00			\$100,141.00			\$96,853.00			\$100,074.00
4.8.	List all warranties included with	\$500 is shown on the	extended warranty Extended?), Alliso Price; Equipme:	, MO; Inte (which is on Warrant at service I	mational standard, in price, Standard or y included in Chassis seation: Midwest 00 Harris, St. Louis, MO	Scheppers Int extended warn Extended?), A Price; Equip	JC, MO, Inte inty, (which is lison Warran ment service	e Center location: mational standard, s in price, Standard or ly included in Chassis bioation: Midwest 500 Harris, St. Louis,	Truck price above includes Base vehicle one year / 100 Cummins Engine Warner Allisos Transmission War Cabé & Hode Warneaty 5 1 Extended 2 yrs / 200,000 m 1 yr / unlimited miles; 3 yr pars & labor, labor	,000 miles; y DC1 5 yr reasty 5 yr res / 500,00 ules;	s / 200.000 miles; s / Unlimited Miles;
	Coop? Y or N	anta de 12001	03147	Y		1410 05141	Y		1800	Y	
	Delivery <u>A</u> RO:		No Midwest Sy	S0 dar sterns Qu		No Midwest	<u>90 dar</u> Systems Q	uote Included	180-210	Davs Estin	nated
									2.3.9. AD-951; 2.3.10. 4-spoke storring; 2.3.13.7 of extra sable (au) connesticos sable - Noc 26 F engute block Itatier 1000 w distructin mobile wantable ag mastant Estemated Choice = (amminis DCF-Ext. Wernan *Readrida Assistance	ladio; m; peed contro 100,000 mi	2,3.22. 2,3.22. 4 - push button dash 2.3.23, 26,000; les (not unlimited);
No Bids											1

-

PURCHASE AGREEMENT FOR SINGLE AXLE DUMP TRUCK

THIS AGREEMENT dated the 19 m day of 14 as c 2015 is made between Boone County, Missouri, a political subdivision of the State of Missouri through the Boone County Commission, herein "County" and Ozark Kenworth, Inc., d/b/a MHC Kenworth, herein "Vendor."

IN CONSIDERATION of the parties performance of the respective obligations contained herein, the parties agree as follows:

1. *Contract Documents* - This agreement shall consist of this Purchase Agreement for one (1) 2015 Single Axle Dump Truck, County of Boone Request for Bid **03-15JAN15**, and the Contractor's bid response dated January 15, 2015 and executed by James Watring on behalf of the Contractor. All such documents shall constitute the contract documents which are attached hereto and incorporated herein by reference. Service or product data, specification and literature submitted with bid response may be permanently maintained in the County Purchasing Office bid file for this bid if not attached. In the event of conflict between any of the foregoing documents, the terms, conditions, provisions and requirements contained in the bid specifications including Introduction and General Conditions of Bidding, Primary Specifications, Response Presentation and Review, the unexecuted Response Form and the Standard Terms and Conditions shall prevail and control over the Contractor's bid response.

2. *Purchase* - The County agrees to purchase from the Contractor and Contractor agrees to supply the County with one (1) Single Axle Dump Truck, as specified and responded to in the bid specifications.

	Unit Price	<u>Quantity</u>	Extended Price
T470 single axle Kenworth Chassis with Beau Roc Model			
Clean-Side CSS dump truck body and spreader/plow			
control system per Primary Specifications Section 2.3 and 2.4 (Option B/Bid 2)	\$109,833.88	1	\$109,833.88
	,	I	,
• Cor-ten steel sides, per Section 2.4.5	Included		Included
Central Hydraulic/Controller System, Mfr Force			
America, per Section 2.5	<u>\$ 16,000.00</u>	1	<u>\$ 16,000.00</u>
Sub Total	\$125,833.88	1	\$125,833.88
Less:			
Optional Trade-in 2006 International 7400 Tandem			
Truck w/14 foot dump bed w/hoist. Vehicle #1717	<u>-\$_31,000.00</u>	1	<u>-\$ 31,000.00</u>
TOTAL	\$ 94,833.88	1	\$ 94,833.88

For a contract total of Ninety Four Thousand, Eight Hundred Thirty Three Dollars and Eighty Eight Cents (94,833.88).

3. **Delivery** - Contractor agrees to deliver truck, complete with all equipment quoted and installed, ready to put in service, within 130 - 150 days after receipt of order. Delivery shall be FOB Destination – with freight charges fully included and prepaid. The seller pays and bears the freight charges. Delivery address shall be: Boone County Public Works, Attn: Greg Edington, 5551 Tom Bass Rd., Columbia, MO 65201.

4. *For Fixed Asset Tracking* – Send list of equipment described in this contract, with their individual serial numbers to Boone County Purchasing, 613 E. Ash Street, Room 109, Columbia, MO 65201 within thirty (30) days from date of purchase order.

5. Billing and Payment - All billing shall be invoiced to the Boone County Public Works Department and billings may only include the prices listed in the vendor's bid response. No additional fees for paper work

processing, labor, or taxes shall be included as additional charges in excess of the charges in the Vendor's bid response to the specifications. The County agrees to pay all invoices within thirty days of receipt. In the event of a billing dispute, the County reserves the right to withhold payment on the disputed amount; in the event the billing dispute is resolved in favor of the Vendor, the County agrees to pay interest at a rate of 9% per annum on disputed amounts withheld commencing from the last date that payment was due.

5. Binding Effect - This agreement shall be binding upon the parties hereto and their successors and assigns for so long as this agreement remains in full force and effect.

6. Termination - This agreement may be terminated by the County upon thirty days advance written notice for any of the following reasons or under any of the following circumstances:

- a. County may terminate this agreement due to material breach of any term or condition of this agreement, or
- b. County may terminate this agreement if in the opinion of the Boone County Commission if delivery of products are delayed or products delivered are not in conformity with bidding specifications or variances authorized by County, or
- c. If appropriations are not made available and budgeted for any calendar year.

IN WITNESS WHEREOF the parties through their duly authorized representatives have executed this agreement on the day and year first above written.

OZARK KENWORTH, INC by title

BOONE COUNTY, MISSOURI

by: Boone County Commission

Atwill: Presiding Commissioner Danie KARENMMILLER ACTING PRESIDING COMMISSIONER

APPROVED AS TO FORM: County Couns

In accordance with RSMo 50.660, I hereby certify that a sufficient unencumbered appropriation balance exists and is available to satisfy the obligation(s) arising from this contract. (Note: Certification of this contract is not required if the terms of this contract do not create a measurable county obligation at this time.)

Appropriation Account <u> 3/11/15</u> Date lature

2040-92400 - \$94,833.88

STANDARD TERMS AND CONDITIONS - BOONE COUNTY, MISSOURI

- 1. Contractor shall comply with all applicable federal, state, and local laws and failure to do so, in County's sole discretion, shall give County the right to terminate this Contract.
- 2. Responses shall include all charges for packing, delivery, installation, etc., (unless otherwise specified) to the Boone County Department identified in the Request for Bid and/or Proposal.
- 3. The Boone County Commission has the right to accept or reject any part or parts of all bids, to waive technicalities, and to accept the offer the County Commission considers the most advantageous to the County. Boone County reserves the right to award this bid on an item-by-item basis, or an "all or none" basis, whichever is in the best interest of the County.
- 4. Bidders must use the bid forms provided for the purpose of submitting bids, must return the bid and bid sheets comprised in this bid, give the unit price, extended totals, and sign the bid. The Purchasing Director reserves the right, when only one bid has been received by the bid closing date, to delay the opening of bids to another date and time in order to revise specifications and/or establish further competition for the commodity or service required. The one (1) bid received will be retained unopened until the new Closing date, or at request of bidder, returned unopened for re-submittal at the new date and time of bid closing.
- 5. When products or materials of any particular producer or manufacturer are mentioned in our specifications, such products or materials are intended to be descriptive of type or quality and not restricted to those mentioned.
- 6. Do not include Federal Excise Tax or Sales and Use Taxes in bid process, as law exempts the County from them.
- 7. The delivery date shall be stated in definite terms, as it will be taken into consideration in awarding the bid.
- 8. The County Commission reserves the right to cancel all or any part of orders if delivery is not made or work is not started as guaranteed. In case of delay, the Contractor must notify the Purchasing Department.
- 9. In case of default by the Contractor, the County of Boone will procure the articles or services from other sources and hold the Bidder responsible for any excess cost occasioned thereby.
- 10. Failure to deliver as guaranteed may disqualify Bidder from future bidding.
- 11. Prices must be as stated in units of quantity specified, and must be firm. Bids qualified by escalator clauses may not be considered unless specified in the bid specifications.
- 12. No bid transmitted by fax machine or e-mail will be accepted.
- 13. The County of Boone, Missouri expressly denies responsibility for, or ownership of any item purchased until same is delivered to the County and is accepted by the County.
- 14. The County reserves the right to award to one or multiple respondents. The County also reserves the right to not award any item or group of items if the services can be obtained from a state or other governmental entities contract under more favorable terms.
- 15. The County, from time to time, uses federal grant funds for the procurement of goods and services. Accordingly, the provider of goods and/or services shall comply with federal laws, rules and regulations applicable to the funds used by the County for said procurement, and contract clauses required by the federal government in such circumstances are incorporated herein by reference. These clauses can generally be found in the Federal Transit Administration's Best Practices Procurement Manual – Appendix A. Any questions regarding the applicability of federal clauses to a particular bid should be directed to the Purchasing Department prior to bid opening.
- 16. In the event of a discrepancy between a unit price and an extended line item price, the unit price shall govern.

- 17. Should an audit of Contractor's invoices during the term of the Agreement, and any renewals thereof, indicate that the County has remitted payment on invoices that constitute an over-charging to the County above the pricing terms agreed to herein, the Contractor shall issue a refund check to the County for any over-charges within 30-days of being notified of the same.
- 18. For all titled vehicles and equipment the dealer must use the actual delivery date to the County on all transfer documents including the Certificate of Origin (COO,) Manufacturer's Statement of Origin (MSO,) Bill of Sale (BOS,) and Application for Title.
- 19. **Equipment and serial and model numbers -** The contractor is strongly encouraged to include equipment serial and model numbers for all amounts invoiced to the County. If equipment serial and model numbers are not provided on the face of the invoice, such information may be required by the County before issuing payment.

Co	unty of Boone		Purchasing Department
4.	Response Form		
4.1.	Company Name:	MAC KENWORTH	
4.2.	Address:	8660 1-70 DAILE SE	
4.3.	City/Zip:	Coursia Mo. 6520.	/
4.4.	Phone Number:		
4.5.	E-mail Address:	593-474- 8400 JAMES. WATRING & MHETRICK.CO	on-
4.6.	Fax Number:	573-474 - 8420	_
4.7.	Federal Tax ID:	43-1042735	
4.7.1.	() Corporation	an a	
	() Individual/Prop	lame prietorship - Individual Name)	

4.8. Describe Warranty Features (include locations for service) for all components.

12 MONTH Rumpa to Rumpon 24 Month Engine & Antorente 60 MONTH TRAVSMISSION

- 4.9. The undersigned offers to furnish and deliver the articles or services as specified at the prices and terms stated and in strict accordance with all requirements contained in the Request for Bid which have been read and understood, and all of which are made part of this order. By submission of this bid, the vendor certifies that they are in compliance with Section 34.353 and, if applicable, Section 34.359 ("Missouri Domestic Products Procurement Act") of the Revised Statutes of Missouri.
- Authorized Representative (Sign By Hand): 4.9.1.

Print Name and Title of Authorized Representative

J.L. WATRING (SMUSS)

4.10. Will you honor the submitted prices for purchase by other entities in Boone County who participate in cooperative purchasing with Boone County, Missouri?

Yes

____ No

4.11.

Delivery After Receipt of Order (# of days): <u>40-120</u> Days 130-150 per 2/10/15 clarification umail response December 17, 2014

Singh Axle.


4.12.	PRICING		Unit Price	Qty		Extended Price
4.12.1.	2015 Single Axle Dump Truck per Section 2.3.	S		1	s	85,842,88
4.12.2.	Dump Truck Body per Section 2.4.	S	23991.00	1	S	23591.00
4.12.3.	Optional Cor-ten Sides per 2.4.5.	5	Included	1	\$	NC
4.12.4.	Central Hydraulic/Controller System per Section 2.5.	S	16000.00	1	S	16000.00
4.13.	Sub-Total (4.12.1.+4.12.2,+4.12.4.)				\$	125,833,8
4.14.	Optional Trade-in Truck		<u></u>			
4.14.1.	2006 International 7400 Tandem axle T VIN# 1HTWHAZT87J416908 Vehi Mileage: approx. 170,108		w/ 14 foot dump bed v # 1717	w/hoist	5	31,000
4.15.	Total (4.134.14.)				5	94,833.88

MHC & Midwest

Bidd

OPTION B WITCH Systoms MIDWEST SYSTOMS

, **'**



T470 SPECIFICATIONS - GVW 33,000 TO 68,000 LBS.

<u>Engine</u>

- PACCAR PX-8 Engine, 260 HP, 660 lb-ft of Torque
- PACCAR PX-8 ratings up to 350 HP, up to 1,000 lb-ft of Torque
- Cummins ISL Engine ratings up to 380 HP, up to 1,300 lb-ft of Torque
- Cummins ISL-G Natural Gas Power, 320 HP
- Fire Truck Ratings Available
- CARB Emission Reduction Feature Available

Starting & Charging

- Electrical System with Centralized Power Distribution Incorporating Plug-In Style Relays & Circuit Protection for Serviceability
- 160 Amp Bosch Alternator
- 130 and 270 Amp Alternator Options
- PACCAR 12 Volt Starter
- Two PACCAR Dual Purpose Batteries
- 3 Dual purpose, 2 Starting and 2 or 3 Deep Cycle Optima Batteries

Exhaust Options

- DPF & SCR RH Under with Vertical Tailpipe RH Side of Cab
- DPF & SCR RH Under with Vertical Tailpipe RH Back of Cab
- Vertical Independent SCR/DPF RH/LH Back of Cab
- Vertical Independent Muffler RH Back of Cab (ISL-G Only)

<u>Transmission</u>

- Eaton Fuller FS6406A 6-Speed
- Clutch Eaton Fuller
- 6, 9, 10, 11 and 13 Speed Eaton Fuller Transmissions

168.4

146.1

140.4

ſ

V TREE

67.4

- 73.) --95.4 --

- Allison Automatic 5 and 6 Speed HS, RDS and EVS
- Front Engine PTO Adaptor

73,0

50.5

<u> Frame / Axle / Suspension / Brakes</u>

Frame - 10 5/8" x 3 1/2" x 5/16" Steel - 120,000 psi -Heat Treated

- Frame 10 3/4" x 3 1/2" x 3/8", 10 11/16" x 3 1/2" x 1/2"
- 50.5" Bumper Setting
- 73" Extended Bumper Setting
- Full Frame Insert for 10 5/8" and 10 3/4"
- Partial Inserts for 10 5/8" and 10 3/4"
- Front Axles Dana Spicer, 12,000 lb.
- Front Axles Dana Spicer, 13,200 to 22,000 lb.
- Front Axles Meritor, 12,000 to 20,000 lb.
- Front Springs Taperleaf w/Shocks, 12,000 lb.
- Front Springs Taperleaf w/Shocks, 13,200 to 22,000 lb.
- Single Rear Axle Dana Spicer, 21,000 lb.
- Single Rear Axles Dana Spicer, 22,000, 23,000, 26,000 & 30,000 lb.
- Dual Rear Axles 40,000 to 46,000 lb.
- Rear Suspension Reyco 21,000 lb.
- Rear Suspension 23,000 to 46,000 lb. Kenworth, Reyco, Hendrickson, Neway & Chalmers
- Single Pusher Axle
- Single Tag Axle
- ABS System Bendix

Wheels / Tires

- Wheels Steel 22.5"
- Aluminum 22.5" & 24.5"
- Alcoa Dura-Bright Aluminum Wheel Finish
- Tires Bridgestone
- Up to 445 Series

<u>Fuel Tanks</u>

CA

WB

- Aluminum 56 Gallon, 22" Round Aluminum
- Round Aluminum 22" and 24.5" from 75 to 150 gallons

<u> Battery Boxes / Bumpers</u>

- Aluminum Battery Box with Aluminum Diamond Plate
 Cover
- In Cab Battery Box Under Passenger Seat
- Bumper Tapered Steel Channel Painted
- Bumper Tapered Aluminum Channel Natural Finish
- Bumper 3-Piece Offset Aluminum or Steel

<u>Cab / Hood / Interior</u>

- Cab Aluminum and Composite
- Extended Day Cab
- 38 Inch AeroCab® FlatTop Sleeper
- Hood Sloped with Fixed Grille
- Interior Smooth Gray Vinyl with Black Dash Trim
- Power Door Locks
- Passenger-side Electric Window
- Kenworth Air Cushion Plus High Back Driver Seat
- Kenworth Intermediate and High Back, Air and Toolbox Rider Seats
- 2-Person Bench Seat
- Sears Driver and Rider Seats
- Rear Cab Corner Windows
- Kenworth Multi-function Driver Information Center
- 9 Gauge Instrumentation
- 7.5" x 5" Body Builder Instrument Panel
- 4 Additional Gauge Locations
- Workstation Between Seats
- Halogen Projector Headlamps

Special Equipment & Options

- Aerodynamic Heated Mirrors
- Heavy Duty Crossmembers
- Factory Installed PTOs
 - Quiet Cab[®] Package
 - Switch & Wiring for Customer Installed Fog Lights &
 - Floodlights
 - Left & Right Cab Mounted Halogen Spotlights
 - Single and Dual Beacon Lights
- Factory Installed BOC Floodlights
- Daytime Running Lights
- Multi-function Engine Connector for Body Builder Interface
- Body Builder Harness
- Adjustable Telescoping Tilt Steering Column
- Remote Keyless Entry

82.0

RS

EOF

- Bumper Delete
- Rear Engine Power Take Off (REPTO)
- Front Engine Power Take Off (FEPTO)
- NFPA Compliance Options

Optional Items in Italics

Note: Equipment and specifications shown in this

brochure are subject to change without notice. Consult with your Kenworth dealer at time of

ordering for standard and optional equipment.

A PACCAR COMPANY

KENWORTH TRUCK COMPANY

Kirkland, Washington 98083-1000

CANADIAN KENWORTH COMPANY

6711 Mississauga Road N.

Mississauga, Ontario L5N 4J8

P.O. Box 1000

(425) 828-5000

(905) 858-7000



Request for Bid (RFB)

Boone County Purchasing 613 E. Ash St., Room 109 Columbia, MO 65201

<u>Amy Robbins, Senior Buyer</u> (573) 886-4392 – Fax: (573) 886-4390 Email: arobbins@boonecountymo.org

Bid DataBid Number:03-15JAN15Commodity Title:Single Axle Dump Truck

DIRECT BID FORMAT OR SUBMISSION QUESTIONS TO THE PURCHASING DEPARTMENT

	Bid Submission Address and Deadline
Day / Date:	Thursday, January 15, 2015
Time:	1:15 P.M. Central Time. (Bids received after this time will be returned unopened)
Location / Mail Address:	Boone County Purchasing Department
	Boone County Annex Building
	613 E. Ash St., Room 109
	Columbia, MO 65201
Directions:	The Annex Building is located on the Northwest corner at 7 th St. and Ash St. Enter the building from the South Side. Wheel chair accessible entrance is available on the South side of the building.
	Bid Opening
Day / Date:	Thursday, January 15, 2015
Time:	1:30 P.M. Central Time. (Bids received after this time will be returned unopened)
Location / Address:	Boone County Commission Chambers
	Roger E. Wilson Boone County Government Center
	801 E. Walnut
	Columbia, MO 65201

Bid Contents

- 1.0: Introduction and General Conditions of Bidding
- 2.0: Primary Specifications
- 3.0: Response Presentation and Review
- 4.0: Response Form Work Authorization Certification Certification of Individual Bidder Affidavit of Individual Bidder Debarment Form Standard Terms and Conditions No Bid Response Form

1. Introduction and General Conditions of Bidding

1.1. **INVITATION** - The County of Boone, through its Purchasing Department, invites responses, which offer to provide the goods and/or services identified on the title page, and described in greater detail in Section 2.

1.2. **DEFINITIONS**

1.2.1. **County** - This term refers to the County of Boone, a duly organized public entity. It may also be used as a pronoun for various subsets of the County organization, including, as the context will indicate:

Purchasing - The Purchasing Department, including its Purchasing Director and staff. *Department/s or Office/s* - The County Department/s or Office/s for which this Bid is prepared, and which will be the end user/s of the goods and/or services sought.

Designee - The County employee/s assigned as your primary contact/s for interaction regarding Contract performance.

1.2.2. Bidder / Contractor / Supplier - These terms refer generally to businesses having some sort of relationship to or with us. The term may apply differently to different classes of entities, as the context will indicate.

Bidder - Any business entity submitting a response to this Bid. Suppliers, which may be invited to respond, or which express interest in this bid, but which do not submit a response, have no obligations with respect to the bid requirements.

Contractor - The Bidder whose response to this bid is found by Purchasing to meet the best interests of the County. The Contractor will be selected for award, and will enter into a Contract for provision of the goods and/or services described in the Bid.

Supplier - All business/s entities which may provide the subject goods and/or services.

- 1.2.3. **Bid** This entire document, including attachments. A Bid may be used to solicit various kinds of information. The kind of information this Bid seeks is indicated by the title appearing at the top of the first page. An "Invitation For Bid" is used when the need is well defined. An "Invitation For Proposal" is used when the County will consider solutions, which may vary significantly from each other or from the County's initial expectations.
- 1.2.4. **Response -** The written, sealed document submitted according to the Bid instructions.
- 1.3. **BID CLARIFICATION -** Questions regarding this Bid should be directed in writing, preferably by fax, to the Purchasing Department. Answers, citing the question asked but not identifying the questioner, will be distributed simultaneously to all known prospective Bidders. Note: written requirements in the Bid or its Amendments are binding, but any oral communications between County and Bidder are not.
- 1.3.1. **Bidder Responsibility -** The Bidder is expected to be thoroughly familiar with all specifications and requirements of this Bid. Bidder's failure or omission to examine any relevant form, article, site or document will not relieve them from any obligation regarding this Bid. By submitting a Response, Bidder is presumed to concur with all terms, conditions and specifications of this Bid.
- 1.3.2. **Bid Amendment** If it becomes evident that this Bid must be amended, the Purchasing Department will issue a formal written Amendment to all known prospective Bidders. If necessary, a new due date will be established.
 - 1.4. **AWARD** Award will be made to the Bidder/s whose offer/s provide the greatest value to the County from the standpoint of suitability to purpose, quality, service, previous experience, price, lifecycle cost, ability to deliver, or for any other reason deemed by Purchasing to be in the best interest of the County. Thus, the result will not be determined by price alone. The County will be seeking the least costly outcome that meets the County needs as interpreted by the County.
- 1.5. **CONTRACT EXECUTION -** This Bid and the Contractor's Response will be made part of any resultant Contract and will be incorporated in the Contract as set forth, verbatim.
- 1.5.1. Precedence In the event of contradictions or conflicts between the provisions of the documents comprising this Contract, they will be resolved by giving precedence in the following order:
 1) the provisions of the Contract (as it may be amended);

- 2) the provisions of the Bid;
- 3) the provisions of the Bidder's Response.
- 1.6. **COMPLIANCE WITH STANDARD TERMS AND CONDITIONS -** Bidder agrees to be bound by the County's standard "boilerplate" terms and conditions for Contracts, a sample of which is attached to this Bid.

2. Primary Specifications

- 2.1. **ITEMS TO BE PROVIDED** One (1) 2015 or current model Single Axle Dump Truck with dump body and spreader/plow control system.
- 2.1.1. QUANTITY One (1) Note: Vendor will be bidding on One (1) complete truck.

2.2. GENERAL REQUIREMENTS

- 2.2.1. Unit shall consist of a one-person operated control and loading system and shall be designed and constructed for performance, durability, dependability and safety.
- 2.2.2. Equipment shall be bid as a complete package and prepared for use with turnkey operation prior to delivery. Equipment shall be new, current year manufacture of latest design and production that conforms in strength, quality of material and workmanship equal to equipment that is usually provided to the trade in general.
- 2.2.3. All items bid will include installation.
- 2.2.4. The unit(s) shall be constructed for easy removal of a v-box material spreader from the truck.
- 2.2.5. Control system electronic/electrical cables and hydraulic line disconnects are required unless otherwise specified.
- 2.2.6. The automatic snow and ice control system shall be a ground speed controlled system.
- 2.2.7. The unit(s) shall include all inspection coupons, certifications, or warranty identification cards furnished in accordance with standard warranty policies.
- 2.3. SINGLE AXLE DUMP TRUCK MINIMUM SPECIFICATIONS
- 2.3.1. Wheelbase: selected 170.0 inch and 84.5 inch cab to axle length.
- 2.3.2. Frame Rails: Heat treated Alloy Steel (120,000 PSI Yield)
 - Frame Extension: Front integral; 24" in front of grill.

NOTE: Frame will exceed 2,037,600 RBM <u>all the way through the truck frame</u>. If dealer cannot supply 2,037,600 RBM all the way through, it is the responsibility of the bidder to submit in written form with their response, a guarantee of the frame breaking for as long as Boone County owns the truck.

- 2.3.3. Tow Hook: front, two (2), frame mounted
- 2.3.4. Bumper: Omit.
- 2.3.5. Front Axle: SFA (Set Forward Axle), I-Beam type, 16,000 lb. minimum capacity, Wide track.
- 2.3.6. Front Shocks: heavy-duty.
- 2.3.7. Front Springs: parabolic, taper leaf; 16,000 lb. minimum capacity.
- 2.3.8. Front Spring Pins: pins and rubber bushings, maintenance-free.
- 2.3.9. Brake System: ABS Full vehicle wheel control system (4-channel) with automatic traction control. Bendix air brakes, anti-locking (ABS), Q-plus linings; dual service brake system for straight truck applications. Air dryer with heater (Bendix AD-IP), standard location. Gauge: air pressure, dual. Air compressor air supply line through air cleaner. Brake lines color-coded nylon. Haldex or Gunite automatic slack adjusters in front and rear. Drain valve: Automatic (Bendix DV-2) for air tank. Inversion valve with integral check valve. Front brakes: air cam, S-cam, 16.5.0" x 6.0"; includes 24 sq. in. long stroke brake chambers. Omit front brake dust shields. Rear brakes: air cam, S-cam, 16.5." x 7.0"; includes 30/30 sq. in. long stroke brake chambers and heavy-duty spring actuated parking brake. Brake chamber to be located inside rear tire envelope for clearance to the hitches. Air compressor 18.7 CFM minimum. Parking brake valve shall have color-coded knob located on instrument panel. Air pressure gauge shall have Air 1 and Air 2 Gauges located in instrument cluster.
- 2.3.10. **Steering:** Single steering gear, power steering able to handle axle ratios; includes 2-spoke steering wheel, 18" minimum diameter and tilt/telescoping steering column.
- 2.3.11. **Exhaust:** Single, horizontal after treatment device frame mounted outside right under cab; includes vertical tail pipe and bright stainless steel guard.
- 2.3.12. **Trailer Package:** Units shall be equipped with trailer connections four (4) wheel with hand control valve and tractor protection for straight truck applications. Unit shall have 7 way heavy duty trailer plug. Hitch location to be completed except for supplying and installation of hitch.
- 2.3.13. Electrical System(s): 12-Volt Standard equipment, heavy-duty wiring to rear of frame with stop,

tail, turn and marker lights circuits, ignition controlled auxiliary feed and ground; chassis wiring coded throughout; turn signal switch with hazard flasher overrides brake (to be done with programming system controller); includes extra heavy duty electronic turn signal flasher system(s) that will be capable of signal and hazard flashing multiple lamps with turn signal switch selfcanceling with integral hazard switch and data link connector in cab for vehicle programming and diagnostics. Headlight dimmer switch integral with turn signal switch. Five (5) amber LED roof marker lights flush mounted on cab. Windshield wipers switch 2-speed integral with turn signal switch with mist wiper/washer and intermittent wiper feature. Windshield wipers single motor, electric, cowl mounted. Fuses and breakers: SAE blade type. Auxiliary harness for auxiliary front headlights and turn signals for front snowplow application; includes lighted toggle or rocker switch and wiring for snowplow lights. Cigar type power source receptacle. Power source, terminal type 2post. Headlights: two (2) Halogen. Parking lights integral with front turn signals and rear taillights. Stop, turn and dual rear combination with reflector backup lights. Starter switch electric, key operated. Turn signals front flush mounted. Exterior cab mounted pedestal type adjustable drivers side work light; includes lighted toggle or rocker switch on instrument panel and wiring. Electrical systems shall include heavy-duty wiring body builder's connections in back of cab at frame; includes sealed electrical wiring connectors for tail/amber turn, marker, back-up, accessory power, ground and sealed connector for stop/turn. Circuit breakers with manual reset (Main Panel). Include separate auxiliary factory installed low washer fluid warning indicator/alarm, and factory installed electrical circuits for heated mirrors, and auxiliary work light and aux. strobe lights; includes, wiring, switch and all necessary mounting hardware. Tail light wiring modified to include separate wiring for standard left and right taillights with 8' of extra cable and separate wiring for left and right body mounted taillights. Electrical disconnect front harness for guidepost lights with connectors located at headlight connection. Factory installed (preferred) electric brake controller.

- 2.3.14. **CB Antenna:** Two-way/CB radio power to the center overhead console, antenna installed on mirror bracket and coaxial cable routed to same overhead console.
- 2.3.15. Horn, Air: air single trumpet minimum. Electric city horn on steering wheel.
- 2.3.16. Alternator: 12-volt, 160 amp capacity minimum.
- 2.3.17. **Battery System:** maintenance free, three (3) Group 31, 3300 CCA minimum total. Battery box, steel and mounted on driver's side behind/under cab.
- 2.3.18. **Radio System:** AM/FM stereo with weather band with Bluetooth capability, electronic tuning and clock; includes two (2) dual cone speakers.
- 2.3.19. Front End: Fiberglass, tilting, includes easy tilt hood and stationary grille.
- 2.3.20. Torque Converter: Application to match engine to automatic transmission mechanical ratios.
- 2.3.21. **PTO Effects:** Front PTO provision on engine.
- 2.3.22. Engine: Diesel engine 8.3 L minimum, electronic, wet-sleeved cylinders, high torque, 350 HP @ 2200 governed RPM, 1000 lb.-ft. Torque @1400 RPM; includes Bell Housing, electric engine shutdown, governor close regulated, starter motor, air cleaner restriction gauge, magnetic engine oil drain plug, fan drive with nylon fan, engine block heater 120-volt/1250-1500 watt, air cleaner single element with integral snow valve and in-cab control; electronic engine speed control for PTO with electronic mobile variable speed control mounted on steering wheel. Automatic On/Off Type Control, Fan Drive. Internal Jacobs compression brake.
- 2.3.23. Radiator: Adequate for cooling specified engine and components effectively.
- 2.3.24. **Transmission:** heavy-duty automatic wide ratio (Allison 3000-RDS) programmed as 6-speed with push button shift control with double overdrive, less retarder. Allison WT spare input/output for dump truck application. Transmission shall not up-shift above 3rd gear when central hydraulic system is put into snowplow mode. Appropriate wires shall be supplied in a body builder's plug so truck equipment company can complete transmission hold. A bracket mounted removable push-button shift control shall be supplied. Shall have Allison approved synthetic fluid.
- 2.3.25. Rear Axle: Single reduction, 25,000-lb. minimum capacity with 200 wheel ends. Axle gear ratio of 5.63 shall be setup to maintain truck highway speed at 70 mph fully loaded; includes magnetic rear axle drain plug. Locking differential in rear axle. Shall have synthetic fluid.
- 2.3.26. Rear Suspension, Single: 30,000 flat leaf rear suspension with radius rod.

- 2.3.27. **Fuel Tank:** One (1) single top draw; aluminum (non-polished), 60 U.S. gallon minimum capacity with quick connect outlet and center and bottom steps, mounted on left side under cab.
- 2.3.28. **Cab, Cowl, Body:** Paint schematic: single color **RED**, design 100 AG; paint type, base coat/clear coat, 1-2 tone. Cab conventional steel, wide-body. Cab interior trim, premium; includes thermometer and compass. Arm rest on each door. Black rubber floor covering. Grab handle: one (1) towel bar type. Anti-slip rubber for cab entry mounted left. Glass: all windows, tinted. Mirrors: two (2) heated, power adjust, rectangular, brackets breakaway type with integral convex mirror heads on both and thermostatically controlled, bright finish heads and brackets. Gauge cluster: English with electronic engine oil pressure, fuel, water temperature, speedometer and tachometer for air brake chassis and voltmeter gauge. Must include odometer display to read miles, trip miles, engine hours and trip hours to be used in conjunction with on-board automated snow and ice control system. Must include a visual and audible warning/alert system for low fuel, low oil pressure, high engine coolant temperature and low battery voltage. Seat for driver and passenger should be air suspension (National Series 2000), high-back with integral headrest, cloth, isolated with two (2) position front cushion adjustment, -3 to 19 degree seat back adjustment and air lumbar support, includes 3-point seat belt, lap and shoulder belt type. Inside arm rests shall be provided for both seats. Padded dash. Air conditioner with integral heater and defroster. Cab interior and trim: deluxe application with overhead console. Cab rear suspension, air bag type. Fenders shall have flare extensions.
- 2.3.29. Wheels: Front: disc; 22.5" steel, 10-stud hub-piloted, flanged nut, metric mount, 9.00 DC rims with steel hubs; Powder coated white. Rear: dual disc; 22.5" steel, 10-stud hub-piloted, flanged nut, metric mount, 8.25 DC rims with steel hubs; powder coated white. Wheel seals in front and back include; oil-lubricated wheel bearings.
- 2.3.30. **Tires:** Rear: four (4),11R22.5, load range H, 16 ply. Mud and snow type. Front: two (2), 315/80R22.5, load range L, 20 ply.
- 2.3.31. **Auxiliary Components:** All factory installed electrical wiring and connectors necessary for installation of automated plow and spreader controls.
- 2.3.32. Mudflaps: front, standard equipment.
- 2.3.33. **Trailer Hitch:** Truck shall have all items installed for a 90,000 lb. air chamber hitch with countersunk sockets for gladhands and electrical connect. D-rings installed for trailer safety chains.
- 2.3.34. **Warranty:** Base vehicle warranty, 24 Months/Unlimited miles. Engine extended service warranty, 5 years/200,000 miles including injectors and turbo. Transmission warranty, 5 years/unlimited miles. Frame rails, cowl and cab structure warranty against corrosion, 5 years/unlimited miles.

Note: Successful vendor shall be responsible for transporting truck to and from their repair facility for warranty maintenance and repair; includes all applicable service and transport fees and/or charges.

- 2.3.35. **Manuals:** A service manual, parts manual, wiring diagram and bodybuilder's book for trucks, and line sheet of parts used to build the truck shall be included. A custom parts and Service DVD shall be provided.
- 2.3.36. **Training:** Any training videos that apply to the truck shall be supplied (engine, transmission operation). Any CDs or DVDs used for engine, transmission, and ABS brake diagnosis shall be supplied.

2.4. DUMP TRUCK BODY MINIMUM SPECIFICATIONS

- 2.4.1. All electronic/electrical wiring shall be soldered, sealed with heat shrink tubing and placed in looms. Component wiring connections shall be run to a sealed junction box(s) to prevent corrosion and ease of repair.
- 2.4.2. **Dump Body:** (DuraClass HPT 316 or equal) 10 foot, 6 yard body with side-wall shaped into a continuous top rail, side and running board configuration and radius corners; all made of 3/16" hitensile physical quality steel. Sloped run-board type body with side braces in body and 3/16" hitensile steel cross-memberless sub-frame that accepts a single telescopic underbody hoist. The body ends shall be higher than the sides with pockets for extension sideboards. Oak 2" thick sideboards shall be included with two (2) upright spaced evenly apart supports to keep sideboards from flexing during loading of materials into dump body. The body shall be equipped with three (3) holes, 3" in

diameter for the rear side marker light. The body shall have elongated stop, directional and taillights flush mounted in the rear posts. Elongated amber strobe lights shall be mounted in the rear posts directly above the stop/tail lights as well as in the top of the three bend head sheet (on the 45 degree corners) of the body in front and on each side corner right and left. Step welded inside on each side for operator.

- 2.4.3. Front Head: The front head shall be one-piece with a 3-bend top, 3" wide and 2" deep with a return flange of 1 3/8" and reinforced mid-height with a horizontal "V" section, all 8-gauge hi-tensile steel.
- 2.4.4. **Floor:** The floor shall be 1-piece with 5" vertical flanges at the sides and is made of 3/16" AR 450 hi-tensile steel.
- 2.4.5. Sides: The 36" sides shall be 3/16" hi-tensile steel shaped into a top rail, side and running board configuration of one steel sheet to eliminate the outside seam weld below the top rail and to prevent troublesome moisture and freeze problems. Shall have smooth sloped radius corners. The front corner posts shall be fully enclosed for added strength and resistance to corrosion. Rear corner posts shall be full-depth and constructed of Cor-ten steel. The sides shall have 6" high pockets provided front and rear for extension sideboards. Vendor will supply an optional cost to construct the sides with 3/16" Cor-ten steel.
- 2.4.6. **Tailgate:** Reinforced 2-panel straight-type tailgate, multi-position, double-acting with air operated positive action tailgate control and flush mounted offset upper tailgate hinges. The tailgate cross braces shall be sloped for self-cleaning. The tailgate shall be 2-Panel with vertical and horizontal braces. The tailgate shall be made of 3/16" AR450 hi-tensile steel. The tailgate upper hinge pin shall be 1" in diameter. A piece of 1-1/2" angle iron shall be welded full length on top of tailgate to act as a self-cleaning device. The spreader chains shall be 3/8" in diameter proof coil and long enough to support the tailgate in a horizontal position. A ½" rod size folding D-ring device shall be positioned and welded in the center along the outside top edge of the top cross-member of the tailgate for use in removal and installation of tailgate.
- 2.4.7. **Sub-frame:** The sub-frame shall be fabricated of 3/16" steel and cross-memberless. The long member shall be a trapezoidal section boxed with a 3" width on the bottom. The long member shall have a "wrapped" reinforced section at the bed pivot pins.
- 2.4.8. **Operating Device:** The operating device shall be an air operated locking device with positive latches to evenly secure lower tailgate pins to body for a good seal. A push switch shall operate the device and shall be mounted on the driver's control console to his right. The tailgate lower hardware shall be of the overshot design made of ½" plate and equipped with air cylinders for operation. Grease fittings for cross shaft across back for tailgate must be accessible for maintenance. The cross shaft shall have nuts fastened to ends to provide a manual override for air operated tailgate.
- 2.4.9. **Tarp System:** A fully automatic, quiet, smooth running, electrically powered ribbed aluminum (Aero) tarp covering system shall be installed. The tarp cover must be of heavy quality cloth mesh, proper length and width to accommodate the size of dump body opening. The tarp framework system aluminum with arm guard rubber bumpers and rests. Aero Series 550 Easy Cover tarp system with Aero heavy mesh tarp cover is acceptable. The following items shall be included with the system: A switch mounted near the plow controls, forward and reverse power operated, direct drive, automatic reset circuit breakers, 18 oz. minimum cloth mesh tarp cover with loop in rear to slide over tarp, and underbody spring loaded bars to accommodate rolling and unrolling of the tarp system. The switch shall control a solenoid installed in a weather proof box mounted in the rear truck frame area.
- 2.4.10. **Tool Box:** 24" x 24" shall be mounted on the driver's side of the truck frame adjacent to the battery box. The box shall be vertically mounted and hinged toward the front. Tool box to be primed and painted black. The box shall be mounted with ¼" x 3" x 3" angle brackets.
- 2.4.11. Lighting: Oval amber flashing 2"x6" LED strobe lights shall be mounted in the top outer flange of the 45 degree headboard cab protector (on each side) and in the rear corner posts above the stop/tail lights. Round LED side marker lamps mounted in rear corner posts. Oval 2" x 6" red LED stop/taillights shall be installed in rear of dump body upright posts. Shall include all electrical wiring switch, controller and hardware necessary to make operational. A bed up warning light shall be installed. All switches shall be illuminated push-button type and mounted in at a location

designated by the County.

- 2.4.12. **Hoist:** A 5" diameter w/110-115" stroke high pressure front mounted, three-stage telescopic cylinder, hard chrome plated; hoist frame approximately 6" deep of 5/16" steel; supporting cross-members gussets front and rear to long members; hoist capacity to match body and payload. Body raised indicator light in cab, backup alarm, factory installed body props.
- 2.4.13. Additional Body Specifications: A 3/4" thick x width of rear frame steel plate welded into place to house electrical plugs, hydraulic fittings, and D-rings. Ladder on driver's side of dump body, directly behind cab, running up through the body and constructed of 1/4" x 2" flat steel (3 steps: 2 above bottom and one below). A 16" cab protector constructed of 8-gauge steel shall be installed on the body with 1 grab handles welded just below the tarp cover motor. Step mounted inside the dump body and under the front corner of the dump body on the street side. The entire body shall be primed with a salt corrosive inhibitor primer and painted with gloss black urethane paint and with all mounting hardware and welding points painted appropriately. The underside of the body and hoist frame shall be primed with a salt corrosive inhibitor primer and painted gloss black. Mud flaps shall be installed behind the front tires on the truck with 1/4" material acceptable. Mud flaps, anti-sail shall be installed on rear of dump body, 1/2"x 24" x 36" (secured with stainless steel continuous hinge rear only) and in front of the dual rear wheels on the dump body, $\frac{1}{2}$ " x 24" x 30", includes ant-sail brackets and holders. Four ratcheting tie-downs shall be welded to the bed sides (horizontally near top) in order to secure a material spreader to the bed. The location of the tie downs will be designated by the County. Bed shall also have a stainless steel shovel holder welded at a location designated by the County. Warning decals and stickers shall be placed where required. Standard equipment supplied as required by OSHA and the Federal Transportation Department.
- 2.4.14. **Plow Hitch:** Installation of Henke Quick-Attach type.
- 2.4.15. Warranty: Body, hydraulic components, and labor shall be for one (1) year from the date of delivery against manufacturer's defects. Hoist shall be three (3) years from the date of delivery. Warranty shall be the responsibility of the truck equipment installer. The warranty shall cover all items provided and/or installed to the dealer's truck chassis. Dealer/Builder shall state at what facility and location the warranty work will be performed.
 - 2.5. CENTRAL HYDRAULIC and AUTOMATIC CONTROLLER SYSTEM MINIMUM SPECIFICATIONS
- 2.5.1. All items bid will include installation. Component Technology system components acceptable and presently utilized on all trucks in the fleet.
- 2.5.2. All electronic/electrical wiring shall be soldered, sealed with heat shrink tubing and placed in asphalt type looms. Component wiring connections shall be run to sealed junction box(s) to prevent corrosion and ease of repair. All electronic solenoids shall be protected from salt corrosion.
- 2.5.3. Hydraulic Pump: The hydraulic pump will be crankshaft driven using a 1280/1310 driveline assembly. Piston pump (load sensing type) must be capable of 52 GPM and 3000 PSI at 2500 RPM (5.48 CID). Pump must have side ports to avoid multiple 90 degree bends in suction line (rear ports unacceptable). Case drain must be positioned as high as possible and directed back to the reservoir without passing through the return line filter. Pump must have the ability to have an internal bleed down compensator, a 1 ¼" keyed shaft with a tapped hole in the end of the shaft to hold the pump yoke on, a 1" split flange pressure port and a 2" split flange suction port. A bolt on N/C low oil shut down valve shall be attached to the pump pressure port that is 12VDC activated. Acceptable model: Sauer-Danfoss model FRL090.
- 2.5.4. **Pump Drive:** Driveline must be 1280/1310 series solid shaft style. Driveline shall come with all crosses, pump end yoke and flange for engine. Pump shall be driven off the engine crankshaft. Driveline shall have a companion flange that unbolts from the driveshaft for easy belt replacement.
- 2.5.5. **Hydraulic Stack Valve:** The valve shall be a mobile stackable design, load sensing type and shall be capable of a nominal 35 GPM with published flow curves to 40 GPM. Valves must be pressure and flow compensated. Inlet and outlet ports to be 1" o-ring, all working ports shall be ¾" and 5/8" o-ring. Valve to be arranged as follows: Inlet cap with pressure, tank, and load sense port; Single acting cylinder spool for hoist, spring return to neutral pressure compensated with a 32 GPM main spool, shall be remote cable controlled. Hoist must raise in 20 seconds or less at 1200 RPM; Double

acting cylinder spool for plow angle, spring return to neutral pressure compensated with a 10 GPM main spool, shall be remote cable controlled; For the spreader functions there shall be a manifold assembly that is an integral part of the stack valves that will have a cartridge valve for the auger with a manual override 12VDC proportional controlled 1-15 GPM. The spinner will be 0-7 GPM 12VDC proportional controlled also with a manual override. The manifold assembly shall have the ability to have 2 more cartridges added at a later date for a pre-wet system or anti-ice system without valve disassembly.

- 2.5.6. Hydraulic Reservoir: Reservoir shall be a 20 to 30-gallon minimum capacity with the breather cap mounted to an inspection lid. Inspection lid shall also provide for an in-tank mounted return line filter. Breather cap fill neck must be screened and mounted on a riser. Reservoir shall be complete with a sight temperature gauge and a magnetic drain plug. Suction port will allow for installation of a 2" NPT 50 GPM suction screen. Suction screen will have a 3 to 5 PSI by-pass spring. Reservoir to be constructed of 10-gauge steel. As and integral part of the reservoir there shall be an area for mounting of the hydraulic stack valve. Reservoir must be of template style for bulkhead "through" mounting of the valve and be completely free from internal tubing or hoses from the work ports and inlet of the valve. Valve must be removable as a unit with template through the top of the reservoir for service and accessibility. All electrical connections must be made via IP68 rated connectors on the front (cab) side of the reservoir. The enclosure must have a fully potted output module installed in it for all electrical connections for the complete system. This module must be the master for the complete controlling system that operates on a CAN open platform. All hydraulic fittings must exit the bottom of the enclosure and be male JIC bulkheads. Access to the enclosure must be by a removable top lid that is held in place with 2 rubber tie downs. The reservoir filter and fill cap must be accessible without removing a lid or cover. Assembly must be mounted on the driver's side of the vehicle.
- 2.5.7. **Hydraulic Return Filter:** Filter shall be top tank mounted type 10 microns with a by-pass and replaceable cartridge element. Filter shall be capable of 80 GPM flow capacity. Filter shall have one 1 ¼" SAE port with the ability to be machined for another. A bypass condition pressure switch is required and shall light a "Change Filter" message on the system display; switch shall be 22 PSI and have a DIN connector.
- 2.5.8. "TPE" Wiring Specification: Wiring and harness system shall meet ISO rating IP68 and NEMA 6. The connectors should have three sealing points (lock ring, raised portion of the molded plastic around each pin, and a viton o-ring) that seals the whole connector. The cable jacket should be TPE-thermoplastic elastomer and molded to the connectors. Connector and harness to be rated and tested for a temperature range from -30 Deg. C. to + 70 Deg. C. Water tight when submerged in 6' of water for 24 hours, in 275' of water for 1 hour, and when subjected to a 1000 PSI pressure wash. The connectors shall be tested to have NO corrosion after 500 hours in a 35 Deg. C. salt spray. Cabling shall be rated excellent in low temperature flexibility and in it's resistance to oxidation, heat, oil, weather, sun, ozone, abrasion, electrical priorities, flame, water, acid, alkali, gasoline, benzol, toluol, degreaser solvents, alcohol, and weld slag. All cabling must meet this style.

County of Boone

2. Primary Specifications (cont.)

- 2.5.9. Spreader Control System: The system shall be a CANBUS system that communicates using CAN Open protocol and not a proprietary communications protocol. The control shall be capable of accurately spreading granular and pre-wetting liquid material. Control shall be capable of 6 different material types, capable of closed loop operation on both the augur and spinner, capable of gate control. The display shall alert the operator of any errors in the input signals detected by the microprocessor self diagnostic system. The use of numeric error codes is not acceptable. All codes shall be displayed in English. Control shall be capable of both automatic and manual modes. In the event of an auger, spinner, or liquid sensor failure, the control shall be capable of switching to an open loop mode. Manual mode may be locked out by administrator. System shall be configured for auger and spinner both running in open loop, no sensors. Display shall be mounted where it is easy to see by the operator and the operator panel must be located so it is very easy to reach by the operator without taking their eyes off the road. The system shall consist of four primary modules that reside on the Bus and allow flexibility in mounting configurations. The system is completely expandable and allows for additional modules to be added to the CAN Bus. All four primary components of the system are software upgradeable using a laptop and interface cable. The configuration file of a calibrated system can be saved for transfer to other systems or as a backup providing the ability to use specific configurations for varying vehicle use or operator skill level. The original configuration is maintained at the factory as a secondary backup and is traceable by part number.
- 2.5.10. **Display:** The display shall be a minimum 4" x 6" TFT LCD color graphic (touch screen) display with auto dimming backlight, user adjustable position, and Ethernet port for accessing a built in Web server. The Web server can be used to configure or troubleshoot a system by connecting to a PC. Interface shall utilize Internet Explorer and not require any proprietary software to connect to the system. Shall also have a USB port to provide easy access for data dumps via a Flash Drive. The display provides a built in diagnostic feature allowing technicians to view all input signals real time. The display also provides error logging and system status change logging for reviewing operator inputs. A status window provides the operator with system status messages. The display shall incorporate "soft key" switches that are defined by the system program via the display. The keys shall include a "plus" pattern buttons used to navigate in the system software easily. When configured, the display will incorporate granular rates, both pre-wet and anti-ice rates, anti-ice lane configuration, road/air temperature, hvdraulic pressure when designated, system status, error messages, plow float indication, auto/manual mode indication, and material currently being used. Active functions that are not in use shall show "off" and the graphic be "grayed out" for ease of operator interpretation.
- 2.5.11. **Operator Panel:** The operator panel shall be of molded silicone rubber keypad utilizing high lif magnetic snap action switches and three high life magnetic 16 position detented encoders used for rate, lane, and liquid control separately. The detented positions will be user programmable as to the value of each increment in the setup menu. The operator panel provides input capabilities to support RS232, RS422, truck speed input, and multiple digital I/O. The panel shall have provisions for the road/air temperature sending unit. The panel has built in LED backlighting that automatically dims with the display for night viewing. The panel shall incorporate the already integrated functions of blast and pause. The panel shall also incorporate integral mode, product, and select switches.
- 2.5.12. Valve Driver Module: The IP68 assembly shall be mounted to the valve enclosure providing both interior and exterior electrical connections. The valve driver module drives up to 14 PWM channel, accept a 4-20mA input, 4 closed loop feedback signals, and multiple digital inputs. All PWM outputs are software configurable and can be controlled by closed loop operation, proportional input devices, or digital input devices. The module has built-in over temperature shutdown, over current shutdown, and low voltage shutdown. All electrical connections are IP68 sealed when mated utilizing threaded connections for positive retention. The valve driver module will reside on the BUS as the "master" and all truck values and configurations will be saved in this module.
- 2.5.13. Software: The system shall incorporate three levels of security and access that is password

protected and defined by the user. The three levels of access called operator, technician, and administrator shall give the user varying levels of access to the system setup, data, configuration fields, and parameters based upon access given. The "administrator" shall have full access to all menus in the system and have the ability to make system configuration changes as well as system parameter changes. Spreader and liquid functions when controlled utilizing closed loop feedback will incorporate and "auto trim" feature that will allow the system to automatically se the PWM minimums and maximums when engaged. The software shall incorporate a "test speed" mode for use in testing the system safely without requiring the truck to be moving or the drive axles engaged.

- 2.5.14. **Optional System Addition:** Additional price for plow and hoist functions to be controlled 12VDC proportionally and integrated into the above described control system. The option shall include a complete control console assembly with all modules of the system mounted in the console.
- 2.5.15. **Snow Plow Cushion Valve:** A double relief cushion valve must be installed for the angle plow. Valve shall be set at 2000 PSI and have #8 SAE o-ring ports. Valve shall be constructed of a high-tensile cast iron body with ball and spring style relief that has a hardened seat. Valve shall be plumbed at the front of the truck for snowplow angle.
- 2.5.16. **Cable Controls:** Sections 1-3 of the stack valve assembly shall be actuated by the remote valve cable control system. Cables shall be mounted beside driver and easily accessible. Single axis control lever for dump body up/down. Dual axis control lever "+" pattern for plow lift and angle with 2 momentary push buttons for blast and pass. Control levers to be labeled with decals for operation. Controls to be mounted in factory style stand.
- 2.5.17. **Plow Balance Valve:** System to be supplied with plow balance valve. Valve shall reduce the weight on the cutting edge when activated. Valve to be of cartridge and manifold design, electrically activated. Valve shall tee into pressure line between pump and valve. Valve to be designed to offset a specific (adjustable) plow weight when activated. The plow balance system must not affect operation of any other hydraulic function on the vehicle or have an adverse effect on the performance of other hydraulically operated equipment. All normal operations of the plow raise and lower must be maintained without additional tasks. The plow balance system will remain electrically active when lifting the plow from the road surface, valves that require deactivation to raise are not acceptable. Plow lift must be immediate, it is not necessary to turn off the system for plow lift. Plow balance valve shall hold plow in the air indefinitely. The plow balance manifold shall be of cartridge style valving utilizing "floating" style cartridges. The solenoid on/off valve shall have a manual override and will include a test port for checking balance pressure. System must be capable of working off system "Standby Pressure".
- 2.5.18. **Road/Air Temperature Sensor:** System to be supplied with a remotely mounted air-pavement temperature sensor. Air sensor and pavement sensor must be able to be mounted in different areas on the truck. Temperature sensor must interface with the control system and be displayed on the incab display. The sensor must be able to be calibrated in the field by the user with no special tools.
- 2.5.19. Hydraulic Lines for Spreader: Two supply and one common return hydraulic lines shall be run to the rear of the bed secured to a flat steel support (running on top of the truck frame cross-members) and terminate in the side of the rear of the dump bed (driver's side). All lines shall be capped off County will install quick attach couplers at a later date.
- 2.5.20. **Warranty:** The warranty of the central hydraulic system shall be a full manufacturer's warranty for a period of 1 year (minimum) unless otherwise covered by a separate component warranty. The warranty of the spreader control system (includes any software and hardware applications) shall be a full manufacturer's warranty for a period (minimum) of 1 year unless otherwise covered by a separate component warranty. This shall include all parts, labor and trip charge.
- 2.5.21. Manuals: A service manual, parts manual, hydraulic and electrical schematic shall be included.
- 2.5.22. **Training:** Any training video's that apply to the truck spreader and computerized control system shall be supplied. Any CD's or DVD's used for fault diagnosis shall be supplied. Vendor shall schedule through the shop superintendent employee general maintenance and operation of the material spreader computerized control system at time of delivery or startup. Subsequent initial mechanical and supervisory training shall be scheduled with the shop superintendent and again when equipment updates become necessary.

2.6. **DEVIATIONS**

- 2.6.1. It is the bidder's responsibility to submit a bid that meets all mandatory specifications stated within. Because of the complexity and number of required specifications, the bidder must compare their product bid with the required listed minimum specifications and identify any deviations. Failure to properly identify deviations may render the bidder's proposal non-responsive and not capable of consideration for award. Bidders should note that a descriptive brochure of the model bid may not be acceptable as proper identification of deviations from the written specifications.
- 2.7. **Designee** Boone County Public Works
- 2.7.1. **Contact** Amy Robbins, Senior Buyer, Boone County Purchasing Department, 613 E. Ash St., Room 109, Columbia, MO 65201. Telephone: 573-886-4392; Facsimile: 573-886-4390 or email: arobbins@boonecountymo.org.
- 2.8. **Delivery:** Units shall be delivered with Bill of Sale and Title of Ownership.
- 2.8.1. **Delivery Terms:** FOB Destination Boone County Public Works Department, Maintenance Operations, 5551 Tom Bass Rd., Columbia, MO 65201

2.9. ADDITIONAL TERMS AND CONDITIONS:

- 2.9.1 Equipment shall be properly serviced, including grease and oil to the proper levels.
- 2.9.2. Vendor to include product literature for each proposed piece of equipment.
- 2.9.3. Bid evaluation will be based on quality, reliability, delivery time after receipt of order, and cost. Quality and reliability may be determined by using information contained in product reviews from established publications.

3. Response Presentation and Review

- 3.1. **RESPONSE CONTENT** In order to enable direct comparison of competing Responses, Bidder must submit Response in strict conformity to the requirements stated herein. Failure to adhere to all requirements may result in Bidder's Response being disqualified as non-responsive. All Responses must be submitted using the provided Response Sheet. Every question must be answered and if not applicable, the section must contain "N/A." Manufacturer's published specifications for the items requested shall be included with the response.
- 3.2. **SUBMITTAL OF RESPONSES** Responses MUST be received by the date and time noted on the title page under "Bid Submission Information and Deadline". NO EXCEPTIONS. The County is not responsible for late or incorrect deliveries from the US Postal Service or any other mail carrier.
- 3.2.1. Advice of Award If you wish to be advised of the outcome of this Bid, the results are posted and may be viewed on our web page <u>www.showmeboone.com</u>. (Purchasing/Bid Awards)
- 3.3. **BID OPENING** On the date and time and at the location specified on the title page, all Responses will be opened in public. Brief summary information from each will be read aloud, and any person present will be allowed, under supervision, to scan any Response.
- 3.3.1. **Removal from Vendor Database** If any prospective Bidder currently in our Vendor Database to whom the Bid was sent elects not to submit a Response and fails to reply in writing stating reasons for not bidding, that Bidder's name may be removed from our database. Other reasons for removal include unwillingness or inability to show financial responsibility, reported poor performance, unsatisfactory service, or repeated inability to meet delivery requirements.
- 3.4. **RESPONSE CLARIFICATION** The County reserves the right to request additional written or oral information from Bidders in order to obtain clarification of their Responses.
- 3.4.1. **Rejection or Correction of Responses** The County reserves the right to reject any or all Responses. Minor irregularities or informalities in any Response which are immaterial or inconsequential in nature, and are neither affected by law nor at substantial variance with Bid conditions, may be waived at our discretion whenever it is determined to be in the County's best interest.
 - 3.5. **EVALUATION PROCESS** The County's sole purpose in the evaluation process is to determine from among the Responses received which one is best suited to meet the County's needs at the lowest possible cost. Any final analysis or weighted point score does not imply that one Bidder is superior to another, but simply that in our judgment the Contractor selected appears to offer the best overall solution for our current and anticipated needs at the lowest possible cost.
- 3.5.1. **Method of Evaluation** The County will evaluate submitted Responses in relation to all aspects of this Bid.
- 3.5.2. Acceptability The County reserves the sole right to determine whether goods and/or services offered are acceptable for County use.
- 3.5.3. Endurance of Pricing Bidder's pricing must be held until contract execution or 60 days, whichever comes first.

INSTRUCTIONS FOR COMPLIANCE WITH HOUSE BILL 1549

House Bill 1549 addresses the Department of Homeland Security's and the Social Security Administration's E-Verify Program (Employment Eligibility Verification Program) that requires the County to verify "lawful presence" of individuals when we contract for work/service; verify that contractor has programs to verify lawful presence of their employees when contracts exceed \$5,000; and a requirement for OSHA safety training for public works projects.

The County is required to obtain certification that the bidder awarded the attached contract participates in a federal work authorization program. To obtain additional information on the Department of Homeland Security's E-Verify program, go to:

http://www.uscis.gov/portal/site/uscis/menuitem.eb1d4c2a3e5b9ac89243c6a7543f6d1a/?vgnextoid=75bce2e26140 5110VgnVCM1000004718190aRCRD&vgnextchannel=75bce2e261405110VgnVCM1000004718190aRCRD

Please complete and return form *Work Authorization Certification Pursuant to 285.530 RSMo* if your contract amount is in excess of \$5,000. Attach to this form the first and last page of the *E-Verify Memorandum of Understanding* that you completed when enrolling for proof of enrollment.

If you are an Individual/Proprietorship, then you must return the attached *Certification of Individual Bidder*. On that form, you may do one of the three options listed. Be sure to attach any required information for those options as detailed on the *Certification of Individual Bidder*. If you choose option number two, then you will also need to complete and return the attached form *Affidavit*.

COUNTY OF BOONE - MISSOURI WORK AUTHORIZATION CERTIFICATION PURSUANT TO 285.530 RSMo (FOR ALL AGREEMENTS IN EXCESS OF \$5,000.00)

County of)	
)ss
State of)

My name is ______. I am an authorized agent of ______

(Bidder). This business is enrolled and participates in a federal work authorization program for all employees working in connection with services provided to the County. This business does not knowingly employ any person that is an unauthorized alien in connection with the services being provided. **Documentation of participation in a**

federal work authorization program is attached to this affidavit.

Furthermore, all subcontractors working on this contract shall affirmatively state in writing in their contracts that they are not in violation of Section 285.530.1, shall not thereafter be in violation and submit a sworn affidavit under penalty of perjury that all employees are lawfully present in the United States.

Affiant

Date

Printed Name

Subscribed and sworn to before me this ____ day of _____, 20___.

Notary Public

Attach to this form the first and last page of the *E-Verify Memorandum of Understanding* that you completed when enrolling.

CERTIFICATION OF INDIVIDUAL BIDDER

Pursuant to Section 208.009 RSMo, any person applying for or receiving any grant, contract, loan, retirement, welfare, health benefit, post secondary education, scholarship, disability benefit, housing benefit or food assistance who is over 18 must verify their lawful presence in the United States. Please indicate compliance below. Note: A parent or guardian applying for a public benefit on behalf of a child who is citizen or permanent resident need not comply.

l.	I have provided a copy of documents showing citizenship or lawful presence in the United States. (Such proof may be a Missouri driver's license, U.S. passport, birth certificate, or immigration documents). Note: If the applicant is an alien, verification of lawful presence must occur prior to receiving a public benefit.
2.	I do not have the above documents, but provide an affidavit (copy attached) which may allow for temporary 90 day qualification.
3.	I have provided a completed application for a birth certificate pending in the State of Qualification shall terminate upon receipt of the birth certificate or determination that a birth certificate does not exist because I am not a United States citizen.

Applicant

Date

Printed Name

AFFIDAVIT (Only Required for Certification of Individual Bidder (Option #2)

State of Missouri))SS. County of ____)

I, the undersigned, being at least eighteen years of age, swear upon my oath that I am either a United States citizen or am classified by the United States government as being lawfully admitted for permanent residence.

Date

Signature

Social Security Number or Other Federal I.D. Number Printed Name

On the date above written ______ appeared before me and swore that the facts contained in the foregoing affidavit are true according to his/her best knowledge, information and belief.

Notary Public

My Commission Expires:

(Please complete and return with Contract)

Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion Lower Tier Covered Transactions

This certification is required by the regulations implementing Executive Order 12549, Debarment and Suspension, 29 CFR Part 98 Section 98.510, Participants' responsibilities. The regulations were published as Part VII of the May 26, 1988, Federal Register (pages 19160-19211).

(BEFORE COMPLETING CERTIFICATION, READ INSTRUCTIONS FOR CERTIFICATION)

- (1) The prospective recipient of Federal assistance funds certifies, by submission of this proposal, that neither it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction by any Federal department or agency.
- (2) Where the prospective recipient of Federal assistance funds is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

Name and Title of Authorized Representative

Signature

Date

STANDARD TERMS AND CONDITIONS - BOONE COUNTY, MISSOURI

- 1. Contractor shall comply with all applicable federal, state, and local laws and failure to do so, in County's sole discretion, shall give County the right to terminate this Contract.
- 2. Responses shall include all charges for packing, delivery, installation, etc., (unless otherwise specified) to the Boone County Department identified in the Request for Bid and/or Proposal.
- 3. The Boone County Commission has the right to accept or reject any part or parts of all bids, to waive technicalities, and to accept the offer the County Commission considers the most advantageous to the County. Boone County reserves the right to award this bid on an item-by-item basis, or an "all or none" basis, whichever is in the best interest of the County.
- 4. Bidders must use the bid forms provided for the purpose of submitting bids, must return the bid and bid sheets comprised in this bid, give the unit price, extended totals, and sign the bid. The Purchasing Director reserves the right, when only one bid has been received by the bid closing date, to delay the opening of bids to another date and time in order to revise specifications and/or establish further competition for the commodity or service required. The one (1) bid received will be retained unopened until the new Closing date, or at request of bidder, returned unopened for resubmittal at the new date and time of bid closing.
- 5. When products or materials of any particular producer or manufacturer are mentioned in our specifications, such products or materials are intended to be descriptive of type or quality and not restricted to those mentioned.
- 6. Do not include Federal Excise Tax or Sales and Use Taxes in bid process, as law exempts the County from them.
- 7. The delivery date shall be stated in definite terms, as it will be taken into consideration in awarding the bid.
- 8. The County Commission reserves the right to cancel all or any part of orders if delivery is not made or work is not started as guaranteed. In case of delay, the Contractor must notify the Purchasing Department.
- 9. In case of default by the Contractor, the County of Boone will procure the articles or services from other sources and hold the Bidder responsible for any excess cost occasioned thereby.
- 10. Failure to deliver as guaranteed may disqualify Bidder from future bidding.
- 11. Prices must be as stated in units of quantity specified, and must be firm. Bids qualified by escalator clauses may not be considered unless specified in the bid specifications.
- 12. No bid transmitted by fax machine or e-mail will be accepted.
- 13. The County of Boone, Missouri expressly denies responsibility for, or ownership of any item purchased until same is delivered to the County and is accepted by the County.
- 14. The County reserves the right to award to one or multiple respondents. The County also reserves the right to not award any item or group of items if the services can be obtained from a state or other governmental entities contract under more favorable terms.
- 15. The County, from time to time, uses federal grant funds for the procurement of goods and services.

Accordingly, the provider of goods and/or services shall comply with federal laws, rules and regulations applicable to the funds used by the County for said procurement, and contract clauses required by the federal government in such circumstances are incorporated herein by reference. These clauses can generally be found in the Federal Transit Administration's Best Practices Procurement Manual – Appendix A. Any questions regarding the applicability of federal clauses to a particular bid should be directed to the Purchasing Department prior to bid opening.

- 16. In the event of a discrepancy between a unit price and an extended line item price, the unit price shall govern.
- 17. Should an audit of Contractor's invoices during the term of the Agreement, and any renewals thereof, indicate that the County has remitted payment on invoices that constitute an over-charging to the County above the pricing terms agreed to herein, the Contractor shall issue a refund check to the County for any over-charges within 30-days of being notified of the same.
- 18. For all titled vehicles and equipment the dealer must use the actual delivery date to the County on all transfer documents including the Certificate of Origin (COO,) Manufacturer's Statement of Origin (MSO,) Bill of Sale (BOS,) and Application for Title.
- 19. **Equipment and serial and model numbers -** The contractor is strongly encouraged to include equipment serial and model numbers for all amounts invoiced to the County. If equipment serial and model numbers are not provided on the face of the invoice, such information may be required by the County before issuing payment.



"No Bid" Response Form

Boone County Purchasing 613 E. Ash St., Room 109 Columbia, MO 65201

Amy Robbins, Senior Buyer (573) 886-4392 – Fax: (573) 886-4390

"NO BID RESPONSE FORM"

NOTE: COMPLETE AND RETURN THIS FORM ONLY IF YOU DO NOT WANT TO SUBMIT A BID

If you do not wish to respond to this bid request, but would like to remain on the Boone County vendor list **for this service/commodity**, please remove form and return to the Purchasing Department by mail or fax.

If you would like to FAX this "No Bid" Response Form to our office, the FAX number is (573) 886-4390.

Bid: 03-15JAN15 – Single Axle Dump Truck

Business Name:		
Address:	 	
Telephone:	 	
Contact:	 	
Date:		

Reason(s) for Not Bidding:

JASON KANDER

MISSOURI SECRETARY OF STATE

MISSOURI ONLINE BUSINESS FILING

Online Help

Fictitious Name Details as of 2/25/2015

Fees & Forms				₩Required Field					
FAQ	If you wish to file online, select the filing from	0							
Corporations Home	To file a registration report, click the FILE REGISTRATION REPORT button. To order copies or certificates, click the COPIES/CERTIFICATES button.								
Business Outreach Office									
UCC Filings	RETURN TO SEARCH RESULTS	Filing	Select filing from the list.						
Corporation Filings	ORDER COPIES/	гыну	Type - Housed Haine Banesidion						
SOS Home	CERTIFICATES								
Contact Us	General Information Filings A	ddress Owners	Contact(s)						
1	Name(s) MHC KENWORTH - CO	LUMBIA	Address 8660 I-70 Drive SE Columbia, MO 65201						
	Type Fictitious Name		Charter No. X00380321						
	Status Fictitious Active		Date Formed 10/11/2000						
			Expiration Date 8/28/2019						
				· · · · · · · · · · · · · · · · · · ·					
	The information contained herein is provided as a public service. The State makes no representation or guarantee as to the correctness, completeness or suitability of the information provided or of any linked information. All critical information should be verified directly with the Secretary of State, Corporation Division. The State, its employees, contractors, subcontractors or their employees do not make any warranty, expressed or implied, or assume any legal liability for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed or represent that its use would not infringe on privately-owned rights. The information and/or services provided may change at any time without notice.								

JASON KANDER

MISSOURI Secretary Of Stati

MISSOURI ONLINE BUSINESS FILING

Page 1 of 1



Fictitious Name Details as of 2/25/2015

Fees & Forms					₩Required Field				
FAQ	If you wish to file online, select the filing from the Filing drop-down list, then click the FILE ONLINE button.								
Corporations Home	To file a registration report, click the FILE REGISTRATION REPORT button. To order copies or certificates, click the COPIES/CERTIFICATES button.								
Business Outreach Office		al de la galacia de la compañía de l		a mana ang mana ang dipanting ting ting ting ting ting ting ting					
UCC Filings	RETURN TO	3	Select filing from the list.						
Corporation Filings	ORDER COPIES/		Filing Type Fictitious Name Cancellation						
SOS Home	CERTIFICATES								
Contact Us	General Information	Filings	Address Owners Contact(s)						
	Owners			Show	Previous Owners				
	Name	Туре	Address	Since	То				
	OZARK KENWORTH, INC.	Organization	1524 N CORRINGTON AVE KANSAS CITY, MO 64120-1944	7/15/2009	1				
	completeness or suitab Secretary of State, Corr expressed or Implied, o	lity of the info poration Division or assume any present that it	rovided as a public service. The State makes no representation or guara ormation provided or of any linked information. All critical information si on. The State, its employees, contractors, subcontractors or their emplo legal liability for the accuracy, completeness or usefulness of any infor s use would not infringe on privately-owned rights. The information and	hould be verifled dire oyees do not make an mation, apparatus, pr	ctly with the ly warranty, roduct or				

Search Results

Current Search Terms: MHC* kenworth*

Your search for "MHC* Kenworth*" returned the following results						
	rinted document represents only the first page o plete search results, you can download the PDF a		may be available. To	-		
Jinte your com		and princie.		Search		
Entity	MHC KENWORTH - KANSAS CITY		Status: Active 🕥	Results		
DUNS: 8026	566149	CAGE Code: 35SP0	View Details	Entity		
Has Active E	xclusion?: No	DoDAAC:		Exclusion		
Expiration D	ate: 02/09/2016	Delinquent Federal Debt? No	Search			
Purpose of R	egistration: All Awards			Filters		
				By Record Status		

By Functional Area - Entity Management

By Functional Area -Performance Information

SAM | System for Award Management 1.0

Note to all Users: This is a Federal Government computer system. Use of this system constitutes consent to monitoring at all times.



GSA



ystem for Award Management

		USER NAME	PASSWORD
Entity Dashboard	MHC KENWORTH - KANSAS CITY DUNS: 802666149 CAGE Code: 35SP0 Status: Active		<u>Create an Account</u> 7007 SANDOWN RD DENVER, CO, 80216-6642 , UNITED STATES
Entity Overview	Expiration Date: 02 Purpose of Registratio		
<u>Entity Record</u> <u>Core Data</u>	Entity Over		
Assertions	Entity Information		
Reps & Certs	Name: MHC KENWORTH - KANSAS CITY Business Type: Business or Organization		
POCs	POC Name: Melissa Ries Registration Status: Active		
Reports	Activation Date: 02/09/2015 Expiration Date: 02/09/2016		
Service Contract Report			
BioPreferred Report			
Exclusions	Exclusions		
Active Exclusions	Active Exclusion Records? No		
Inactive Exclusions			
Excluded Family Members			
RETURN TO SEARCH			

SAM | System for Award Management 1.0

Note to all Users: This is a Federal Government computer system. Use of this system constitutes consent to monitoring at all times.

IBM v1.P.24.20150116-1831 WWW2





121-2015

CERTIFIED COPY OF ORDER

STATE OF MISSOURI	March Session of the January Adjourned	Term. 20	15
County of Boone			
In the County Commission of said county,	, on the 19th day of March	20	15

the following, among other proceedings, were had, viz:

Now on this day the County Commission of the County of Boone does hereby award bid 04-15JAN15 – Tandem Axle Dump Trucks to MHC Kenworth of Columbia, MO for the purchase of three (3) tandem axle dump trucks with spreader/plow control systems for a net cost of \$122,984 each after trade-in offer of \$33,000 each for three (3) tandem axle dump trucks.

The terms of the bid award are stipulated in the attached Purchase Agreement. It is further ordered the Acting Presiding Commissioner is hereby authorized to sign said Purchase Agreement and Request for Disposal forms.

Done this 19th day of March, 2015.

ATTEST: Wendy S. Noren

Clerk of the County Commission

Daniel K. Atwill Presiding Commissioner

Karen M. Miller

Acting Presiding Commissioner

Janet M. Thompson District II Commissioner

BOONE COUNTY

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE : February 25, 2015	FIXED ASSET	TAG NUMBER: 15639)					
DESCRIPTION: 2006 International 7400	SFA 6x6 Tanden	axle dump truck	RECEIVED					
REQUESTED MEANS OF DISPOSAL:	Trade		MAR 112015					
OTHER INFORMATION: VIN: 1HTWH	AZT67J416907;]	Miles: 162,699	BOONE COUNTY AUDITOR					
CONDITION OF ASSET: Poor								
REASON FOR DISPOSITION: Truck is	planned for replac	cement in 2015.						
COUNTY / COURT IT DEPT. (circle one OWN USE (this item is applicable to comp			O TRANSFER THIS ITEM FOR ITS					
DESIRED DATE FOR ASSET REMOVA	L TO STORAGE	E: None						
WAS ASSET PURCHASED WITH GRAD	NT FUNDING? SHOWING FUNI	YES NO DING AGENCY'S PERM	ISSION TO DISPOSE OF ASSET.					
DEPARTMENT: 2040		ATURE OR	24					
AUDITOR ORIGINAL PURCHASE DATE 7-3		RECEIPT INTO 20	40-3835 HQ					
ORIGINAL COST 97,3/9	!	GRANT FUNDED (Y/N) \underline{N}						
ORIGINAL FUNDING SOURCE 27	41	% FUNDING						
ASSET GROUP 60.	5	TRANSFER CONFIRM	ATTACHED (Y/N) MED					
COUNTY COMMISSION / COUNTY								
APPROVED DISPOSAL METHOD:								
TRANSFER DEPARTMENT	`NAME	·	NUMBER					
LOCATION WI	THIN DEPARTN	AENT						
INDIVIDUAL_								
TRADEAUCTION	SE	ALED BIDS						
OTHER EXPLAIN								
COMMISSION ORDER NUMBER 12 DATE APPROVED 3-19 SIGNATURE ARC	1-2015 1-15 M/	Uller						

CAPITAL

BOONE COUNTY

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE : February 25, 2015 FIXED A	SSET TAG NUMBER: 15641
DESCRIPTION: 2006 International 7400 SFA 6x6 Ta	andem axle dump truck RECEIVED
REQUESTED MEANS OF DISPOSAL: Trade	MAR 1 1 2015
OTHER INFORMATION: VIN: 1HTWHAZTX7J416	909; Miles: 137,315 BOONE COUNTY AUDITOR
CONDITION OF ASSET: Poor	
REASON FOR DISPOSITION: Truck is planned for a	replacement in 2015.
COUNTY / COURT IT DEPT. (circle one) DOES /DO OWN USE (this item is applicable to computer equipm	DES NOT (circle one) WISH TO TRANSFER THIS ITEM FOR ITS tent only)
DESIRED DATE FOR ASSET REMOVAL TO STOR	AGE: None
WAS ASSET PURCHASED WITH GRANT FUNDIN IF YES, ATTACH DOCUMENTATION SHOWING I	NG? YES NO FUNDING AGENCY'S PERMISSION TO DISPOSE OF ASSET.
DEPARTMENT: 2040 S	IGNATURE
AUDITOR ORIGINAL PURCHASE DATE 7-31-06	RECEIPT INTO 2040-3835 HQ
ORIGINAL COST 97, 319	$\underline{\qquad} GRANT FUNDED (Y/N) \underline{N}$
ORIGINAL FUNDING SOURCE 274/	% FUNDING
ASSET GROUP 1605	DOCUMENTATION ATTACHED (Y/N) TRANSFER CONFIRMED
COUNTY COMMISSION / COUNTY CLERK	
APPROVED DISPOSAL METHOD:	
TRANSFER DEPARTMENT NAME	NUMBER
LOCATION WITHIN DEPA	ARTMENT
INDIVIDUAL	·
TRADEAUCTION	_SEALED BIDS
OTHER EXPLAIN	·
COMMISSION ORDER NUMBER $\frac{121-201}{5}$	5
DATE APPROVED 3-19-15	
SIGNATURE THE ME	ulle

BOONE COUNTY

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE: February 25, 2015 FIXED ASSET TAG NUMBER: 15642 DESCRIPTION: 2006 International 7400 SFA 6x6 Tandem axle dump truck RECEIVED REQUESTED MEANS OF DISPOSAL: Trade MAR 112015 OTHER INFORMATION: VIN: 1HTWHAZT67J416910; Miles: 154,024 BOONE COUNTY AUDITOR CONDITION OF ASSET: Poor REASON FOR DISPOSITION: Truck is planned for replacement in 2015. COUNTY / COURT IT DEPT. (circle one) DOES /DOES NOT (circle one) WISH TO TRANSFER THIS ITEM FOR ITS OWN USE (this item is applicable to computer equipment only) DESIRED DATE FOR ASSET REMOVAL TO STORAGE: None WAS ASSET PURCHASED WITH GRANT FUNDING? YES (NO IF YES, ATTACH DOCUMENTATION SHOWING FUNDING AGENCY'S PERMISSION TODISPOSE OF ASSET. SIGNATURE/ DEPARTMENT: 2040 AUDITOR RECEIPT INTO 2040-3835 HQ ORIGINAL PURCHASE DATE 7-31-06 GRANT FUNDED (Y/N) NORIGINAL COST 97, 319.00 GRANT NAME ORIGINAL FUNDING SOURCE 2.74 J % FUNDING AGENCY DOCUMENTATION ATTACHED (Y/N) 1605 ASSET GROUP ____ TRANSFER CONFIRMED **COUNTY COMMISSION / COUNTY CLERK** APPROVED DISPOSAL METHOD: DEPARTMENT NAME NUMBER TRANSFER LOCATION WITHIN DEPARTMENT INDIVIDUAL AUCTION SEALED BIDS TRADE EXPLAIN_____ OTHER COMMISSION ORDER NUMBER 121 - 201513-19-15 DATE APPROVED U SIGNATURE

To: County Clerk's Office Comm Order #/21-20/5

Please return purchase req with back up to Auditor's Office.

PURCHASE REQUISITION BOONE COUNTY, MISSOURI

MHC Kenworth

VENDOR NAME

04-15JAN15 BID NUMBER

Ship to Department # 2040

Bill to Department # 2040

Department	Account	Item Description	Qty	Unit Price	Amount
2040	9,2400	T800 FEPTO tandem axle Kenworth	3	139,894,00	\$419,952.00
		Chassis w/Beau Roc Clean-Side CSS			
		dump body, and spreader/plow			
		control system (Option B/Bid 2)			
2040	92400	Central Hydraulic/Controller System,	3	16000.00	\$48,000.00
		Mfr Force America, per Bid Section			
		2.5			
2040	92400	Trade-in of International 7400 tandem	3	-33000.00	-\$99,000.00
		axle truck w/14 ft dump bed w/hoist.			\$0.00
		Vehicle Nos. 1729, 1766, 1769			\$0.00
		Assets 15642, 15639+15641			\$0.00
					\$0.00
· ···					\$0.00
					\$0.00
					\$0.00
					\$0.00
		G	RAND TOTA] L:	\$0.00 368,952.00

I certify that the goods, services or charges above specified are necessary for the use of this department, are solely for the benefit of the county, and have been procured in accordance with statutory bidding requirements.

Approving Officia

<u>Ug</u>

Prepared By

3/9/15 REQUEST DATE

VENDOR

Boone County Purchasing

Elizabeth Sanders, CPPB Senior Buyer



613 E. Ash Street, Room 111 Columbia, MO 65201 Phone: (573) 886-4393 Fax: (573) 886-4390

MEMORANDUM

TO:	Boone County Commission
FROM:	Elizabeth Sanders, Senior Buyer
DATE:	March 19, 2015
RE:	04-15JAN15 – Tandem Axle Dump Trucks

04-15JAN15 – Tandem Axle Dump Trucks opened on January 15, 2015. Six vendors submitted bids, each with options to consider. Public Works recommends award by lowest responsive bid to MHC Kenworth of Columbia, Missouri.

Three (3) tandem axle dump trucks with spreader/plow control systems will be purchased, each for a net cost of \$122,984.00 after trade-in. Public Works requests permission to dispose of Vehicle Nos. 1729, 1766, and 1769 (Asset Nos.15642, 15639, 15641 respectively) by accepting Contractor's offer of \$33,000.00 each, for the three tandem axle dump trucks. Total cost for this purchase will be \$368,952.00 and paid from dept 2040 – Public Works Maintenance Operations, account 92400 – Replacement AutoTrucks. \$471,750.00 was budgeted for this purchase. The Bid Tabulation is attached for your review.

ATT: Bid Tabulation

cc: Greg Edington, Public Works Bid File

Boone County Purchasing

Elizabeth Sanders, CPPB Senior Buyer



613 E. Ash Street, Room 111 Columbia, MO 65201 Phone: (573) 886-4393 Fax: (573) 886-4390 Isanders@boonecountymo.org

March 3, 2015

MHC Kenworth Attn: James Watring 8660 I-70 Drive SE Columbia, MO 65201

RE: RFB #04-15JAN15 – Tandem Axle Dump Trucks

Mr. Watring:

County of Boone is offering MHC Kenworth the award for the above referenced Request for Bid. Enclosed are two original purchase agreements for your signature. Please sign and return both copies of the agreement as soon as possible, using the enclosed self-addressed envelope.

Following receipt of the signed purchase agreements, the award recommendation will be presented in Commission for approval. Upon Commission approval, one executed copy of the purchase agreement and purchase order will be mailed to you.

Please contact me should you have any questions or need additional information.

Sincerely,

Elizabeth Sanders, CPPB Senior Buyer Purchasing Department

cc: Contract File Greg Edington, Public Works Chet Dunn, Public Works

	BID TABULATION		Midway Freightliner, Inc. & MHC Kenworth & Knapheide C Knapheide Equipment Equipment			CAN BUS (No	MHC Kenworth & Midwest Systems Columbia Freightliner & Midwest Systems CAN BUS (Non-Can Bus AN BUS (Non-Can Bus not fabulated - not fabulated - doesn't meat doesn't meet specifications) specifications)			Columbia Freightliner & Knaphelde Sy			Scheppers International & Midwest Systems CAN BUS (Non-Can Bus not tabulated - doesn't meet specifications)			us not Scheppers International &			Midway Sterling Wester Star & Kranz of Kansas City			Knapheide Equipment						
4.12.	PRICING	Unit Price		Extended Price	Unit Price	Øy	Extended Price	Unit Price	277	Extended Price	Unit Price	20	Extended Price	Unit Price	277	Extended Price	Unit Price		Extended Price	Unit Price	Q7V	Extended Price	Unit Price	Quy	Extended Price	Unit Price	277	Extende Price
1.12.								<u> </u>					TALE															
<u>.12.1.</u>	1015 or current model Tanden <u>txte Dump Truck</u> per Section 2.3.	\$11 <u>2,958.00</u>	3	<u>\$338,8</u> 74.00	\$114,000.00	3	\$342,000.0 <u>0</u>	\$114,000.00	3	\$3 42,000.00	\$111,274.00	3	\$333,822.00	\$111,274.00	3	\$333,822.00	\$114,750.00	3	\$344,250.00	\$114.750.00	3	\$344,250.00	\$115,153.00	3	\$3-15,-159.00	\$114,197.00	3	\$342,59
. <u>12.2. 1</u>	Dump Truck Body per Section 2.4.	\$25,997.00	3	\$77,991.00	\$25,997.00	3	\$77,991.00	\$25,9 <u>84.00</u>	3	\$77,952.00	\$25,984.00	<u>.</u>	\$77,952.00	\$25,997.00	3	\$77,991.00	\$25,984.00	3	\$77,952.00	\$25,997.00	3	\$77,991.00	\$24,600.00) 3	\$73,800.00	\$25,997.00	3	\$77,992
	Dptional Cor-ien Sides per 2.4.5.	\$335.00	3	\$1,005.00	\$335. <u>00</u>	3	\$1,003.00	\$0 Included / No Charge	3	\$0.00	\$0 Included / No Charge	3	50.00	\$335.00	3	\$1,005.00	50 Included / No Charge	3_	\$0.00	\$335.00	3	<u>\$1</u> ,005.00	<u>\$360.00</u>) 3	\$1,080.00	\$335.00	3_	\$1,005
	entral Hydraulic/Controller <u>vatem p</u> er Section 2.5.	\$17.997.00	3	\$53,991.00	\$17,997,00	3	\$53,991.00	\$16,000.00	3	<u>\$48,000.00</u>	\$16.000.00	3	\$ 48,000.00	\$17,997.00	3	\$53,991.00	\$16.000.00	3	\$ 48,000.00	\$17,997.00	3	\$53,991.00	\$20,594,00	3	561 ,782.00	\$17,997,00	3	\$ 53,991
1.12.4.	Subtotal (4.12.1.+ 4.12.2.+ 4.12.4.):			\$470,856.00			\$ 473,982.00			\$467,952.00			\$459,774.00			\$465,804,00			\$470,202.00			\$476,232.00			\$ 481,041.00			5 474,573
a: ** V	Optional Trade-In Vehicle Obol International 7400 Tandern ste Truck wi 14 foot chump bed vhoist INN 1HTWHAZT672416910 childte #1729 Mileage: approx. 49,503			Price			Price			Price			Price			Price			Price			Price			Price			Price
au W V V	006 International 7400 Tandem Nel Truck w/ 14 foot dump bed /hoist N# IHTWHAZT67Je 16907 /chicle # 1766 Mileage: approx. 57,503			\$32,500.00			\$33,000.00			\$33,000.00			\$30,006.00			\$30,000.00			<u>\$30,000.00</u>			\$30,000.00			\$32,000.00			50
av w V V	006 International 7400 Tandem kle Truck w/ 14 foot dump bed vhoist Itwi 1HTWHAZTX71416909, vehicle # 1769 Mileage: approx. 33,744			\$32,500.00			\$33,000.00			\$33,000.00			\$30,000.00			<u>\$30,000.00</u>			<u>\$30,000.00</u>			\$30,000.00	440 1997 1997		\$32,000.00			<u>s</u> c
.13.3.	ptional Trade-In Total			\$32,500.00 \$97,500.00			\$33,000.00 \$99,000.00			\$33,000.00 \$99,000.00			\$30,000.00 \$90,000.00			\$30,000.00			\$30,000.00 \$90,000.00			\$30,000.00 \$90,000.00			\$32,000.00 \$96,000.00			56

EXCEPTIONS NOTED	COMMENTS	4.11. De	4.10	4.16. Lis	
		Delivery ARO:	Coop? Y or N	List all varranties included with trues pricing:	BID TABULATION
21. Qualed 2016 model; 2.1.9. Air othyr AD302; 2.1.10. 4-spota steering thyre; 2.3.13. 7-ears calae wrait light wring; 2.3.14. CB Contractina cary 1 No Badie; 2.3.25. 110 Mark: 2.3.3. PTC eller, moder wriates speed cartrol pash bacic dash mouth; 2.3.3. MT-40 pash bacic dash mouth;		180-210 days estimated	γ	Proc yanad ladach Eanstad Wrrany (6 Chang, Tana Bachida Ji) (2016) and Tana Wang, Bachida Ji, (2016) and Tana Santa Santa Ji, (2016) and Chao Hong Wrang, Ji (2016) and Chao Hong Wrang Wrang Wrang Wrang Wrang Wrang Wra	Michay Freightliner, Inc. & Knapheide Equipment
		90-120 dava	Y	12 Meth Bunyer 15 Bunyer 24 method 12 Metho Bunyer 26 Bunyer 24 method 14 Mainton Mole Bunyer 24 Methods 20 Me	MHC Kenworth & Knapheide Equipment
	No Midwest System quote included	90-120 davs	Y	11 Ment Begrer & Burger & comb Ulliand Mode Engler & Alertannen; 60 agek buarmisio	MHC Kenworth & Midwast Systems CAH BUS (Non-Can Bus not tabulated deent meet specifications)
2.4.13. 18" cab shield; 2.6.3. Model FASDASI; 2.5.8. Reservoir fillor & fil FASDASI; 2.5.8. Reservoir fillor & fil screen screen		No Pg. 14 (Response Page 1) included	No Pg. 14 (Response Page 1) included	Equine-Tapa at Propertiesk Elses 34 months /	Columbia Freightlinar & Midwest Systems CAN BUS (Non-Can Bus not rabulated - doesn't meet Specifications)
2.1.24. Body company to install bracket mounded removeble push-buttor shift control; 7.2.32. Outside temp geuge a valiable writout contes; 2.3.4.8. Base 2.4.notil: writoit every filter an 2.4.notil: writoit every writ unimited gat inde cover; 2.5.10. Not fouch NA Qued 24 months 2004 mills cover 3. Screen		90-120 days Chassis	Y		Columbia Freightliner & Knaphoide Equipment
et 2.4.1.1 15° cab shield; 2.6.3. Model 19 FASDSI: 2.5.6. Reservoir filter and fil 19 FASDSI: 2.5.6. Reservoir filter and fil sorten de orver; 2.6.10. Not touch	Which chassis warranty is included in price? \$500 shown on International quote:	90 days	Y	Chasis Servira Lossico, Salogoro International Trus Conta Albumo (m. 140) International Bure New Albu Vanneer Stratistic Consult New Service Wanneer & Service Lossics ; Molwest Sprawn Trush Equipment 6- Harris, St. Louis 100 63147	Scheppers international & Midwest Systems CAN BUS (Non-Cen Bus not tabulated - doesn't meet specifications)
	Which chassis werranty is included in price? \$500 shown on International quote;	90 days	Y	Curais Servitz Lozokor: Solonyor International Fred Cora: Affrarea City MC International Your Normaly International Your Normality The Encoded International Corp. Annual Networks (Kanjachi Solonner & Service Lozokor Konjachi Solonner & Service Lozokor Konjachi Stalant yang parta & More, Rumanister 1 yang Malaki Yang parta & More, Rumanister 1 yang Malaki Yang parta & More, Rumanister 1 yang	t Scheppers International & Knaphelde Equipment
		120 days	~	Extended Clause's warmany's included in prives plane' braider. I by runninging: Control Extension of the Control Control Control Control Provide Control Control Control Control Providence warmany - 2 years and the Control Extended warmany - 2 years and the Mediany Parameter warmany - 2 years and the Mediany brained Control Ref. Specific Media Work Media Control Ref. Johanny, Mc	Midway Sterling Wester Star & Kranz of Kansas City
2.1.5. Front Acte Mack 18.000# FXL18 (Mids Flvot Carlet); Z.1.8. Ar Dryer Methor/Wabco; Z.1.10. Single Steening Gear		120-180 days	Y if purchased by April 30, 2015	4 Location for regime, transmission on 6 databat in (Course Mark 2018 K. Elementar, in (Course Mark	of Vanguard Truck Center & Knaphelde Equipment

PURCHASE AGREEMENT FOR TANDEM AXLE DUMP TRUCKS

THIS AGREEMENT dated the 19th day of March 2015 is made between Boone County, Missouri, a political subdivision of the State of Missouri through the Boone County Commission, herein "County" and Ozark Kenworth, Inc., d/b/a MHC Kenworth, herein "Vendor."

IN CONSIDERATION of the parties performance of the respective obligations contained herein, the parties agree as follows:

1. *Contract Documents* - This agreement shall consist of this Purchase Agreement for three (3) 2015 Tandem Axle Dump Trucks, County of Boone Request for Bid **04-15JAN15**, and the Contractor's bid response dated January 15, 2015 and executed by James Watring on behalf of the Contractor. All such documents shall constitute the contract documents which are attached hereto and incorporated herein by reference. Service or product data, specification and literature submitted with bid response may be permanently maintained in the County Purchasing Office bid file for this bid if not attached. In the event of conflict between any of the foregoing documents, the terms, conditions, provisions and requirements contained in the bid specifications including Introduction and General Conditions of Bidding, Primary Specifications, Response Presentation and Review, the unexecuted Response Form and the Standard Terms and Conditions shall prevail and control over the Contractor's bid response.

2. *Purchase* - The County agrees to purchase from the Contractor and Contractor agrees to supply the County with three (3) Tandem Axle Dump Trucks, as specified and responded to in the bid specifications.

	Unit Price	Quantity	Extended Price
T800 FEPTO tandem axle Kenworth Chassis with Beau Re	oc		
Model Clean-Side CSS dump truck body, and spreader/plo	W		
control system per Primary Specifications Section 2.3 and			
2.4 (Option B/Bid 2)	\$139,984.00	3	\$419,952.00
• Cor-ten steel sides, per Section 2.4.5	Included		Included
Central Hydraulic/Controller System, Mfr			
Force America, per Section 2.5	<u>\$ 16,000.00</u>	3	<u>\$ 48,000.00</u>
<u>Sub Total</u>	\$155,984.00	3	\$467,952.00
Less, Optional Trade-ins:			
2006 International 7400 Tandem axle truck w/14 foot			
dump bed w/hoist. Vehicle #1729		1	-\$ 33,000.00
2006 International 7400 Tandem axle truck w/14 foot			
dump bed w/hoist. Vehicle 1766		1	-\$ 33,000.00
2006 International 7400 Tandem axle truck w/14 foot			
dump bed w/hoist. Vehicle 1769		1	<u>-\$ 33,000.00</u>
TOTAL		2	\$7/9 0 57 00
TOTAL		3	\$368,952.00

For a contract total of Three Hundred Sixty Eight Thousand, Nine Hundred Fifty Two Dollars and No Cents (368,952.00).

3. **Delivery** - Contractor agrees to deliver trucks, complete with all equipment quoted and installed, ready to put in service, within 130 – 150 days after receipt of order. Delivery shall be FOB Destination – with freight charges fully included and prepaid. The seller pays and bears the freight charges. Delivery address shall be: Boone County Public Works, Attn: Greg Edington, 5551 Tom Bass Rd., Columbia, MO 65201.

121-2015

4. For Fixed Asset Tracking - Send list of equipment described in this contract, with their individual serial numbers to Boone County Purchasing, 613 E. Ash Street, Room 109, Columbia, MO 65201 within thirty (30) days from date of purchase order.

5. Billing and Payment - All billing shall be invoiced to the Boone County Public Works Department and billings may only include the prices listed in the vendor's bid response. No additional fees for paper work processing, labor, or taxes shall be included as additional charges in excess of the charges in the Vendor's bid response to the specifications. The County agrees to pay all invoices within thirty days of receipt. In the event of a billing dispute, the County reserves the right to withhold payment on the disputed amount; in the event the billing dispute is resolved in favor of the Vendor, the County agrees to pay interest at a rate of 9% per annum on disputed amounts withheld commencing from the last date that payment was due.

5. Binding Effect - This agreement shall be binding upon the parties hereto and their successors and assigns for so long as this agreement remains in full force and effect.

6. Termination - This agreement may be terminated by the County upon thirty days advance written notice for any of the following reasons or under any of the following circumstances:

- a. County may terminate this agreement due to material breach of any term or condition of this agreement, or
- b. County may terminate this agreement if in the opinion of the Boone County Commission if delivery of products are delayed or products delivered are not in conformity with bidding specifications or variances authorized by County, or
- c. If appropriations are not made available and budgeted for any calendar year.

IN WITNESS WHEREOF the parties through their duly authorized representatives have executed this agreement on the day and year first above written.

OZARK KENWORTH, INC. by title

BOONE COUNTY, MISSOURI

by: Boone County Commission n Muller

Daniel-K. Atwill, Presiding Commissioner-KARESM. MILLER ACTING PRESIDING COMMISSIONER

APPROVED AS TO FORM:
- Aller
County Counselor

In accordance with RSMo 50.660, I hereby certify that a sufficient unencumbered appropriation balance exists and is available to satisfy the obligation(s) arising from this contract. (Note: Certification of this contract is not required if the terms of this contract do not create a measurable county obligation at this time.)

gnature

<u>3/11/15</u> Date 2040-92400 - \$368,952.00

STANDARD TERMS AND CONDITIONS - BOONE COUNTY, MISSOURI

- 1. Contractor shall comply with all applicable federal, state, and local laws and failure to do so, in County's sole discretion, shall give County the right to terminate this Contract.
- 2. Responses shall include all charges for packing, delivery, installation, etc., (unless otherwise specified) to the Boone County Department identified in the Request for Bid and/or Proposal.
- 3. The Boone County Commission has the right to accept or reject any part or parts of all bids, to waive technicalities, and to accept the offer the County Commission considers the most advantageous to the County. Boone County reserves the right to award this bid on an item-by-item basis, or an "all or none" basis, whichever is in the best interest of the County.
- 4. Bidders must use the bid forms provided for the purpose of submitting bids, must return the bid and bid sheets comprised in this bid, give the unit price, extended totals, and sign the bid. The Purchasing Director reserves the right, when only one bid has been received by the bid closing date, to delay the opening of bids to another date and time in order to revise specifications and/or establish further competition for the commodity or service required. The one (1) bid received will be retained unopened until the new Closing date, or at request of bidder, returned unopened for re-submittal at the new date and time of bid closing.
- 5. When products or materials of any particular producer or manufacturer are mentioned in our specifications, such products or materials are intended to be descriptive of type or quality and not restricted to those mentioned.
- 6. Do not include Federal Excise Tax or Sales and Use Taxes in bid process, as law exempts the County from them.
- 7. The delivery date shall be stated in definite terms, as it will be taken into consideration in awarding the bid.
- 8. The County Commission reserves the right to cancel all or any part of orders if delivery is not made or work is not started as guaranteed. In case of delay, the Contractor must notify the Purchasing Department.
- 9. In case of default by the Contractor, the County of Boone will procure the articles or services from other sources and hold the Bidder responsible for any excess cost occasioned thereby.
- 10. Failure to deliver as guaranteed may disqualify Bidder from future bidding.
- 11. Prices must be as stated in units of quantity specified, and must be firm. Bids qualified by escalator clauses may not be considered unless specified in the bid specifications.
- 12. No bid transmitted by fax machine or e-mail will be accepted.
- 13. The County of Boone, Missouri expressly denies responsibility for, or ownership of any item purchased until same is delivered to the County and is accepted by the County.
- 14. The County reserves the right to award to one or multiple respondents. The County also reserves the right to not award any item or group of items if the services can be obtained from a state or other governmental entities contract under more favorable terms.
- 15. The County, from time to time, uses federal grant funds for the procurement of goods and services. Accordingly, the provider of goods and/or services shall comply with federal laws, rules and regulations applicable to the funds used by the County for said procurement, and contract clauses required by the federal government in such circumstances are incorporated herein by reference. These clauses can generally be found in the Federal Transit Administration's Best Practices Procurement Manual – Appendix A. Any questions regarding the applicability of federal clauses to a particular bid should be directed to the Purchasing Department prior to bid opening.
- 16. In the event of a discrepancy between a unit price and an extended line item price, the unit price shall govern.

- 17. Should an audit of Contractor's invoices during the term of the Agreement, and any renewals thereof, indicate that the County has remitted payment on invoices that constitute an over-charging to the County above the pricing terms agreed to herein, the Contractor shall issue a refund check to the County for any over-charges within 30-days of being notified of the same.
- 18. For all titled vehicles and equipment the dealer must use the actual delivery date to the County on all transfer documents including the Certificate of Origin (COO,) Manufacturer's Statement of Origin (MSO,) Bill of Sale (BOS,) and Application for Title.
- 19. **Equipment and serial and model numbers -** The contractor is strongly encouraged to include equipment serial and model numbers for all amounts invoiced to the County. If equipment serial and model numbers are not provided on the face of the invoice, such information may be required by the County before issuing payment.

Co	ounty of Boone	Purchasing Department
4.	Response Form	
4.1.	Company Name: MHC KEWWORT	<i>H</i>
4.2.	Address: 8660 1-70 D	Rive SE.
4.3.	City/Zip: Columbia Mo	
4.4.	Phone Number: 573 - 474 - 8400 E-mail Address: JAMES, WATRING & MHOTO	
4.5.	E-mail Address: JAMES, WATRING & MHOTH	wck. com
4.6.	Fax Number: 573-474- 8420	
4.7.	Federal Tax ID: 43-1042735	
4.7.1.	() Corporation	
	 () Partnership - Name	

4.8. Describe Warranty Features in Detail (include locations for service) for all components.

12 month BUMPER TO BUMPER 24 Month UNLIMITED MILES ENGINE + AFTOLIKONTIMENT mart TALANSALISSION

- 4.9. The undersigned offers to furnish and deliver the articles or services as specified at the prices and terms stated and in strict accordance with all requirements contained in the Request for Bid which have been read and understood, and all of which are made part of this order. By submission of this bid, the vendor certifies that they are in compliance with Section 34.353 and, if applicable, Section 34.359 ("Missouri Domestic Products Procurement Act") of the Revised Statutes of Missouri.
- 4.9.1. Authorized Representative (Sign By Hand): Print Name and Title of Authorized Representative

J.L. WATRING (SALES)

Will you honor the submitted prices for purchase by other entities in Boone County who participate 4.10. in cooperative purchasing with Boone County, Missouri?

V Yes

No


Delivery After Receipt of Order (# days): _____90 - 120 DH15 4.11.

Transfer Axle

4.12.	PRICING	Unit Price	Qty	Extended Price	
4.12.1.	2015 or current model Tandem Axle Dump Truck per Section 2.3.	s 114,00000	3	s 342,000 00	
4.12.2.	Dump Truck Body per Section 2.4.	5 25584 m	3	\$ 77682.00	77,952 =
	Optional Cor-ten steel sides per 2.4.5.	s Included	3	s NC.	
4.12.3.	Central Hydraulic/Controller System per Section 2.5.	s 16000	3	8 48000.000	
4.12.4.	Total: (4.12.1.+4.12.2.+4.12.3.) 8 H (7, 962 =		18 H47, 952=		
4.13.	Optional Trade-In Vehicles		,	Price	
4.13.1.			\$ 33,000		
4.13.2.			s 33, 5150		
4.13.3.	2006 International 7400 Tandem axle Tr VIN# IHTWHAZTX7J416909 Vehic 133,744			\$ 33,000	
4.13.4.	Optional Trade-in Total			\$ 99,000	
4.15.	Grand Total (4.12.44.13.4.)			s 31,08,952 00	
4.16.	List all warranties included with truck p	ricing:			
		,			

OPTION B NITH MIDWEST SySTEMS

<u>،</u> •



Bid #04-15JAN15

Page



Request for Bid (RFB)

Boone County Purchasing 613 E. Ash St., Room 109 Columbia, MO 65201

<u>Amy Robbins, Senior Buyer</u> (573) 886-4392 – Fax: (573) 886-4390 Email: arobbins@boonecountymo.org

	Bid Data
Bid Number:	04-15JAN15
Commodity Title:	Tandem Axle Dump Trucks

DIRECT BID FORMAT OR SUBMISSION QUESTIONS TO THE PURCHASING DEPARTMENT

	Bid Submission Address and Deadline	
Day / Date: Thursday, January 15, 2015		
Time:	1:15 P.M. Central Time. (Bids received after this time will be returned unopened)	
Location / Mail Address:	Boone County Purchasing Department	
	Boone County Annex Building	
	613 E. Ash St., Room 109	
	Columbia, MO 65201	
Directions:	The Annex Building is located on the Northwest corner at y th St. and Ash St. Enter the building from the South Side. Wheel chair accessible entrance is available on the South side of the building.	
	Bid Opening	
Day / Date:	Thursday, January 15, 2015	
-	1:30 P.M. Central Time. (Bids received after this time will be returned unopened)	
Location / Address:	Boone County Commission Chambers	
	Roger E. Wilson Boone County Government Center	
	801 E. Walnut	
	Columbia, MO 65201	



- 1.0: Introduction and General Conditions of Bidding
- 2.0: Primary Specifications
- 3.0: Response Presentation and Review
- 4.0: Response Form Instructions for Compliance with House Bill 1549 Work Authorization Certification Certification of Individual Bidder Individual Bidder Affidavit Debarment Form Standard Terms and Conditions No Bid Response Form

Alde

County of Boone

Department 1. Introduction and General Conditions of Bidding

1.1. **INVITATION -** The County of Boone, through its Purchasing Department, invites responses, which offer to provide the goods and/or services identified on the title page, and described in greater detail in Section 2.

1.2. **DEFINITIONS**

1.2.1. **County** - This term refers to the County of Boone, a duly organized public entity. It may also be used as a pronoun for various subsets of the County organization, including, as the context will indicate:

Purchasing - The Purchasing Department, including its Purchasing Director and staff. *Department/s or Office/s* - The County Department/s or Office/s for which this Bid is prepared, and which will be the end user/s of the goods and/or services sought.

Designee - The County employee/s assigned as your primary contact/s for interaction regarding Contract performance.

1.2.2. **Bidder / Contractor / Supplier -** These terms refer generally to businesses having some sort of relationship to or with us. The term may apply differently to different classes of entities, as the context will indicate.

Bidder - Any business entity submitting a response to this Bid. Suppliers, which may be invited to respond, or which express interest in this bid, but which do not submit a response, have no obligations with respect to the bid requirements.

Contractor - The Bidder whose response to this bid is found by Purchasing to meet the best interests of the County. The Contractor will be selected for award, and will enter into a Contract for provision of the goods and/or services described in the Bid.

Supplier - All business/s entities which may provide the subject goods and/or services.

- 1.2.3. **Bid** This entire document, including attachments. A Bid may be used to solicit various kinds of information. The kind of information this Bid seeks is indicated by the title appearing at the top of the first page. An "Invitation For Bid" is used when the need is well defined. An "Invitation For Proposal" is used when the County will consider solutions, which may vary significantly from each other or from the County's initial expectations.
- 1.2.4. **Response -** The written, sealed document submitted according to the Bid instructions.
- 1.3. **BID CLARIFICATION** Questions regarding this Bid should be directed in writing, preferably by fax, to the Purchasing Department. Answers, citing the question asked but not identifying the questioner, will be distributed simultaneously to all known prospective Bidders. Note: written requirements in the Bid or its Amendments are binding, but any oral communications between County and Bidder are not.
- 1.3.1. **Bidder Responsibility** The Bidder is expected to be thoroughly familiar with all specifications and requirements of this Bid. Bidder's failure or omission to examine any relevant form, article, site or document will not relieve them from any obligation regarding this Bid. By submitting a Response, Bidder is presumed to concur with all terms, conditions and specifications of this Bid.
- 1.3.2. **Bid Amendment -** If it becomes evident that this Bid must be amended, the Purchasing Department will issue a formal written Amendment to all known prospective Bidders. If necessary, a new due date will be established.
- 1.4. AWARD Award will be made to the Bidder/s whose offer/s provide the greatest value to the County from the standpoint of suitability to purpose, quality, service, previous experience, price, lifecycle cost, ability to deliver, or for any other reason deemed by Purchasing to be in the best interest of the County. Thus, the result will not be determined by price alone. The County will be seeking the least costly outcome that meets the County needs as interpreted by the County.
- 1.5. **CONTRACT EXECUTION -** This Bid and the Contractor's Response will be made part of any resultant Contract and will be incorporated in the Contract as set forth, verbatim.
- 1.5.1. Precedence In the event of contradictions or conflicts between the provisions of the documents

comprising this Contract, they will be resolved by giving precedence in the following order:

- 1) the provisions of the Contract (as it may be amended);
- 2) the provisions of the Bid;
- 3) the provisions of the Bidder's Response.
- 1.6. **COMPLIANCE WITH STANDARD TERMS AND CONDITIONS** Bidder agrees to be bound by the County's standard "boilerplate" terms and conditions for Contracts, a sample of which is attached to this Bid.

2.	Primary Specifications		
----	------------------------	--	--

- 2.1. **ITEMS TO BE PROVIDED** Three (3) 2015 or current model Tandem Axle 6x4 Dump Trucks with dump body and spreader/plow control system.
- 2.1.1. QUANTITY Three (3) Note: Vendor will be bidding on Three (3) complete trucks.

2.2. GENERAL REQUIREMENTS

- 2.2.1. Unit(s) shall consist of a one-person operated control and loading system and shall be designed and constructed for performance, durability, dependability and safety.
- 2.2.2. Equipment shall be bid as a complete package and prepared for use with turnkey operation prior to delivery. Equipment shall be new, current year manufacture of latest design and production that conforms in strength, quality of material and workmanship equal to equipment that is usually provided to the trade in general.
- 2.2.3. All items bid will include installation.
- 2.2.4. The unit(s) shall be constructed for easy removal of a v-box material spreader from the truck.
- 2.2.5. Control system electronic/electrical cables and hydraulic line disconnects are required unless otherwise specified.
- 2.2.6. The automatic snow and ice control system shall be a ground speed controlled system.
- 2.2.7. The unit(s) shall include all inspection coupons, certifications, or warranty identification cards furnished in accordance with standard warranty policies.

2.3. TANDEM AXLE DUMP TRUCK MINIMUM SPECIFICATIONS

- 2.3.1. Wheelbase: selected 213.0 216.0 inch; 65-inch axle to frame, and 129.5 ± 1 inch cab to axle length.
- 2.3.2. Frame Rails: Heat treated Alloy Steel (120,000 PSI Yield)

Frame Extension: Front integral; 20" in front of grill.

NOTE: Frame will exceed 3,200,000 RBM <u>all the way through the truck frame</u>. If dealer cannot supply 3,200,000 RBM all the way through, it is the responsibility of the bidder to submit in written form with their response, a guarantee of the frame breaking for as long as Boone County owns the truck.

- 2.3.3. Tow Hook: front, two (2), frame mounted
- 2.3.4. Bumper: Omit.
- 2.3.5. Front Axle: (Meritor MFS-18-133A) SFA (Set Forward Axle), I-Beam type, 18,000 lb. minimum capacity, Wide track.
- 2.3.6. Front Shocks: heavy-duty.
- 2.3.7. Front Springs: parabolic, taper leaf; 18,000 lb. minimum capacity.
- 2.3.8. Front Spring Pins: pins and rubber bushings, maintenance-free.
- 2.3.9. Brake System: ABS Full vehicle wheel control system (4-channel) with automatic traction control. Bendix air brakes, anti-locking (ABS), Q-plus linings; dual service brake system for straight truck applications. Air dryer with heater (Bendix AD-IP), standard location. Gauge: air pressure, dual. Air compressor air supply line through air cleaner. Brake lines color-coded nylon. Haldex or Gunite automatic slack adjusters in front and rear. Drain valve: Automatic (Bendix DV-2) for air tank. Inversion valve with integral check valve. Front brakes: air cam, S-cam, 16.5.0" x 6.0"; includes 24 sq. in. long stroke brake chambers. Omit front brake dust shields. Rear brakes: air cam, S-cam, 16.5." x 7.0"; includes 30/30 sq. in. long stroke brake chambers and heavy-duty spring actuated parking brake. Brake chamber to be located inside rear tire envelope for clearance to the hitches. Air compressor 15.9 CFM minimum. Parking brake valve shall have color-coded knob located on instrument panel. Air pressure gauge shall have Air 1 and Air 2 Gauges located in instrument cluster.
- 2.3.10. **Steering:** dual steering gears, power steering able to handle axle ratios; includes 2-spoke steering wheel, 18" minimum diameter and tilt/telescoping steering column.
- 2.3.11. **Exhaust:** Single, horizontal after treatment device frame mounted outside right under cab; includes vertical tail pipe and bright stainless steel guard.
- 2.3.12. **Trailer Package:** Units shall be equipped with trailer connections four (4) wheel with hand control valve and tractor protection for straight truck applications. Unit shall have 7 way heavy duty

trailer plug. Pintle hitch with air cushion option installed with assembly.

- 2.3.13. Electrical System(s): 12-Volt Standard equipment, heavy-duty wiring to rear of frame with stop, tail, turn and marker lights circuits, ignition controlled auxiliary feed and ground; chassis wiring coded throughout; turn signal switch with hazard flasher overrides brake (to be done with programming system controller); includes extra heavy duty electronic turn signal flasher system(s) that will be capable of signal and hazard flashing multiple lamps with turn signal switch selfcanceling with integral hazard switch and data link connector in cab for vehicle programming and diagnostics. Headlight dimmer switch integral with turn signal switch. Five (5) amber LED roof marker lights flush mounted on cab. Windshield wipers switch 2-speed integral with turn signal switch with mist wiper/washer and intermittent wiper feature. Windshield wipers single motor, electric, cowl mounted. Fuses and breakers: SAE blade type. Auxiliary harness for auxiliary front headlights and turn signals for front snowplow application; includes lighted toggle or rocker switch and wiring for snowplow lights. Cigar type power source receptacle. Power source, terminal type 2post. Headlights: two (2) Halogen. Parking lights integral with front turn signals and rear taillights. Stop, turn and dual rear combination with reflector backup lights. Starter switch electric, key operated. Turn signals front flush mounted, Exterior cab mounted pedestal type adjustable drivers side work light; includes lighted toggle or rocker switch on instrument panel and wiring. Electrical systems shall include heavy-duty wiring body builder's connections in back of cab at frame; includes sealed electrical wiring connectors for tail/amber turn, marker, back-up, accessory power, ground and sealed connector for stop/turn. Circuit breakers with manual reset (Main Panel). Include separate auxiliary factory installed low washer fluid warning indicator/alarm, and factory installed electrical circuits for heated mirrors, and auxiliary work light and aux. strobe lights; includes. wiring, switch and all necessary mounting hardware. Tail light wiring modified to include separate wiring for standard left and right taillights with 8' of extra cable and separate wiring for left and right body mounted taillights. Electrical disconnect front harness for guidepost lights with connectors located at headlight connection.
- 2.3.14. **Communication:** Two-way/CB radio power to the center overhead console, antenna installed on mirror bracket and coaxial cable routed to same overhead console.
- 2.3.15. Horn, Air: air single trumpet minimum. Electric city horn on steering wheel.
- 2.3.16. Alternator: 12-volt, 160 amp capacity minimum.
- 2.3.17. **Battery System:** maintenance free, three (3) Group 31, 3300 CCA minimum total. Battery box, steel and mounted on driver's side behind/under cab.
- 2.3.18. **Radio System:** AM/FM stereo with weather band with Bluetooth capability, electronic tuning and clock; includes two (2) dual cone speakers.
- 2.3.19. Front End: Fiberglass, tilting, includes easy tilt hood and stationary grille.
- 2.3.20. Torque Converter: Application to match engine to automatic transmission mechanical ratios.
- 2.3.21. **PTO Effects:** Front PTO provision on engine.
- 2.3.22. Engine: Diesel engine 12.4 L minimum, electronic, wet-sleeved cylinders, high torque, 410 HP @ 1700 governed RPM, 1450 lb.-ft. Torque @1000 RPM; includes Bell Housing, electric engine shutdown, governor close regulated, starter motor, air cleaner restriction gauge, magnetic engine oil drain plug, fan drive with nylon fan, engine block heater 120-volt/1250-1500 watt, air cleaner single element with integral snow valve and in-cab control; hand throttle engine speed control for PTO with electronic mobile variable speed control mounted on steering wheel. Automatic On/Off Type Control, Fan Drive. Internal Jacobs compression brake.
- 2.3.23. Radiator: Adequate for cooling specified engine and components effectively.
- 2.3.24. **Transmission:** heavy-duty automatic wide ratio (Allison 4500-RDS-P wide ratio) programmed as 6speed with push button shift control with double overdrive, less retarder. Allison WT spare input/output for dump truck application. Transmission shall not up-shift above 3rd gear when central hydraulic system is put into snowplow mode. Appropriate wires shall be supplied in a body builder's plug so truck equipment company can complete transmission hold. A bracket mounted removable push-button shift control shall be supplied. Shall have Allison approved synthetic fluid.
- 2.3.25. **Rear Axle, Tandem:** (Meritor RT-40-145 or equal) single reduction, 40,000-lb. minimum capacity with 200 wheel ends. Rear axle gear ratio of 4.33 shall be setup to maintain truck highway speed at

70 mph fully loaded; includes magnetic rear axle drain plug,. Electric over air operated power divider. Locking differential in rear axle. Shall have synthetic fluid.

- 2.3.26. **Rear Suspension, Tandem:** (Hendrickson RT-403) Walking Beam with rubber center bushings or Tuftrac or equal type. Minimum 52"Axle Spacing; 40,000-lb. capacity.
- 2.3.27. **Fuel Tank:** One (1) single top draw; aluminum (non-polished), 80 U.S. gallon minimum capacity with quick connect outlet and center and bottom steps, mounted on left side under cab.
- 2.3.28. Cab, Cowl, Body: Paint schematic: single color RED, design 100 AG; paint type, base coat/clear coat, 1-2 tone. Cab conventional steel, wide-body. Cab interior trim, premium; includes thermometer and compass. Arm rest on each door. Black rubber floor covering. Grab handle: one(1) towel bar type. Anti-slip rubber for cab entry mounted left. Glass: all windows, tinted. Mirrors: two (2) heated, power adjust, rectangular, brackets breakaway type with integral convex mirror heads on both and thermostatically controlled, bright finish heads and brackets. Gauge cluster; English with electronic engine oil pressure, fuel, water temperature, speedometer and tachometer for air brake chassis and voltmeter gauge. Must include odometer display to read miles, trip miles, engine hours and trip hours to be used in conjunction with on-board automated snow and ice control system. Must include a visual and audible warning/alert system for low fuel, low oil pressure, high engine coolant temperature and low battery voltage. Seat for driver and passenger should be air suspension (National Series 2000), high-back with integral headrest, cloth, isolated with two (2) position front cushion adjustment, - 3 to 19 degree seat back adjustment and air lumbar support, inside arm rests, includes 3-point seat belt, lap and shoulder belt type. Padded dash. Air conditioner with integral heater and defroster. Cab interior and trim: deluxe application with overhead console. Cab rear suspension, air bag type. Fenders shall have flare extensions.
- 2.3.29. Wheels: Front: disc; 22.5" steel, 10-stud hub-piloted, flanged nut, metric mount, 9.00 DC rims with steel hubs; Powder coated white. Rear: dual disc; 22.5" steel, 10-stud hub-piloted, flanged nut, metric mount, 8.25 DC rims with steel hubs; powder coated white. Wheel seals in front and back include; oil-lubricated wheel bearings.
- 2.3.30. **Tires:** Rear: eight (8), 11R22.5, load range H, 16 ply. Mud and snow type. Front: two (2), 315/80R22.5, load range L, 20 ply.
- 2.3.31. Auxiliary Components: All factory installed electrical wiring and connectors necessary for installation of automated plow and spreader controls.
- 2.3.32. Mudflaps: front, standard equipment.
- 2.3.33. **Trailer Hitch:** Truck shall have all items installed for a 90,000 lb. air chamber hitch with countersunk sockets for gladhands and electrical connect and hitch.
- 2.3.34. **Warranty:** Base vehicle warranty, 24 Months/Unlimited miles. Engine extended service warranty, 5 years/200,000 miles including injectors and turbo. Transmission warranty, 5 years/unlimited miles. Frame rails, cowl and cab structure warranty against corrosion, 5 years/unlimited miles.

Note: Successful vendor shall be responsible for transporting truck to and from their repair facility for warranty maintenance and repair; includes all applicable service and transport fees and/or charges.

- 2.3.35. **Manuals:** A service manual, parts manual, wiring diagram and bodybuilder's book for trucks, and line sheet of parts used to build the truck shall be included. A custom parts and Service DVD shall be provided.
- 2.3.36. **Training:** Any training video's that apply to the truck shall be supplied (engine, transmission operation). Any CD's or DVD's used for engine, transmission, and ABS brake diagnosis shall be supplied.

2.4. DUMP TRUCK BODY MINIMUM SPECIFICATIONS

- 2.4.1. All electronic/electrical wiring shall be soldered, sealed with heat shrink tubing and placed in looms. Component wiring connections shall be run to a sealed junction box(s) to prevent corrosion and ease of repair.
- 2.4.2. **Dump Body:** (DuraClass HPT 316 or equal) 15 foot, 12 yard body with side-wall shaped into a continuous top rail, side and running board configuration and radius corners; all made of 3/16" hitensile physical quality steel. Sloped run-board type body with side braces in body and 3/16" hitensile steel cross-memberless sub-frame that accepts a single telescopic underbody hoist. The body

ends shall be higher than the sides with pockets for extension sideboards. Oak 2" thick sideboards shall be included with two (2) upright spaced evenly apart supports to keep sideboards from flexing during loading of materials into dump body. The body shall be equipped with three (3) holes, 3" in diameter for the rear side marker light. The body shall have elongated stop, directional and taillights flush mounted in the rear posts. Elongated amber strobe lights shall be mounted in the rear posts directly above the stop/tail lights as well as in the top of the three bend head sheet (on the 45 degree corners) of the body in front and on each side corner right and left. Step welded inside on each side for operator.

- 2.4.3. Front Head: The front head shall be one-piece with a 3-bend top, 3" wide and 2" deep with a return flange of 1 3/8" and reinforced mid-height with a horizontal "V" section, all 8-gauge hi-tensile steel.
- 2.4.4. **Floor:** The floor shall be 1-piece with 5" vertical flanges at the sides and is made of 3/16" AR 450 hi-tensile steel.
- 2.4.5. Sides: The 36" sides shall be 3/16" hi-tensile steel shaped into a top rail, side and running board configuration of one steel sheet to eliminate the outside seam weld below the top rail and to prevent troublesome moisture and freeze problems. Shall have smooth sloped radius corners. Vendor will supply an optional cost to construct the sides with 3/16" Cor-ten steel. The front corner posts shall be fully enclosed for added strength and resistance to corrosion. Rear corner posts shall be full-depth and constructed of Cor-ten steel. The sides shall have 6" high pockets provided front and rear for extension sideboards.
- 2.4.6. **Tailgate:** Reinforced 2-panel straight-type tailgate, multi-position, double-acting with air operated positive action tailgate control and flush mounted offset upper tailgate hinges. The tailgate cross braces shall be sloped for self-cleaning. The tailgate shall be 2-Panel with vertical and horizontal braces. The tailgate shall be made of 3/16" AR450 hi-tensile steel. The tailgate upper hinge pin shall be 1" in diameter. A piece of 1-1/2" angle iron shall be 3/8" in diameter proof coil and long enough to support the tailgate in a horizontal position. A ½" rod size folding D-ring device shall be positioned and welded in the center along the outside top edge of the top cross-member of the tailgate for use in removal and installation of tailgate.
- 2.4.7. **Sub-frame:** The sub-frame shall be fabricated of 3/16" steel and cross-memberless. The long member shall be a trapezoidal section boxed with a 3" width on the bottom. The long member shall have a "wrapped" reinforced section at the bed pivot pins.
- 2.4.8. **Operating Device:** The operating device shall be an air operated locking device with positive latches to evenly secure lower tailgate pins to body for a good seal. A push switch shall operate the device and shall be mounted on the driver's control console to his right. The tailgate lower hardware shall be of the overshot design made of ½" plate and equipped with air cylinders for operation. Grease fittings for cross shaft across back for tailgate must be accessible for maintenance. The cross shaft shall have nuts fastened to ends to provide a manual override for air operated tailgate.
- 2.4.9. Tarp System: A fully automatic, quiet, smooth running, electrically powered ribbed aluminum (Aero) tarp covering system shall be installed. The tarp cover must be of heavy quality cloth mesh, proper length and width to accommodate the size of dump body opening. The tarp framework system aluminum with arm guard rubber bumpers and rests. Aero Series 550 Easy Cover tarp system with Aero heavy mesh tarp cover is acceptable. The following items shall be included with the system: A switch mounted near the plow controls, forward and reverse power operated, direct drive, automatic reset circuit breakers, 18 oz. minimum cloth mesh tarp cover with loop in rear to slide over tarp, and underbody spring loaded bars to accommodate rolling and unrolling of the tarp system. The switch shall control a solenoid installed in a weather proof box mounted in the rear truck frame area.
- 2.4.10. **Tool Box:** 24" x 24" x 24" shall be mounted on the driver's side of the truck frame adjacent to the battery box. The box shall be vertically mounted and hinged toward the front. Tool box to be primed and painted black. The box shall be mounted with ¼" x 3" x 3" angle brackets.
- 2.4.11. **Lighting:** Oval amber flashing 2"x6" LED strobe lights shall be mounted in the top outer flange of the 45 degree headboard cab protector (on each side) and in the rear corner posts above the stop/tail lights. Round LED side marker lamps mounted in rear corner posts. Oval 2" x 6" red LED

stop/taillights shall be installed in rear of dump body upright posts. Shall include all electrical wiring switch, controller and hardware necessary to make operational. A bed up warning light shall be installed. All switches shall be illuminated push-button type and mounted in at a location designated by the County.

- 2.4.12. **Hoist:** A 5" diameter w/ 130" stroke high pressure front mounted, three-stage telescopic cylinder, hard chrome plated; hoist frame approximately 6" deep of 5/16" steel; supporting cross-members gussets front and rear to long members; hoist capacity to match body and payload. Body raised indicator light in cab, backup alarm, factory installed body props.
- 2.4.13. Additional Body Specifications: A 3/4" thick x width of rear frame steel plate welded into place to house electrical plugs, hydraulic fittings, and D-rings. A 2" diameter chipper bar shall be installed down from the steel plate. Ladder on driver's side of dump body, directly behind cab, running up through the body and constructed of 1/4" x 2" flat steel (3 steps: 2 above bottom and one below). Bed shall have a removable, bolt on asphalt lip constructed with 3/16" steel with 3 gussets for support. The end brackets for the asphalt lip shall extend above the lip. A 16" cab protector constructed of 8-gauge steel shall be installed on the body with 1 grab handles welded just below the tarp cover motor. Step mounted inside the dump body and under the front corner of the dump body on the street side. The entire body shall be primed with a salt corrosive inhibitor primer and painted with gloss black urethane paint and with all mounting hardware and welding points painted appropriately. The underside of the body and hoist frame shall be primed with a salt corrosive inhibitor primer and painted gloss black. Mud flaps shall be installed behind the front tires on the truck with 1/4" material acceptable. Mud flaps, anti-sail shall be installed on rear of dump body, 1/2"x 24" x 36" (secured with stainless steel continuous hinge - rear only) and in front of the intermediate dual rear wheels on the dump body, 1/2" x 24" x 30", includes ant-sail brackets and holders. Four ratcheting tie-downs shall be welded to the bed sides (horizontally near top) in order to secure a material spreader to the bed. The location of the tie downs will be designated by the County. Bed shall also have a stainless steel shovel holder welded at a location designated by the County. Warning decals and stickers shall be placed where required. Standard equipment supplied as required by OSHA and the Federal Transportation Department.
- 2.4.14. **Plow Hitch:** Shall be Henke Quick-Attach type. Builder to fabricate front bumper integral to plow hitch to match existing newer trucks. Bumper to be swept back design.
- 2.4.15. Warranty: Body, hydraulic components, and labor shall be for One (1) year from the date of delivery against manufacturer's defects. Hoist shall be three (3) years from the date of delivery. Warranty shall be the responsibility of the truck equipment installer. The warranty shall cover all items provided and/or installed to the dealer's truck chassis. Dealer/Builder shall state at what facility and location the warranty work will be performed.
 - 2.5. CENTRAL HYDRAULIC and AUTOMATIC CONTROLLER SYSTEM MINIMUM SPECIFICATIONS
- 2.5.1. All items bid will include installation. Component Technology system components acceptable and presently utilized on all trucks in the fleet.
- 2.5.2. All electronic/electrical wiring shall be soldered, sealed with heat shrink tubing and placed in asphalt type looms. Component wiring connections shall be run to sealed junction box(s) to prevent corrosion and ease of repair. All electronic solenoids shall be protected from salt corrosion.
- 2.5.3. **Hydraulic Pump:** The hydraulic pump will be crankshaft driven using a 1280/1310 driveline assembly. Piston pump (load sensing type) must be capable of 52 GPM and 3000 PSI at 2500 RPM (5.48 CID). Pump must have side ports to avoid multiple 90 degree bends in suction line (rear ports unacceptable). Case drain must be positioned as high as possible and directed back to the reservoir without passing through the return line filter. Pump must have the ability to have an internal bleed down compensator, a 1 ¼" keyed shaft with a tapped hole in the end of the shaft to hold the pump yoke on, a 1" split flange pressure port and a 2" split flange suction port. A bolt on N/C low oil shut down valve shall be attached to the pump pressure port that is 12VDC activated. Acceptable model: Sauer-Danfoss model FRL090.
- 2.5.4. **Pump Drive:** Driveline must be 1280/1310 series solid shaft style. Driveline shall come with all crosses, pump end yoke and flange for engine. Pump shall be driven off the engine crankshaft.

Driveline shall have a companion flange that un-bolts from the driveshaft for easy belt replacement.

- 2.5.5. Hydraulic Stack Valve: The valve shall be a mobile stackable design, load sensing type and shall be capable of a nominal 35 GPM with published flow curves to 40 GPM. Valves must be pressure and flow compensated. Inlet and outlet ports to be 1" o-ring, all working ports shall be ³/₄" and 5/8" o-ring. Valve to be arranged as follows: Inlet cap with pressure, tank, and load sense port; Single acting cylinder spool for hoist, spring return to neutral pressure compensated with a 32 GPM main spool, shall be remote cable controlled. Hoist must raise in 20 seconds or less at 1200 RPM; Double acting cylinder spool for plow angle, spring return to neutral pressure compensated with a 10 GPM main spool, shall be remote cable controlled; For the spreader functions there shall be a manifold assembly that is an integral part of the stack valves that will have a cartridge valve for the auger with a manual override 12VDC proportional controlled 1-15 GPM. The spinner will be 0-7 GPM 12VDC proportional controlled also with a manual override. The manifold assembly shall have the ability to have 2 more cartridges added at a later date for a pre-wet system or anti-ice system without valve disassembly.
- 2.5.6. Hydraulic Reservoir: Reservoir shall be a 30-gallon minimum capacity with the breather cap mounted to an inspection lid. Inspection lid shall also provide for an in-tank mounted return line filter. Breather cap fill neck must be screened and mounted on a riser. Reservoir shall be complete with a sight temperature gauge and a magnetic drain plug. Suction port will allow for installation of a 2" NPT 50 GPM suction screen. Suction screen will have a 3 to 5 PSI by-pass spring. Reservoir to be constructed of 10-gauge steel. As and integral part of the reservoir there shall be an area for mounting of the hydraulic stack valve. Reservoir must be of template style for bulkhead "through" mounting of the valve and be completely free from internal tubing or hoses from the work ports and inlet of the valve. Valve must be removable as a unit with template through the top of the reservoir for service and accessibility. All electrical connections must be made via IP68 rated connectors on the front (cab) side of the reservoir. The enclosure must have a fully potted output module installed in it for all electrical connections for the complete system. This module must be the master for the complete controlling system that operates on a CAN open platform. All hydraulic fittings must exit the bottom of the enclosure and be male JIC bulkheads. Access to the enclosure must be by a removable top lid that is held in place with 2 rubber tie downs. The reservoir filter and fill cap must be accessible without removing a lid or cover. Assembly must be mounted on the driver's side of the vehicle.
- 2.5.7. Hydraulic Return Filter: Filter shall be top tank mounted type 10 microns with a by-pass and replaceable cartridge element. Filter shall be capable of 80 GPM flow capacity. Filter shall have one 1 ¼" SAE port with the ability to be machined for another. A bypass condition pressure switch is required and shall light a "Change Filter" message on the system display, switch shall be 22 PSI and have a DIN connector.
- 2.5.8. "TPE" Wiring Specification: Wiring and harness system shall meet ISO rating IP68 and NEMA 6. The connectors should have three sealing points (lock ring, raised portion of the molded plastic around each pin, and a viton o-ring) that seals the whole connector. The cable jacket should be TPE-thermoplastic elastomer and molded to the connectors. Connector and harness to be rated and tested for a temperature range from -30 Deg. C. to + 70 Deg. C. Water tight when submerged in 6' of water for 24 hours, in 275' of water for 1 hour, and when subjected to a 1000 PSI pressure wash. The connectors shall be tested to have NO corrosion after 500 hours in a 35 Deg. C. salt spray. Cabling shall be rated excellent in low temperature flexibility and in it's resistance to oxidation, heat, oil, weather, sun, ozone, abrasion, electrical priorities, flame, water, acid, alkali, gasoline, benzol, toluol, degreaser solvents, alcohol, and weld slag. All cabling must meet this style.

County of Boone

2. Primary Specifications (cont.)

- 2.5.9. Spreader Control System: The system shall be a CANBUS system that communicates using CAN Open protocol and not a proprietary communications protocol. The control shall be capable of accurately spreading granular and pre-wetting liquid material. Control shall be capable of 6 different material types, capable of closed loop operation on both the augur and spinner, capable of gate control. The display shall alert the operator of any errors in the input signals detected by the microprocessor self diagnostic system. The use of numeric error codes is not acceptable. All codes shall be displayed in English. Control shall be capable of both automatic and manual modes. In the event of an auger, spinner, or liquid sensor failure, the control shall be capable of switching to an open loop mode. Manual mode may be locked out by administrator. System shall be configured for auger and spinner both running in open loop, no sensors. Display shall be mounted where it is easy to see by the operator and the operator panel must be located so it is very easy to reach by the operator without taking their eyes off the road. The system shall consist of four primary modules that reside on the Bus and allow flexibility in mounting configurations. The system is completely expandable and allows for additional modules to be added to the CAN Bus. All four primary components of the system are software upgradeable using a laptop and interface cable. The configuration file of a calibrated system can be saved for transfer to other systems or as a backup providing the ability to use specific configurations for varying vehicle use or operator skill level. The original configuration is maintained at the factory as a secondary backup and is traceable by part number.
- 2.5.10. **Display:** The display shall be a minimum 4" x 6" TFT LCD color graphic (touch screen) display with auto dimming backlight, user adjustable position, and Ethernet port for accessing a built in Web server. The Web server can be used to configure or troubleshoot a system by connecting to a PC. Interface shall utilize Internet Explorer and not require any proprietary software to connect to the system. Shall also have a USB port to provide easy access for data dumps via a Flash Drive. The display provides a built in diagnostic feature allowing technicians to view all input signals real time. The display also provides error logging and system status change logging for reviewing operator inputs. A status window provides the operator with system status messages. The display shall incorporate "soft key" switches that are defined by the system program via the display. The keys shall include a "plus" pattern buttons used to navigate in the system software easily. When configured, the display will incorporate granular rates, both pre-wet and anti-ice rates, anti-ice lane configuration, road/air temperature, hydraulic pressure when designated, system status, error messages, plow float indication, auto/manual mode indication, and material currently being used. Active functions that are not in use shall show "off" and the graphic be "grayed out" for ease of operator interpretation.
- 2.5.11. **Operator Panel:** The operator panel shall be of molded silicone rubber keypad utilizing high lif magnetic snap action switches and three high life magnetic 16 position detented encoders used for rate, lane, and liquid control separately. The detented positions will be user programmable as to the value of each increment in the setup menu. The operator panel provides input capabilities to support RS232, RS422, truck speed input, and multiple digital I/O. The panel shall have provisions for the road/air temperature sending unit. The panel has built in LED backlighting that automatically dims with the display for night viewing. The panel shall incorporate the already integrated functions of blast and pause. The panel shall also incorporate integral mode, product, and select switches.
- 2.5.12. Valve Driver Module: The IP68 assembly shall be mounted to the valve enclosure providing both interior and exterior electrical connections. The valve driver module drives up to 14 PWM channel, accept a 4-20mA input, 4 closed loop feedback signals, and multiple digital inputs. All PWM outputs are software configurable and can be controlled by closed loop operation, proportional input devices, or digital input devices. The module has built-in over temperature shutdown, over current shutdown, and low voltage shutdown. All electrical connections are IP68 sealed when mated utilizing threaded connections for positive retention. The valve driver module will reside on the BUS as the "master" and all truck values and configurations will be saved in this module.
- 2.5.13. Software: The system shall incorporate three levels of security and access that is password

protected and defined by the user. The three levels of access called operator, technician, and administrator shall give the user varying levels of access to the system setup, data, configuration fields, and parameters based upon access given. The "administrator" shall have full access to all menus in the system and have the ability to make system configuration changes as well as system parameter changes. Spreader and liquid functions when controlled utilizing closed loop feedback will incorporate and "auto trim" feature that will allow the system to automatically se the PWM minimums and maximums when engaged. The software shall incorporate a "test speed" mode for use in testing the system safely without requiring the truck to be moving or the drive axles engaged.

- 2.5.14. **Optional System Addition:** Additional price for plow and hoist functions to be controlled 12VDC proportionally and integrated into the above described control system. The option shall include a complete control console assembly with all modules of the system mounted in the console.
- 2.5.15. **Snow Plow Cushion Valve:** A double relief cushion valve must be installed for the angle plow. Valve shall be set at 2000 PSI and have #8 SAE o-ring ports. Valve shall be constructed of a high-tensile cast iron body with ball and spring style relief that has a hardened seat. Valve shall be plumbed at the front of the truck for snowplow angle.
- 2.5.16. **Cable Controls:** Sections 1-3 of the stack valve assembly shall be actuated by the remote valve cable control system. Cables shall be mounted beside driver and easily accessible. Single axis control lever for dump body up/down. Dual axis control lever "+" pattern for plow lift and angle with 2 momentary push buttons for blast and pass. Control levers to be labeled with decals for operation. Controls to be mounted in factory style stand.
- 2.5.17. **Plow Balance Valve:** System to be supplied with plow balance valve. Valve shall reduce the weight on the cutting edge when activated. Valve to be of cartridge and manifold design, electrically activated. Valve shall tee into pressure line between pump and valve. Valve to be designed to offset a specific (adjustable) plow weight when activated. The plow balance system must not affect operation of any other hydraulic function on the vehicle or have an adverse effect on the performance of other hydraulically operated equipment. All normal operations of the plow raise and lower must be maintained without additional tasks. The plow balance system will remain electrically active when lifting the plow from the road surface, valves that require deactivation to raise are not acceptable. Plow lift must be immediate, it is not necessary to turn off the system for plow lift. Plow balance valve shall hold plow in the air indefinitely. The plow balance manifold shall be of cartridge style valving utilizing "floating" style cartridges. The solenoid on/off valve shall have a manual override and will include a test port for checking balance pressure. System must be capable of working off system "Standby Pressure".
- 2.5.18. **Road/Air Temperature Sensor:** System to be supplied with a remotely mounted air-pavement temperature sensor. Air sensor and pavement sensor must be able to be mounted in different areas on the truck. Temperature sensor must interface with the control system and be displayed on the incab display. The sensor must be able to be calibrated in the field by the user with no special tools.
- 2.5.19. Hydraulic Lines for Spreader: Two supply and one common return hydraulic lines shall be run to the rear of the bed secured to a flat steel support (running on top of the truck frame cross-members) and terminate in the side of the rear of the dump bed (driver's side). All lines shall be capped off County will install quick attach couplers at a later date.
- 2.5.20. **Warranty:** The warranty of the central hydraulic system shall be a full manufacturer's warranty for a period of 1 year (minimum) unless otherwise covered by a separate component warranty. The warranty of the spreader control system (includes any software and hardware applications) shall be a full manufacturer's warranty for a period (minimum) of 1 year unless otherwise covered by a separate component warranty. This shall include all parts, labor and trip charge.
- 2.5.21. Manuals: A service manual, parts manual, hydraulic and electrical schematic shall be included.
- 2.5.22. **Training:** Any training video's that apply to the truck spreader and computerized control system shall be supplied. Any CD's or DVD's used for fault diagnosis shall be supplied. Vendor shall schedule through the shop superintendent employee general maintenance and operation of the material spreader computerized control system at time of delivery or startup. Subsequent initial mechanical and supervisory training shall be scheduled with the shop superintendent and again when equipment updates become necessary.

2.6. **DEVIATIONS**

- 2.6.1. It is the bidder's responsibility to submit a bid that meets all mandatory specifications stated within. Because of the complexity and number of required specifications, the bidder must compare their product bid with the required listed minimum specifications and identify any deviations. Failure to properly identify deviations may render the bidder's proposal non-responsive and not capable of consideration for award. Bidders should note that a descriptive brochure of the model bid may not be acceptable as proper identification of deviations from the written specifications.
- 2.7. **Designee –** Boone County Public Works
- 2.7.1. **Contact** Amy Robbins, Senior Buyer, Boone County Purchasing Department, 613 E. Ash St., Room 109, Columbia, MO 65201. Telephone: 573-886-4392; Facsimile: 573-886-4390 or email: <u>arobbins@boonecountymo.org</u>.
- 2.8. Delivery: Units shall be delivered with Bill of Sale and Title of Ownership.
- 2.8.1. **Delivery Terms:** FOB Destination Boone County Public Works Department, Maintenance Operations, 5551 Highway 63 South, Columbia, MO 65201

2.9. ADDITIONAL TERMS AND CONDITIONS:

- 2.9.1. Equipment shall be properly serviced, including grease and oil to the proper levels.
- 2.9.2. Vendor to include product literature for each proposed piece of equipment.
- 2.9.3. Bid evaluation will be based on quality, reliability, delivery time ARO, and cost. Quality and reliability may be determined by using information contained in product reviews from established publications.

3. Response Presentation and Review

- 3.1. **RESPONSE CONTENT** In order to enable direct comparison of competing Responses, Bidder must submit Response in strict conformity to the requirements stated herein. Failure to adhere to all requirements may result in Bidder's Response being disqualified as non-responsive. All Responses must be submitted using the provided Response Sheet. Every question must be answered and if not applicable, the section must contain "N/A." Manufacturer's published specifications for the items requested shall be included with the response.
- 3.2. **SUBMITTAL OF RESPONSES** Responses MUST be received by the date and time noted on the title page under "Bid Submission Information and Deadline". NO EXCEPTIONS. The County is not responsible for late or incorrect deliveries from the US Postal Service or any other mail carrier.
- 3.2.1. Advice of Award If you wish to be advised of the outcome of this Bid, the results are posted and may be viewed on our web page <u>www.showmeboone.com</u>. (Purchasing/Bid Awards)
- 3.3. **BID OPENING** On the date and time and at the location specified on the title page, all Responses will be opened in public. Brief summary information from each will be read aloud, and any person present will be allowed, under supervision, to scan any Response.
- 3.3.1. **Removal from Vendor Database** If any prospective Bidder currently in our Vendor Database to whom the Bid was sent elects not to submit a Response and fails to reply in writing stating reasons for not bidding, that Bidder's name may be removed from our database. Other reasons for removal include unwillingness or inability to show financial responsibility, reported poor performance, unsatisfactory service, or repeated inability to meet delivery requirements.
- 3.4. **RESPONSE CLARIFICATION** The County reserves the right to request additional written or oral information from Bidders in order to obtain clarification of their Responses.
- 3.4.1. **Rejection or Correction of Responses** The County reserves the right to reject any or all Responses. Minor irregularities or informalities in any Response which are immaterial or inconsequential in nature, and are neither affected by law nor at substantial variance with Bid conditions, may be waived at our discretion whenever it is determined to be in the County's best interest.
 - 3.5. **EVALUATION PROCESS** The County's sole purpose in the evaluation process is to determine from among the Responses received which one is best suited to meet the County's needs at the lowest possible cost. Any final analysis or weighted point score does not imply that one Bidder is superior to another, but simply that in our judgment the Contractor selected appears to offer the best overall solution for our current and anticipated needs at the lowest possible cost.
- 3.5.1. **Method of Evaluation** The County will evaluate submitted Responses in relation to all aspects of this Bid.
- 3.5.2. Acceptability The County reserves the sole right to determine whether goods and/or services offered are acceptable for County use.
- 3.5.3. Endurance of Pricing Bidder's pricing must be held until contract execution or 60 days, whichever comes first.

INSTRUCTIONS FOR COMPLIANCE WITH HOUSE BILL 1549

House Bill 1549 addresses the Department of Homeland Security's and the Social Security Administration's E-Verify Program (Employment Eligibility Verification Program) that requires the County to verify "lawful presence" of individuals when we contract for work/service; verify that contractor has programs to verify lawful presence of their employees when contracts exceed \$5,000; and a requirement for OSHA safety training for public works projects.

The County is required to obtain certification that the bidder awarded the attached contract participates in a federal work authorization program. To obtain additional information on the Department of Homeland Security's E-Verify program, go to:

http://www.uscis.gov/portal/site/uscis/menuitem.eb1d4c2a3e5b9ac89243c6a7543f6d1a/?vgnextoid=75bc e2e261405110VgnVCM1000004718190aRCRD&vgnextchannel=75bce2e261405110VgnVCM10000047 18190aRCRD

Please complete and return form *Work Authorization Certification Pursuant to 285.530 RSMo* if your contract amount is in excess of \$5,000. Attach to this form the first and last page of the *E-Verify Memorandum of Understanding* that you completed when enrolling for proof of enrollment.

If you are an Individual/Proprietorship, then you must return the attached *Certification of Individual Bidder*. On that form, you may do one of the three options listed. Be sure to attach any required information for those options as detailed on the *Certification of Individual Bidder*. If you choose option number two, then you will also need to complete and return the attached form *Affidavit*.

COUNTY OF BOONE - MISSOURI WORK AUTHORIZATION CERTIFICATION PURSUANT TO 285.530 RSMo (FOR ALL AGREEMENTS IN EXCESS OF \$5,000.00)

County of _____))ss State of)

My name is ______. I am an authorized agent of _______ (Bidder). This business is enrolled and participates in a federal work authorization program for all employees working in connection with services provided to the County. This business does not knowingly employ any person that is an unauthorized alien in connection with the services being provided. Documentation of participation in a federal work authorization program is attached to this affidavit.

Furthermore, all subcontractors working on this contract shall affirmatively state in writing in their contracts that they are not in violation of Section 285.530.1, shall not thereafter be in violation and submit a sworn affidavit under penalty of perjury that all employees are lawfully present in the United States.

> Affiant Date

Printed Name

Subscribed and sworn to before me this _____ day of ______, 20____.

Notary Public

Attach to this form the first and last page of the E-Verify Memorandum of Understanding that you completed when enrolling.

CERTIFICATION OF INDIVIDUAL BIDDER

Pursuant to Section 208.009 RSMo, any person applying for or receiving any grant, contract, loan, retirement, welfare, health benefit, post secondary education, scholarship, disability benefit, housing benefit or food assistance who is over 18 must verify their lawful presence in the United States. Please indicate compliance below. Note: A parent or guardian applying for a public benefit on behalf of a child who is citizen or permanent resident need not comply.

1.	I have provided a copy of documents showing citizenship or lawful presence in the United States. (Such proof may be a Missouri driver's license, U.S. passport, birth certificate, or immigration documents). Note: If the applicant is an alien, verification of lawful presence must occur prior to receiving a public benefit.
2.	I do not have the above documents, but provide an affidavit (copy attached) which may allow for temporary 90 day qualification.
3.	I have provided a completed application for a birth certificate pending in the State of Qualification shall terminate upon receipt of the birth certificate or determination that a birth certificate does not exist because I am not a United States citizen.

Applicant

Date

Printed Name

AFFIDAVIT (Only Required for Certification of Individual Bidder (Option #2)

State of Missouri))SS. County of _____)

I, the undersigned, being at least eighteen years of age, swear upon my oath that I am either a United States citizen or am classified by the United States government as being lawfully admitted for permanent residence.

Date

Signature

Social Security Number or Other Federal I.D. Number Printed Name

On the date above written _______ appeared before me and swore that the facts contained in the foregoing affidavit are true according to his/her best knowledge, information and belief.

Notary Public

My Commission Expires:

(Please complete and return with Contract)

Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion Lower Tier Covered Transactions

This certification is required by the regulations implementing Executive Order 12549, Debarment and Suspension, 29 CFR Part 98 Section 98.510, Participants' responsibilities. The regulations were published as Part VII of the May 26, 1988, Federal Register (pages 19160-19211).

(BEFORE COMPLETING CERTIFICATION, READ INSTRUCTIONS FOR CERTIFICATION)

- (1) The prospective recipient of Federal assistance funds certifies, by submission of this proposal, that neither it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction by any Federal department or agency.
- (2) Where the prospective recipient of Federal assistance funds is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

Name and Title of Authorized Representative

Signature

Date

STANDARD TERMS AND CONDITIONS - BOONE COUNTY, MISSOURI

- 1. Contractor shall comply with all applicable federal, state, and local laws and failure to do so, in County's sole discretion, shall give County the right to terminate this Contract.
- 2. Responses shall include all charges for packing, delivery, installation, etc., (unless otherwise specified) to the Boone County Department identified in the Request for Bid and/or Proposal.
- 3. The Boone County Commission has the right to accept or reject any part or parts of all bids, to waive technicalities, and to accept the offer the County Commission considers the most advantageous to the County. Boone County reserves the right to award this bid on an item-by-item basis, or an "all or none" basis, whichever is in the best interest of the County.
- 4. Bidders must use the bid forms provided for the purpose of submitting bids, must return the bid and bid sheets comprised in this bid, give the unit price, extended totals, and sign the bid. The Purchasing Director reserves the right, when only one bid has been received by the bid closing date, to delay the opening of bids to another date and time in order to revise specifications and/or establish further competition for the commodity or service required. The one (1) bid received will be retained unopened until the new Closing date, or at request of bidder, returned unopened for re-submittal at the new date and time of bid closing.
- 5. When products or materials of any particular producer or manufacturer are mentioned in our specifications, such products or materials are intended to be descriptive of type or quality and not restricted to those mentioned.
- 6. Do not include Federal Excise Tax or Sales and Use Taxes in bid process, as law exempts the County from them.
- 7. The delivery date shall be stated in definite terms, as it will be taken into consideration in awarding the bid.
- 8. The County Commission reserves the right to cancel all or any part of orders if delivery is not made or work is not started as guaranteed. In case of delay, the Contractor must notify the Purchasing Department.
- 9. In case of default by the Contractor, the County of Boone will procure the articles or services from other sources and hold the Bidder responsible for any excess cost occasioned thereby.
- 10. Failure to deliver as guaranteed may disqualify Bidder from future bidding.
- Prices must be as stated in units of quantity specified, and must be firm. Bids qualified by escalator clauses may not be considered unless specified in the bid specifications.
- 12. No bid transmitted by fax machine or e-mail will be accepted.
- 13. The County of Boone, Missouri expressly denies responsibility for, or ownership of any item purchased until same is delivered to the County and is accepted by the County.
- 14. The County reserves the right to award to one or multiple respondents. The County also reserves the right to not award any item or group of items if the services can be obtained from a state or other governmental entities contract under more favorable terms.
- 15. The County, from time to time, uses federal grant funds for the procurement of goods and services. Accordingly, the provider of goods and/or services shall comply with federal laws, rules and regulations applicable to the funds used by the County for said procurement, and contract clauses required by the federal government in such circumstances are incorporated herein by reference. These clauses can generally be found in the Federal Transit Administration's Best Practices Procurement Manual – Appendix A. Any questions regarding the applicability of federal clauses to a particular bid should be directed to the Purchasing Department prior to bid opening.
- 16. In the event of a discrepancy between a unit price and an extended line item price, the unit price shall govern.

- 17. Should an audit of Contractor's invoices during the term of the Agreement, and any renewals thereof, indicate that the County has remitted payment on invoices that constitute an over-charging to the County above the pricing terms agreed to herein, the Contractor shall issue a refund check to the County for any over-charges within 30-days of being notified of the same.
- 18. For all titled vehicles and equipment the dealer must use the actual delivery date to the County on all transfer documents including the Certificate of Origin (COO,) Manufacturer's Statement of Origin (MSO,) Bill of Sale (BOS,) and Application for Title.
- 19. Equipment and serial and model numbers The contractor is strongly encouraged to include equipment serial and model numbers for all amounts invoiced to the County. If equipment serial and model numbers are not provided on the face of the invoice, such information may be required by the County before issuing payment.



"No Bid" Response Form

Boone County Purchasing 613 E. Ash St., Room 109 Columbia, MO 65201

Amy Robbins, Senior Buyer (573) 886-4392 – Fax: (573) 886-4390

"NO BID RESPONSE FORM"

NOTE: COMPLETE AND RETURN THIS FORM ONLY IF YOU DO NOT WANT TO SUBMIT A BID

If you do not wish to respond to this bid request, but would like to remain on the Boone County vendor list **for this service/commodity**, please remove form and return to the Purchasing Department by mail or fax.

If you would like to FAX this "No Bid" Response Form to our office, the FAX number is (573) 886-4390.

Bid: 04-15JAN15 - Tandem Axle Dump Truck

Business Name:	 	_
Address:		
Telephone:	 	
Contact:		
Date:	 	

Reason(s) for Not Bidding:

Bid #04-15JAN15

MISSOURI SECRETARY OF STATE

MISSOURI ONLINE BUSINESS FILING

Online Help

Fictitious Name Details as of 2/25/2015

Fees & Forms			₩Required Field					
FAQ	If you wish to file online, select the filing from the Filin	ng drop-down list, then click the FILE ONLINE button.						
	To file a registration report, click the FILE REGISTRAT	TION REPORT button.						
Corporations Home	To order copies or certificates, click the COPIES/CERT	To order copies or certificates, click the COPIES/CERTIFICATES button.						
Business Outreach Office								
UCC Filings	RETURN TO SEARCH RESULTS	Select filing from the list.	FILE ONLINE					
Corporation Filings		Filing Type Fictitious Name Cancellation						
SOS Home	CERTIFICATES							
Contact Us	General Information Filings Address	Owners Contact(s)						
	Name(s) MHC KENWORTH - COLUMBIA	Address 8660 1-70 Drive SE Columbia, MO 65201						
	Type Fictitious Name	Charter No. X00380321						
	Status Fictitious Active							
		Date Formed 10/11/2000						
		Expiration Date 8/28/2019						
	The information contained herein is provided as	a public service. The State makes no representation or guara	intee as to the correctness					
	completeness or suitability of the Information pro	ovided or of any linked information. All critical information sh	ould be verified directly with the					
		te, its employees, contractors, subcontractors or their employ y for the accuracy, completeness or usefulness of any inform						
		d not infringe on privately-owned rights. The information and						

JASON KANDER

MISSOURI SECRETARY OF STATE

MISSOURI ONLINE BUSINESS FILING



Fictitious Name Details as of 2/25/2015

Fees & Forms						#Required Field
FAQ		-	from the Filing drop-down lis E REGISTRATION REPORT be	t, then click the FILE ONLINE button. utton.		
Corporations Home	To order copies or certific	ates, click the (COPIES/CERTIFICATES butto	n.		
Business Outreach Office						,
UCC Filings	RETURN TO SEARCH RESULTS	;	Filing	Select filing from the list.		
Corporation Filings	ORDER COPIES/					
SOS Home	CERTIFICATES					
Contact Us	General Information	Filings	Address Owners	Contact(s)		
	Owners				Show	Previous Owners
	Name	Туре	Address	NI	Since	То
	OZARK KENWORTH, INC.	Organization	1524 N CORRING KANSAS CITY, M		7/15/2009	
	completeness or sultab Secretary of State, Corr expressed or Implied, o	ility of the info oration Divisi r assume any present that if	ormation provided or of an ion. The State, its employe legal liability for the accur	e. The State makes no representation or g y linked information. All critical informatio es, contractors, subcontractors or their er acy, completeness or usefulness of any ir n privately-owned rights. The information	n should be verified dire nployees do not make an iformation, apparatus, pr	ctly with the y warranty, oduct or

Search Results

Current Search Terms: MHC* kenworth*

Your search fo	r "MHC* Kenworth*" returned the following resu	lts		Glossary	
Notice: This printed document represents only the first page of your SAM search results. More results may be available. To print your complete search results, you can download the PDF and print it.					
Entity	MHC KENWORTH - KANSAS CITY		Status: Active 🕀	<u>Results</u>	
DUNS: 8026	666149	CAGE Code: 35SP0	View Details	Entity	
Has Active E	xclusion?: No	DoDAAC:	Exclusion		
Expiration Date: 02/09/2016 Delinquent Federal Debt? No					
Purpose of R	tegistration: All Awards			<u>Filters</u>	
				By Record Status	
				By Functional Area - Entity Management	
				By Functional	

SAM | System for Award Management 1.0

Note to all Users: This is a Federal Government computer system. Use of this system constitutes consent to monitoring at all times.





Area -Performance Information ystem for Award Management

		USER NAME	PASSWORD
			LOGIN
		Forgot Username?	Forgot Password?
			Create an Account
Entity Dashboard	MHC KENWORTH - KANSAS CITY DUNS: 802666149 CAGE Code: 35SP0 Status: Active		7007 SANDOWN RD DENVER, CO, 80216-6642 , UNITED STATES
Entity Overview	Expiration Date: 0		
	Purpose of Registration	on: All Awards	
Entity Record	Entity Over	rview	
<u>Core Data</u>			
Assertions	Entity Information		
Reps & Certs	Name: MHC KENWORTH - KANSAS CITY Business Type: Business or Organization		
POCs	POC Name: Melissa Ries Registration Status: Active		
Reports	Activation Date: 02/09/2015 Expiration Date: 02/09/2016		
Service Contract Report			
BioPreferred Report			
Exclusions			
Active Exclusions	Exclusions		
Inactive Exclusions	Active Exclusion Records? No		
Excluded Family Members			
RETURN TO SEARCH			
ALIVEN IN GEARLEI			
	· · · · · · · · · · · · · · · · · · ·		
		·	
SAM System for Award Management 1.0	IBM v1.P.24.20150116-1831		
	WWW2		

Note to all Users: This is a Federal Government computer system. Use of this system constitutes consent to monitoring at all times.





122-2015

CERTIFIED COPY OF ORDER

STATE OF MISSOURI		farch Session of the Januar	sion of the January Adjourned			15
County of Boone	ea.	104		NG 1.		15
In the County Commission o	f said county, on th	e 19th	day of	March	20	15

the following, among other proceedings, were had, viz:

Now on this day the County Commission of the County of Boone does hereby approve the request by the Purchasing Department to dispose of the attached list of surplus PC & Peripheral equipment through the MRC Recycling Center.

It is further ordered the Acting Presiding Commissioner is hereby authorized to sign said Request for Disposal forms.

Done this 19th day of March, 2015.

ATTEST: SA ner MUL

Wendy S. Møren Clerk of the County Commission

Daniel K. Atwill Presiding Commissioner

Karen M. Miller Acting Presiding Commissioner

Janet M. Thompson District II Commissioner



613 E. Ash St. Columbia, MO 65201 Phone: (573) 886-4394

MEMORANDUM

TO: Boone County CommissionFROM: David EagleRE: Computer and Peripheral Surplus DisposalDATE: March 12, 2015

The Purchasing Departments requests permission to dispose of the following list of surplus PC & Peripheral equipment through MRC Recycling Center. MRC Recycling will pick up our surplus at no charge. They are a State of Missouri, DNR Level Four recycling center. No computer items are land-filled. Purchasing will obtain a Certificate of Destruction, and we will let them know that we want everything recycled, not reused so nothing ends up in the landfill.

Prior to Computer surplus coming to Purchasing for disposal, Information Technology has removed the hard-drives for destruction by their department. Their procedure for PC disposal is:

Once all the data is copied or recovered for the user, IT removes the hard drive and memory from the PC. The memory is held to be used for upgrading other PCs at the county that can benefit. IT sometimes removes parts that can be used as spare if the model is current enough. (ie Power Supplies, Video Cards, etc.) The hard drive is held for a minimum of 30 days in case a user identifies something is missing. After 30 days IT may reuse the hard drive in other county PCs if there are failures. If a hard drive goes unused or fails and IT needs to physically dispose of it, they drill a 5/8" hole through the drive and the data platters. Once IT has collection of "drilled" drives, they deliver them to PC recycling vendor, MRC Recycling Center.

MRC Recycling Center certifies that they have picked up the following items and that all items will be recycled, not reused, so nothing ends up in the landfill.

Signature: _____

Date: _____

	Asset #	Description	Make & Model	Department	Condition of Asset	Serial #
1.	NO TAG	MISC. POWER CORDS		I.T.	USED	
2.	14478	17" LCD MONITOR	HP L1730	I.T.	UNKNOWN	
3.	14585	17" LCD MONITOR	HP L1730	I.T.	UNKNOWN	

4.	16114	PC WORKSTATION	HP DC5700	COUNTY CLERK	UNKNOWN	
5.	15858	PC WORKSTATION	HP DC5700	COUNTY CLERK	UNKNOWN	
6.	15867	PC WORKSTATION	HP DC5700	ASSESSOR	UNKNOWN	
7.	15317	LAPTOP NOTEBOOK	HP NX9600	PROSECUTING ATTORNEY	UNKNOWN	
8.	9149	17" CRT MONITOR	VIEWSONIC 1782	COUNTY CLERK	UNKNOWN	
9.	12296	PC WORKSTATION	COMPAQ DESKPRO EP	COUNTY CLERK	UNKNOWN	
10.	12255	PC WORKSTATION	COMPAQ DESKPRO EP	COUNTY CLERK	UNKNOWN	······································
11.	12848	PC WORKSTATION	COMPAQ DESKPRO EN P933	COUNTY CLERK	UNKNOWN	<u>.</u>
12.	8116	PC WORKSTATION	DELL 460- 1399	COUNTY CLERK	UNKNOWN	
13.	15814	17" LCD MONITOR	HP L1740	I.T.	UNKNOWN	
14.	12564	17" CRT MONITOR	COMPAQ S710	FACILITIES & GROUNDS MAINTENANCE	UNKNOWN	
15.	12931	17" CRT MONITOR	COMPAQ S710	FACILITIES & GROUNDS MAINTENANCE	UNKNOWN	
16.	13802	17" CRT MONITOR	DELL E772P	SHERIFF	UNKNOWN	<u>_</u>
17.	13458	17" CRT MONITOR	GATEWAY EV700	SHERIFF	UNKNOWN	<u>.</u>
18.	15470	17" LCD MONITOR	HP L1740	COUNTY CLERK	UNKNOWN	
19.	16164	17" LCD MONITOR	HP L1940T	I.T.	UNKNOWN	

S:\PU\Surplus\COMPUTER DISPOSAL 03-12-15.doc

20.	16926	19" LCD MONITOR	PLANAR PT191MU	I.T.	UNKNOWN	
21.	14480	17" LCD MONITOR	HP L1730	I.T.	UNKNOWN	
22.	14479	17" LCD MONITOR	HP L1730	I.T.	UNKNOWN	
. 23.	14475	17" LCD MONITOR	HP L1730	I.T.	UNKNOWN	
25	14481	17" LCD MONITOR	HP L1730	I.T.	UNKNOWN	
26	15813	17" LCD MONITOR	HP L1740	I.T.	POOR	
. 27	15815	17" LCD MONITOR	HP L1740	I.T.	UNKNOWN	
29	14476	17" LCD MONITOR	HP L1730	I.T.	UNKNOWN	
30	14477	17" LCD MONITOR	HP L1730	I.T.	UNKNOWN	
32	15362	17" LCD MONITOR	HP L1740	ASSESSOR	UNKNOWN	
33	15361	17" LCD MONITOR	HP L1740	ASSESSOR	UNKNOWN	
34	14994	17" LCD MONITOR	HP L1740	PLANNING AND ZONING	UNKNOWN	
35	14804	17" LCD MONITOR	HP L1740	GIS - COUNTY	UNKNOWN	
36	15365	PC WORKSTATION	HP XW6200	GIS - COUNTY	UNKNOWN	
37	16078	20" LCD MONITOR	HP LP2065	I.T.	UNKNOWN	
38	16079	20" LCD MONITOR	HP LP2065	I.T.	UNKNOWN	
39	15942	PC WORKSTATION	HP DC5700	ASSESSOR	UNKNOWN	

40	15088	PC WORKSTATION	HP DC7100	PUBLIC WORKS	UNKNOWN	
41	15789	PC WORKSTATION	HP DC7700	I.T.	UNKNOWN	
42	16162	19" LCD MONITOR	HP 11949t	PROSECUTING ATTORNEY	UNKNOWN	
43	14328	19" LCD MONITOR	SHARP LLT19D1-B	I.T.	UNKNOWN	
44	16733	LAPTOP NOTEBOOK	PANASONIC TOUGHBOOK CF19	DESIGN & CONSTRUCTION	UNKNOWN	
45	17115	PC WORKSTATION	HP DC7900	DESIGN & CONSTRUCTION	UNKNOWN	
46	NO TAG	APC BATTERY	MODEL RBL	I.T.	UNKNOWN	
47	17556	INKJET COLOR PRINTER	CANON MX870	SHERIFF	UNKNOWN	
48	12133	LASER MONOCHROME PRINTER	HP LASERJET 4050N	CHILD SERVICES	UNKNOWN	
49	NO TAG	3 BOXES OF MISC PC/COMPUTER COMPONENTS		I.T.	UNKNOWN	
50	16575	SERVER NETWORK	HP DL380	I.T.	UNKNOWN	
51	12951	TOWER	COMPAQ DESKPRO	JJC	UNKNOWN	
52	NO TAG	2 FLOOR COMPUTER TOWER STANDS, DVD/CD HOLDER		JJC	POOR	
53	NO TAG	PRINTER	LEXMARK	JJC	UNKNOWN	
54	12361	FAX	CFX=L3500 IF	CIRCUIT COURT	UNKNOWN	

55	12980	DESKTOP PC	DESKPRO EN	CIRCUIT COURT	UNKNOWN
56	12996	DESKTOP PC	DESKPRO EN	JJC	UNKNOWN
57	14780	TOWER PC	XW4100	CIRCUIT COURT	UNKNOWN
58	15546	NETWORK PRINTER	LASER JET 2430	JUVENILE OFFICE	UNKNOWN
59	16713	15" NOTEBOOK COMPUTER	COMPAQ 6730B	COURTHOUSE EXPANSION	UNKNOWN
60	NO TAG	17" LCD MONITOR	SDM-S71R	CIRCUIT COURT	UNKNOWN
61	NO TAG	17" LCD MONITOR	L1706	CIRCUIT COURT	UNKNOWN
62	NO TAG	NETWORK PRINTER	LASERJET P3005	CIRCUIT COURT	UNKNOWN

.

cc: HEATHER ACTON, AUDITOR Surplus File

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE: $2 - 37 - 15$ FIXED ASSET TAG NUMBER: N/A	
DESCRIPTION: Miscellaneous PC Power Cords	RECEIVED
REQUESTED MEANS OF DISPOSAL:	MAR 32 2015
OTHER INFORMATION:	BOONE CELLITY AUDITOR
CONDITION OF ASSET:	
REASON FOR DISPOSITION: No longer needed.	
COUNTY / COURT IT DEPT. (check one) DOES / DOES NOT (check one) WISH TO TR FOR ITS OWN USE (this item is applicable to computer equipment only)	ANSFER THIS ITEM
desired date for asset removal to storage: As soon as possible.	In GL Room 123.
WAS ASSET PURCHASED WITH GRANT FUNDING? YES INO IF YES, ATTACH DOCUMENTATION SHOWING FUNDING AGENCY'S PERMISSION TO	DISPOSE OF ASSET.
DEPARTMENT: Information Technology SIGNATURE	
AUDITOR NO DATA ORIGINAL PURCHASE DATE NO DATA Receipt INTO 1190-38	36 Her
ORIGINAL COST GRANT FUNDED (Y/N)	
ORIGINAL FUNDING SOURCE GRANT NAME AGENCY	
AGENCY DOCUMENTATION ATTACHE ASSET GROUP TRANSFER CONFIRMED	
COUNTY COMMISSION / COUNTY CLERK	**********************
APPROVED DISPOSAL METHOD:	
TRANSFER DEPARTMENT NAMENUMB	ER
LOCATION WITHIN DEPARTMENT	
INDIVIDUAL	
TRADE AUCTION SEALED BIDS	
OTHER EXPLAIN	
COMMISSION ORDER NUMBER $122 - 2015$	
DATE APPROVED $3 - 19 - 15$	
COMMISSION ORDER NUMBER 122-2015 DATE APPROVED 3-19-15 SIGNATURE Have M. Mullin	

s,

S:\all\AUDITOR\Accounting Forms\Fixed Asset Disposal.doc

DATE : February 27, 2015	FIXED ASSET TAG NUMBER: 00014478	3
DESCRIPTION HP L1730 MONITOR LCD 17 INC	Н	RECEIVED
REQUESTED MEANS OF DISPOSAL:	SELL	MAR 022015
OTHER INFORMATION:		BOONE COUNTY AUDITOR
CONDITION OF ASSET: POOR - PURC	HASED IN 2004	
REASON FOR DISPOSITION: REPLACE	EMENT	
OWNLESS (this item is applicable to comp	DOES/DOES NOT (circle one) WISH TO TRA	
DESIRED DATE FOR ASSET REMOVAL	to storage: As sonas poss	ible. In 66 Room las
WAS ASSET PURCHASED WITH GRAN	T FUNDING? YES	
DEPARTMENT: INFORMATION TECH	NOLOGY SIGNATURE	udy
AUDITOR		
ORIGINAL PURCHASE DATE	-8-04 RECEIPT INTO	1190-3836 Her
ORIGINAL COST 470 ORIGINAL FUNDING SOURCE27 ASSET GROUP 160	-8-04 RECEIPT INTO 	IFIRMED
COUNTY COMMISSION / COUNTY	CLERK	
APPROVED DISPOSAL METHOD:		
TRANSFER DEPARTMENT	NAME	NUMBER
LOCATION WI	THIN DEPARTMENT	
INDIVIDUAL_		
TRADEAUCTION	SEALED BIDS	
OTHER EXPLAIN		
COMMISSION ORDER NUMBER 12°		
DATE APPROVED <u>3-19-</u>	15	
SIGNATURE Law M. M.	ller	

DATE : February 27, 2015 FIXED ASSET TAG NUMBER: 00014585 DESCRIPTION HP L1730 MONITOR LCD 17 INCH	
MONITOR I CD 17 INCH	
	CEIVED
REQUESTED MEANS OF DISPOSAL: SELL	
OTHER INFORMATION:	0 2 2015
CONDITION OF ASSET: POOR - PURCHASED 2004)UNTY AUDITOR
REASON FOR DISPOSITION: REPLACEMENT	
COUNTY/COURT IT DEPT. (circle one) DOES/DOES NOT (circle one) WISH TO TRANSFER THIS ITED OWN-USE (this item is applicable to computer equipment only)	
desired date for asset removal to storage: As soon as possible. In	66 Room 123
WAS ASSET PURCHASED WITH GRANT FUNDING? YES (6) IF YES, ATTACH DOCUMENTATION SHOWING FUNDING AGENCY'S PERMISSION TO DISPOSE	
DEPARTMENT: INFORMATION TECHNOLOGY SIGNATURE	
AUDITOR	
ORIGINAL PURCHASE DATE7-8-04RECEIPT INTO1190-3836ORIGINAL COST410TRANSFER CONFIRMEDORIGINAL FUNDING SOURCE2731TRANSFER CONFIRMED	
ASSET GROUP1603	
COUNTY COMMISSION / COUNTY CLERK	
APPROVED DISPOSAL METHOD:	
TRANSFER DEPARTMENT NAMENUMBER	
LOCATION WITHIN DEPARTMENT	
INDIVIDUAL	
TRADEAUCTIONSEALED BIDS	
OTHER EXPLAIN	
COMMISSION ORDER NUMBER $122 \cdot 2615$	
DATE APPROVED	
COMMISSION ORDER NUMBER 122-2615 DATE APPROVED 3-19-15 SIGNATURE Have M. Miller	

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE: February 27, 2015	FIXED ASSET TAG N	VUMBER: 00016114	RECEIVED
DESCRIPTION HP DC5700 PC WORKSTATI	ON		MAR 02 2015
REQUESTED MEANS OF DISPOS	SAL: SELL		BOONE COUNTY AUDITOR
OTHER INFORMATION:			
CONDITION OF ASSET: HARD I	DRIVE/MEMORY REMOVED		
REASON FOR DISPOSITION: RE	PLACEMENT		
COUNTY/COURT IT DEPT. (circle OWN USE (this item is applicable to	computer equipment only)		
DESIRED DATE FOR ASSET REN	NOVAL TO STORAGE: 45	soon as possible.	In 66 Kam 123
WAS ASSET PURCHASED WITH IF YES, ATTACH DOCUMENTA	GRANT FUNDING? YES/NO		
DEPARTMENT: COUNTY CLERK		- hudy-	
AUDITOR			4 4 5 5 7 9 9 9 7 9 4 4 M 7 7 7 7 8 4
ORIGINAL PURCHASE DATE ORIGINAL COST ORIGINAL FUNDING SOURCE ASSET GROUP	<u>4-6-07</u> 787.62 2.731 1.603	receipt into <u>1190-3</u> transfer confirmed	836 Ha
COUNTY COMMISSION / COL	JNTY CLERK		
APPROVED DISPOSAL METHOD):		
TRANSFER DEPART	MENT NAME	NUMBER	
LOCATI	ON WITHIN DEPARTMENT_		
INDIVID	UAL		
TRADEAUC	TIONSEALED	BIDS	
OTHER EXPLAIN			
COMMISSION ORDER NUMBER	122-2015		
DATE APPROVED 3	-19-15 N. 19.		
SIGNATURE Jace Dr.	miller		
والمستعمر والمراجع	المحتور والمعارفة فتستحد والمحاد فالمتحد والمحاد والمحاد		

DATE : February 27, 2	2015	FIXED ASSET TAG NU	MBER: 00015858		
DESCRIPTION HP D PC W	OC5700 /ORKSTATION			R	ECEIVED
REQUESTED MEANS	S OF DISPOSAL:	SELL		M.	AR 02 2015
OTHER INFORMATION	ON:			BOONE	COUNTY AUDITOR
CONDITION OF ASS	ET: HARD DRIVE	E/MEMORY REMOVED			
REASON FOR DISPO	SITION: REPLAC	CEMENT			
OWN USE (this item is	s applieable to comp	and the second se			
DESIRED DATE FOR	ASSET REMOVA	L TO STORAGE: AS	ton as pos	sible. In	61 Room 123
WAS ASSET PURCHA	ASED WITH GRAD	NT FUNDING? YES NO SHOWING FUNDING AC			
DEPARTMENT: COU	NTY CLERK	SIGNATURE _	Jud	y	
AUDITOR	/ 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		```` ~uu=======(y/	, , , , , , , , , , , , , , , , , , ,	
ORIGINAL PURCHAS ORIGINAL COST ORIGINAL FUNDINC ASSET GROUP	7	<u>48</u>	RECEIPT INTO		<u>H0</u>
COUNTY COMMISS	SION / COUNTY	<u>CLERK</u>			
APPROVED DISPOSA	AL METHOD:				
TRANSFER	DEPARTMEN	Т NAME	<u>1</u>	NUMBER	
	LOCATION W	ITHIN DEPARTMENT			
	INDIVIDUAL_				
TRADE	AUCTION	SEALED B	IDS		
OTHER E	XPLAIN				
COMMISSION ORDE	R NUMBER 12	2-2015			
DATE APPROVED	3-19-	15			
signature far	a h. d.	helles			
· ···	و از د دوی اور این درمینه به در این این ا	ann a sanna sa san san sa			

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

FIXED ASSET TAG NUMBER: 00015867 DATE: February 27, 2015 **DESCRIPTION HP DC5700** RECEIVED PC WORKSTATION MAR 02 2015 REQUESTED MEANS OF DISPOSAL: SELL **BOONE COUNTY AUDITOR OTHER INFORMATION:** CONDITION OF ASSET: HARD DRIVE/MEMORY REMOVED REASON FOR DISPOSITION: REPLACEMENT COUNTY/COURT IT DEPT. (circle one) DOES/DOES NOT (circle one) WISH TO TRANSFER THIS ITEM FOR ITS OWN USE (this item is applicable to computer equipment only) DESIRED DATE FOR ASSET REMOVAL TO STORAGE: AS 500n QS possible. In 66 Room 123 WAS ASSET PURCHASED WITH GRANT FUNDING? YES NO IF YES, ATTACH DOCUMENTATION SHOWING FUNDING AGENCY'S PERMISSION TO DISPOSE OF ASSET. DEPARTMENT: ASSESSOR SIGNATURE _____ AUDITOR 2010-3836 Ha 3-9-07 RECEIPT INTO ORIGINAL PURCHASE DATE ORIGINAL COST ORIGINAL FUNDING SOURCE TRANSFER CONFIRMED ASSET GROUP COUNTY COMMISSION / COUNTY CLERK APPROVED DISPOSAL METHOD: DEPARTMENT NAME NUMBER TRANSFER LOCATION WITHIN DEPARTMENT INDIVIDUAL SEALED BIDS TRADE AUCTION _____ OTHER EXPLAIN COMMISSION ORDER NUMBER 122 - 20153-19-15 DATE APPROVED SIGNATURE the second statement of the se

DATE : February 23, 2015	FIXED ASSET T	AG NUMBER: 00015317	
DESCRIPTION HP NX9600 LAPTOP NOTEBOO	К		RECEIVED
REQUESTED MEANS OF DISPOSAL	: SELL		FEB 2 4 201 5
OTHER INFORMATION:			BOONE COUNTY AUDITOR
CONDITION OF ASSET: HARD DRI	VE/MEMORY REMO	VED	Poore Cooker Modelow
REASON FOR DISPOSITION: REPL	ACEMENT		
COUNTY/COURT IT DEPT. (circle on OWN USE (this item is applicable to ce			NSFER THIS ITEM FOR ITS
DESIRED DATE FOR ASSET REMO	VAL TO STORAGE:	ls soon as possible	. In 66 Room 123
WAS ASSET PURCHASED WITH GR IF YES, ATTACH DOCUMENTATIC	ANT FUNDING? YES	SNO NG AGENCY'S PERMISSI	ON TO DISPOSE OF ASSET.
DEPARTMENT: PROSECUTING ATT	TORNEY	SIGNATURE	udy
AUDITOR			
ORIGINAL PURCHASE DATE ORIGINAL COST ORIGINAL FUNDING SOURCE ASSET GROUP	B-14-06 1889.00 2731 1603	RECEIPT INTO	1190-3836 H& FIRMED
COUNTY COMMISSION / COUNT	<u>Y CLERK</u>	***************************************	
APPROVED DISPOSAL METHOD:			
TRANSFER DEPARTME	NT NAME	<u>_</u>	NUMBER
LOCATION	WITHIN DEPARTME	ENT	
INDIVIDUA	L		
TRADEAUCTIC	N SEA	LED BIDS	
OTHER EXPLAIN		<u>_</u>	
COMMISSION ORDER NUMBER / DATE APPROVED 3 SIGNATURE ARE M.	22-2015 -19-15 - Miller		
ممهومة المراجع	الهاجم والمراجع المروبين والمراجع المواجع والمراجع المراجع المراجع	10*	

DATE : Februar	ry 23, 2015	FIXED ASSET TAG NU	MBER: 00009149		
DESCRIPTION	VIEWSONIC 1782 MONITOR CRT 17 INC	Н	R	CEIVED	
REQUESTED M	IEANS OF DISPOSAL:	SELL	FE	EB 2 4 2015	
OTHER INFORM	MATION:		BOONE	COUNTY AUDITOR	
CONDITION OF	FASSET: VERY POOR -	PURCHASED 1995			
REASON FOR I	DISPOSITION: NO LON	GER NEEDED			
O₩N USE (this	item is applicable to comp	DOES/DOES NOT (circle c uter equipment only)			
DESIRED DATE	E FOR ASSET REMOVA	L TO STORAGE: A3 52	on as possible.	In 66 Room 12).
WAS ASSET PU	JKCHASED WITH GRAP	NT FUNDING? YES NO SHOWING FUNDING AG			
DEPARTMENT	: COUNTY CLERK	SIGNATURE			
AUDITOR					
ORIGINAL PUR	CHASE DATE <u>5</u> -	4-95	RECEIPT INTO 190	-3836 He	
ORIGINAL FUN	ST 29 IDING SOURCE 2	731	TRANSFER CONFIRME	D	
COUNTY COM	IMISSION / COUNTY	<u>CLERK</u>			
APPROVED DIS	SPOSAL METHOD:				
TRANSFE	ER DEPARTMENT	NAME	NUMB	ER	
	LOCATION WI	THIN DEPARTMENT			
	INDIVIDUAL_				
TRADE	AUCTION	SEALED BI	DS		
OTHER	EXPLAIN				
	10	2 1 4 5			
	2	2-2015			
DATE APPROV	ED <u>3-19-</u>				
SIGNATURE	Jac M. d.	talled			
. ²⁰ % ,	ала 3 стала — Алгания аррения на стала у на	- The first and the second			

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE : February 23, 2015	FIXED ASSET TAG NU	JMBER: 00012296	
DESCRIPTION COMPAQ DESKPRO PC WORKSTATION	EP		RECEIVED
REQUESTED MEANS OF DISPOSAL:	SELL		FEB 2 4 2015
OTHER INFORMATION:			-
CONDITION OF ASSET: HARD DRIV	E/MEMORY REMOVED	E	BOONE COUNTY AUDITOR
REASON FOR DISPOSITION: NO LON	IGER NEEDED		
COUNTY/COURT IT DEPT. (circle one OWN USE (this item is applicable to com	puter equipment only)		
DESIRED DATE FOR ASSET REMOVA	al to storage: As s	soon as possible.	In 6C Room 123.
WAS ASSET PURCHASED WITH GRA IF YES, ATTACH DOCUMENTATION	NT FUNDING? YES NO)	-
DEPARTMENT: COUNTY CLERK	SIGNATURE	Sudy	
AUDITOR		0	
ORIGINAL PURCHASE DATE 8-: ORIGINAL COST 112 ORIGINAL FUNDING SOURCE 2 ASSET GROUP 16	<u>.5.00</u> <u>731</u> 503	RECEIPT INTO 190	D
COUNTY COMMISSION / COUNTY			
APPROVED DISPOSAL METHOD:			
TRANSFER DEPARTMEN	T NAME	NUMBI	ER
LOCATION V	/ITHIN DEPARTMENT		
INDIVIDUAL			
TRADEAUCTION	SEALED B	NDS	
OTHER EXPLAIN			
COMMISSION ORDER NUMBER $\frac{1}{3}$			
SIGNATURE Jace D. 1			

and a second and the second second second second

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE : February 23, 2015	FIXED ASSET TAG NUMBER:	00012255
DESCRIPTION COMPAQ DESKPRO E PC WORKSTATION	Ν	RECEIVED
REQUESTED MEANS OF DISPOSAL:	SELL	FEB 2 4 2015
OTHER INFORMATION:		BOONE COUNTY AUDITOR
CONDITION OF ASSET: HARD DRIVE	/MEMORY REMOVED	Braw Carnel Kanijav
REASON FOR DISPOSITION: NO LONG	GER NEEDED	
COUNTY/COURT IT DEPT. (circle one) I OWN USE (this item is applicable to comp	uter equipment only)	
DESIRED DATE FOR ASSET REMOVA	l to storage: As 500n a	s possible. In 66 Room 123
WAS ASSET PURCHASED WITH GRAM IF YES, ATTACH DOCUMENTATION S	IT FUNDING? YES SHOWING FUNDING AGENCY'S	PERMISSION TO DISPOSE OF ASSET.
DEPARTMENT: COUNTY CLERK	SIGNATURE	Judy
AUDITOR		
ORIGINAL PURCHASE DATE 2-2 ORIGINAL COST 161 ORIGINAL FUNDING SOURCE 27 ASSET GROUP 160	7.00 3/	PT INTO 90-3836 SFER CONFIRMED
COUNTY COMMISSION / COUNTY	<u>CLERK</u>	
APPROVED DISPOSAL METHOD:		
TRANSFER DEPARTMENT	NAME	NUMBER
LOCATION WI	THIN DEPARTMENT	
INDIVIDUAL_		
TRADEAUCTION	SEALED BIDS	
OTHER EXPLAIN		
COMMISSION ORDER NUMBER 12 DATE APPROVED $3 - 19$ SIGNATURE $3 - 19$	2-2015 1-15 Rulles	

د کې د کېورکې د ۲۰۰۰ د د ۲۰۰۰ د د ۲۰۰۰ د د ۲۰۰۰ د د

73

DATE : February 24, 2015	FIXED ASSET TAG N	UMBER: 00008116		•
DESCRIPTION DELL 460-1399 PC WORKSTATION		B		
REQUESTED MEANS OF DISPOSAL:	SELL		RECEIVED	
OTHER INFORMATION:			FEB 242015	
CONDITION OF ASSET: HARD DRIV	/E/MEMORY REMOVED	BOO	NE COUNTY AUDITOR	
REASON FOR DISPOSITION: NO LO	NGER NEEDED			
COUNTY/ CO URT IT DEPT. (circle one OWN USE (this item is appl icable to cor	nputer equipment only)			
DESIRED DATE FOR ASSET REMOV	al to storage: A3 5	oon as possible	. In 6C Raom	123
WAS ASSET PURCHASED WITH GR. IF YES, ATTACH DOCUMENTATIOI	ANT FUNDING? YES NO)		
DEPARTMENT: COUNTY CLERK	SIGNATURE	hudy		
AUDITOR Already R ORIGINAL PURCHASE DATE 10 ORIGINAL COST ORIGINAL FUNDING SOURCE	e-tired 2-26-93	RECEIPT INTO	90-3835 HR	
APPROVED DISPOSAL METHOD:	<u>I CLERR</u>			
TRANSFER DEPARTME	NT NAME	NUM	BER	
LOCATION	WITHIN DEPARTMENT			
INDIVIDUAI				
TRADEAUCTIO	NSEALED I	BIDS		
OTHER EXPLAIN				
COMMISSION ORDER NUMBER /	22-2015			
SIGNATURE Jack M.	19-15 - Millis			
• • • • • • • • • • • • • • • • • • •	e av te and			

DATE : February 25,	2015	FIXED ASSET TAG N	UMBER: 00015814	4	
DESCRIPTION HP I MOI	L1740 NITOR LCD 17 INCH	ł		RECEIVED	
REQUESTED MEAN	S OF DISPOSAL:	SELL	,	FEB 2 0 2015	
OTHER INFORMATI	ION:				9 6 9
CONDITION OF ASS	ET: POOR - PURCH	IASED 2007		BOONE COUNTY AUDITO	JR
REASON FOR DISPO	OSITION: REPLACE	MENT			
OWN USE (this item i	s applicable to compu	ter equipment only)	i m	ANSFER THIS LTEM FOR T	
DESIRED DATE FOR	R ASSET REMOVAL	TO STORAGE: AS	soon as possi	ble. In 6C Roa	om 123
WAS ASSET PURCH	ASED WITH GRAN	T FUNDING? YES NO)	SION TO DISPOSE OF ASS	
DEPARTMENT: INFO	ORMATION TECHN	OLOGY SIGN	IATURE .	udy	
AUDITOR					
ORIGINAL PURCHA ORIGINAL COST ORIGINAL FUNDING ASSET GROUP	G SOURCE 273		RECEIPT INTO_	1190-3836 HQ- NFIRMED	
COUNTY COMMIS	SION / <u>COUNTY C</u>	<u>::Lerk</u>			
APPROVED DISPOS	AL METHOD:				
TRANSFER	DEPARTMENT	NAME		NUMBER	
	LOCATION WIT	THIN DEPARTMENT			
	INDIVIDUAL	~		· · ·	
TRADE	AUCTION	SEALED	BIDS		
OTHER E	XPLAIN				
COMMISSION ORDE	er NUMBER 122				
SIGNATURE	run M. I.	hellin	÷		

DATE : February 25, 20	015	FIXED ASSET TAG	NUMBER: 00012564	
DESCRIPTION COMI MONI	PAQ S710 ITOR CRT 17 INCI	н		RECEIVED
REQUESTED MEANS	OF DISPOSAL:	SELL		FEB 26 2015
OTHER INFORMATIC	N:			
CONDITION OF ASSE	T: VERY POOR -	PURCHASED 2000		BOONE COUNTY AUDITOR
REASON FOR DISPOS	SITION: REPLACE	EMENT		
COUNTY/COURT IT I OWN USE (this item is			cle-one) WISH TO TRANSFE	R THIS ITEM FOR ITS
DESIRED DATE FOR .	ASSET REMOVAI	L TO STORAGE: AS	soon as possible	. In 6C Room 123
WAS ASSET PURCHA	SED WITH GRAN CUMENTATION S	IT FUNDING? YES N SHOWING FUNDING		
AUDITOR				
ORIGINAL PURCHAS ORIGINAL COST ORIGINAL FUNDING ASSET GROUP	166 SOURCE 2731		RECEIPT INTO	90-3836 <i>HO</i> ED
COUNTY COMMISSI	ON / COUNTY C	<u>CLERK</u>		
APPROVED DISPOSA	L METHOD:			
TRANSFER	DEPARTMENT	NAME	NUMI	BER
	LOCATION WI	THIN DEPARTMENT		
	INDIVIDUAL			
TRADE	AUCTION	SEALEI	DBIDS	
OTHER EX	PLAIN			
COMMISSION ORDER DATE APPROVED	R NUMBER <u>12</u> 3 - 19 -	2.2015 15 hillin		

DATE : Feb	ruary 25, 2015	FIXED ASSET TAG	NUMBER: 00012931		
DESCRIPTI	ON COMPAQ S710 MONITOR CRT 17 INC	Н		RECEIVED	
REQUESTE	D MEANS OF DISPOSAL:	SELL			
OTHER INF	ORMATION:			FEB 262015	
	NOF ASSET: VERY POOR •	PURCHASED 2001		BOONE COUNTY AUDITOR	
REASON FO	OR DISPOSITION: REPLAC	EMENT			
	OURT IT DEPT. (circle one) this item is applicable to comp		ele one) WISH TO TRANS	FER THIS ITEM FOR ITS	
DESIRED D	ATE FOR ASSET REMOVA	l to storage: A3	soon as possible	le. In 6C Room	123
WAS ASSET	F PURCHASED WITH GRAN	NT FUNDING? YES N	0)		
DEPARTME	ENT: FACILITIES & GROUN		SIGNATURE	hudy	
AUDITOR			94		
ORIGINAL ORIGINAL	PURCHASE DATE <u>5-1</u> COST <u>200</u> FUNDING SOURCE <u>273</u> DUP <u>1603</u>	1	RECEIPT INTO	1190-3836 Ha	
COUNTY C	OMMISSION / COUNTY	<u>CLERK</u>			
APPROVED	DISPOSAL METHOD:				
TRAN	SFER DEPARTMENT	NAME	NU	MBER	
	LOCATION W	THIN DEPARTMENT	· · · · · · · · · · · · · · · · · · ·		
	INDIVIDUAL				
TRAD	EAUCTION	SEALEI	D BIDS		
OTHE	R EXPLAIN				
COMMISSIC	ON ORDER NUMBER <u>/ 2</u>	2-2015			
DATE APPR	.oved <u>3-19-</u>	15 .			
SIGNATURI	= Kare Mr. D.	helles			
	r A shirt on a same	and the second second second			

DATE : February 25, 2015	FIXED ASSET TAG NU	UMBER: 00013802
DESCRIPTION DELL E772P MONITOR CRT 17 INC	Н	RECEIVED
REQUESTED MEANS OF DISPOSAL:	SELL	
OTHER INFORMATION:		FEB 26 2015
CONDITION OF ASSET: VERY POOR -	PURCHASED 2003	BOONE COUNTY AUDITOR
REASON FOR DISPOSITION: REPLAC	EMENT	
OWAY USE (this item is applicable to comp	uter equipment only)	ONE) WISH TO TRANSFER THIS ITEM FOR TTS
DESIRED DATE FOR ASSET REMOVA	L TO STORAGE: A_3	soon as possible. In 66 Room 123.
WAS ASSET PURCHASED WITH URAL	NI FUNDING (IESAO)	GENCY'S PERMISSION TO DISPOSE OF ASSET.
DEPARTMENT: SHERIFF	SIGNATURE	Judy
AUDITOR		\mathcal{O}
ORIGINAL FUNDING SOURCE	,00	RECEIPT INTO <u>190-3836Ha</u> TRANSFER CONFIRMED
COUNTY COMMISSION / COUNTY	<u>CLERK</u>	
APPROVED DISPOSAL METHOD:		
TRANSFER DEPARTMENT	NAME	NUMBER
LOCATION W	THIN DEPARTMENT	
INDIVIDUAL_		
TRADEAUCTION	SEALED E	BIDS
OTHER EXPLAIN		
COMMISSION ORDER NUMBER $\frac{13}{3-19}$ DATE APPROVED $\frac{3-19}{5}$ SIGNATURE $\frac{13}{5}$	2-2015 -15 - Dulla	

DATE : February	y 25, 2015	FIXED ASSET TAG NU	JMBER: 00013458	
	GATEWAY EV700 MONITOR CRT 17 INC	H .		RECEIVED
REQUESTED M	EANS OF DISPOSAL:	SELL		FEB 26 2015
OTHER INFORM	ATION:			BOONE COUNTY AUDITOR
CONDITION OF	ASSET: VERY POOR -	PURCHASED 2002		
REASON FOR D	ISPOSITION: REPLACE	EMENT		
OWN USE (this i	tem is applicable to comp	uter equipment only)		NSFER PHIS ITEM FOR ITS
DESIRED DATE	FOR ASSET REMOVAL	l to storage: As sa	oon as possib	ik. In 6C Room 123
WAS ASSET PU	RCHASED WITH GRAN	IT FUNDING? YES XO)	ON TO DISPOSE OF ASSET.
DEPARTMENT:	SHERIFF	SIGNATURE	Judy	
AUDITOR			\overline{U}	
ORIGINAL PUR ORIGINAL COS ORIGINAL FUN	CHASE DATE 7- T <u>-</u> DING SOURCE 2.7	16-02 00 31		1190-3836 HQ
ASSET GROUP_	160)3		
COUNTY COM	MISSION / COUNTY	<u>CLERK</u>		
APPROVED DIS	POSAL METHOD:			
TRANSFE	R DEPARTMENT	`NAME	N	NUMBER
	LOCATION WI	THIN DEPARTMENT		
	INDIVIDUAL_			
TRADE	AUCTION	SEALED B	IDS	
OTHER	EXPLAIN			
COMMISSION C	ORDER NUMBER / 23	1-2015		
DATE APPROVI	order NUMBER $\frac{123}{3-19}$	-15 -		
SIGNATURE	Jace the di	hellig		
		بالمراجع والمراجع وا		

DATE : February 20, 2015	FIXED ASSET TAG NUMBER: 0001547	0
DESCRIPTION HP L1740 MONITOR LCD 17 INC	H ,	RECEIVED
REQUESTED MEANS OF DISPOSAL:	SELL	FEB 20 2015
OTHER INFORMATION:		BOONE COUNTY AUDITOR
CONDITION OF ASSET: POOR - PURC	HASED 2006	
REASON FOR DISPOSITION: REPLAC	EMENT	
OWN USE (this item is applicable to comp		
DESIRED DATE FOR ASSET REMOVA	L TO STORAGE: AS SOON as post	sible. In 62 Kaom 123.
WAS ASSET PURCHASED WITH GRAM	án i	
DEPARTMENT: COUNTY CLERK	SIGNATURE Judy	
AUDITOR		
ORIGINAL PURCHASE DATE 5-2 ORIGINAL COST 29 ORIGINAL FUNDING SOURCE 2	731 TRANSFER CO	1/90-3836
ASSET GROUPI6		
<u>COUNTY COMMISSION</u> / <u>COUNTY</u>	<u>CLERK</u>	
APPROVED DISPOSAL METHOD:		
TRANSFER DEPARTMENT		_NUMBER
LOCATION W	THIN DEPARTMENT	
INDIVIDUAL_		
TRADEAUCTION	SEALED BIDS	
OTHER EXPLAIN		
COMMISSION ORDER NUMBER $\frac{12}{3-15}$ DATE APPROVED $\frac{3-15}{3-15}$ SIGNATURE ARE M .	2-2015 2-15- hillis	

DATE : February 20, 2015	FIXED ASSET TA	G NUMBER: 00016164	
DESCRIPTION HP L1940T MONITOR LCD 19 II	NCH		RECEIVED
REQUESTED MEANS OF DISPOSAL	: SELL		
OTHER INFORMATION:			FEB 202015
CONDITION OF ASSET: POOR - PU	RCHASED 2007		SOONE COUNTY AUDITOR
REASON FOR DISPOSITION: REPLA	ACEMENT		
COUNTY/COURT IT DEPT. (circle on OWD/USE (this item is applicable to co	mputer equipment only))	
DESIRED DATE FOR ASSET REMOV	VAL TO STORAGE:	As soon as possible.	In 66 Room 123.
WAS ASSET PURCHASED WITH GR IF YES, ATTACH DOCUMENTATIO	ANT FUNDING? YES	NO	
DEPARTMENT: INFORMATION TEC	CHNOLOGY S	SIGNATURE	
AUDITOR		***************************************	
ORIGINAL PURCHASE DATE ORIGINAL COST ORIGINAL FUNDING SOURCE ASSET GROUP	2741	receipt into <u>2.04</u> transfer confirme	
COUNTY COMMISSION / COUNT	<u>TY CLERK</u>		
APPROVED DISPOSAL METHOD:			
TRANSFER DEPARTME	ENT NAME	NUMB	ER
LOCATION	WITHIN DEPARTME	NT	
INDIVIDUA	L		
TRADEAUCTIO	ONSEAL	ED BIDS	
OTHER EXPLAIN			
COMMISSION ORDER NUMBER	122-2015		
DATE APPROVED 3-10	7-15		
signature Jace 22.	Ohelles		
, as we	a station for the second second		

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE : February 20, 2015	FIXED ASSET TAG NUMBER:	00016926
DESCRIPTION PLANAR PT191MU MONITOR LCD 19 IN	СН	received
REQUESTED MEANS OF DISPOSAL:	SELL	FEB 20 2015
OTHER INFORMATION:		BOONE COUNTY AUDITOR
CONDITION OF ASSET: VERY POOR		Lugue of an i monion
REASON FOR DISPOSITION: REPLA	CEMENT	
COUNTY/COURT IT DEPT. (circle one) OWN USE (this item is applicable to com	puter equipment only)	
DESIRED DATE FOR ASSET REMOVA	AL TO STORAGE: AS SOON a	s possible. In 62 Room 123.
WAS ASSET PURCHASED WITH GRA	NT FUNDING? YES NO	PERMISSION TO DISPOSE OF ASSET.
DEPARTMENT: INFORMATION TECH		Judy
AUDITOR		
ORIGINAL PURCHASE DATE <u>10</u> ORIGINAL COST <u>14</u> ORIGINAL FUNDING SOURCE <u>2</u> ASSET GROUP_ <u>1</u>	19.00 772 TRANS	PT INTO 2020-3836 HQ
COUNTY COMMISSION / COUNTY	<u>CLERK</u>	
APPROVED DISPOSAL METHOD:		
TRANSFER DEPARTMEN	T NAME	NUMBER
LOCATION W	ITHIN DEPARTMENT	
INDIVIDUAL		
TRADEAUCTION	SEALED BIDS	
OTHER EXPLAIN		
COMMISSION ORDER NUMBER $\frac{12}{3-1}$ DATE APPROVED $3-1$ SIGNATURE	2-2015 9-15- hellin	

,

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE : February 20, 2	2015	FIXED ASSET TAG N	IUMBER: 00014480	
DESCRIPTION HP L MON	.1730 NITOR LCD 17 INC	Ή		RECEIVED
REQUESTED MEANS	S OF DISPOSAL:	SELL		FEB 202015
OTHER INFORMATI	ON:			BOONE COUNTY AUDITOR
CONDITION OF ASS	ET: POOR - PURC	HASED 2004		
REASON FOR DISPO	SITION: REPLAC	EMENT		
OWN USE (this item is	s applicable to comp	uter equipment only)	e one) WISH TO TRANSFER T	
DESIRED DATE FOR	ASSET REMOVA	L TO STORAGE: A_3	soon as possible.	In 66 Room 63
WAS ASSET PURCHA	ASED WITH GRAN	IT FUNDING? YES NO		
DEPARTMENT: INFO	ORMATION TECH	NOLOGY SIGN	IATURE Judy	
AUDITOR	****			
ORIGINAL PURCHAS ORIGINAL COST ORIGINAL FUNDING ASSET GROUP	$\frac{4/6}{3}$ SOURCE 2		RECEIPT INTO <u>190 -</u> TRANSFER CONFIRMED	
COUNTY COMMISS	ION / COUNTY	<u>CLERK</u>		
APPROVED DISPOSA	L METHOD:			
TRANSFER	DEPARTMENT	`NAME	NUMBER	R
	LOCATION WI	THIN DEPARTMENT_		
	INDIVIDUAL_			
TRADE	AUCTION	SEALED	BIDS	
OTHER EX	XPLAIN			
COMMISSION ORDEL DATE APPROVED SIGNATURE	R NUMBER <u>125</u> 3-19- u D. D.	2. 2015 15 Jullie		
		، بې مې مې د م		

,

DATE : February 20, 2015	FIXED ASSET TAG NUMBER	R: 00014479	RECEIVED
DESCRIPTION HP L1730 MONITOR LCD 17 INC	Н		FEB 20 2015
REQUESTED MEANS OF DISPOSAL:	SELL		BOONE COUNTY AUDITOR
OTHER INFORMATION:			DOOVE CROWLY NODILOK
CONDITION OF ASSET: POOR - PURC	HASED 2004		
REASON FOR DISPOSITION: REPLAC	EMENT		
COUNTY+COURT IT DEPT. (circle one) I OWN USE (this item is applicable to comp	uter equipment only)		
DESIRED DATE FOR ASSET REMOVA	L TO STORAGE: As soon .	as possible.	In 66 Room 123.
WAS ASSET PURCHASED WITH GRAM	T FUNDING? YES NO		
DEPARTMENT: INFORMATION TECH	NOLOGY SIGNATURE	hudy	
AUDITOR		·	
	10_,	EIPT INTO <u> 90</u> ⁻ NSFER CONFIRMED_	3836 40
COUNTY COMMISSION / COUNTY	<u>CLERK</u>		
APPROVED DISPOSAL METHOD:			
TRANSFER DEPARTMENT	`NAME	NUMBER_	
LOCATION W	THIN DEPARTMENT		
INDIVIDUAL			
TRADE AUCTION	SEALED BIDS		
OTHER EXPLAIN			
COMMISSION ORDER NUMBER $/2$	2-2015		
DATE APPROVED 3-19	4500		
SIGNATURE Jace the			
•	an an the state of		

WAS ASSET PURCHASED WITH GRANT FUNDING? YES TO IF YES, ATTACH DOCUMENTATION SHOWING FUNDING AGENCY'S PERMISSION TO DISPOSE OF ASSET. DEPARTMENT: INFORMATION TECHNOLOGY SIGNATURE			
DISSONT FOR THE DATE FEB 20 2015 REQUESTED MEANS OF DISPOSAL: SELL REQUESTED MEANS OF DISPOSAL: SELL OTHER INFORMATION: BOOME COUNTY AUDITOR CONDITION OF ASSET: POOR - PURCHASED 2004 REASON FOR DISPOSITION: REPLACEMENT COUNTY/COURT IT DEPT. (circle one) DOES/DOES NOT (circle one) WISH TO TRANSFER THEN TEM FOR ITS OWNUSH TO TRANSFER THEN TEM FOR ITS COUNTY/COURT IT DEPT. (circle one) DOES/DOES NOT (circle one) WISH TO TRANSFER THEN TEM FOR ITS OWNUSH TO TRANSFER THEN TEM FOR ITS COUNTY/COURT IT DEPT. (circle one) DOES/DOES NOT (circle one) WISH TO TRANSFER THEN TEM FOR ITS OWNUSH TO TRANSFER THEN TOTS COUNTY/COURT IT DEPT. (circle one) DOES/DOES NOT (circle one) WISH TO TRANSFER THEN TEM FOR ITS OWNUSH TO TRANSFER THEN TOTS WAY USE (This item is applicable to computer equiperfent only) DESIRED DATE FOR ASSET REMOVAL TO STORAGE: As Secon as possible. In 6L Recen D3. WAS ASSET PURCHASED WITH GRANT FUNDING? YEAR IF YES, ATTACH DOCUMENTATION SHOWING FUNDING AGENCY'S PERMISSION TO DISPOSE OF ASSET. DEPARTMENT: INFORMATION TECHNOLOGY SIGNATURE July AUDITOR ORIGINAL FUNDING SOURCE 2731 TRANSFER CONFIRMED ORIGINAL FUNDING SOURCE 2731 TRANSFER CONFIRMED COUNTY CLERK APPROVED DISPOSAL METHOD:	DATE : February 20, 2015	FIXED ASSET TAG NUMBER: 00014475	F m m rate
REQUESTED MEANS OF DISPOSAL: SELL BOOME COUNTY AUDITOR OTHER INFORMATION: CONDITION OF ASSET: POOR - PURCHASED 2004 REASON FOR DISPOSITION: REPLACEMENT COUNTY/COURT IT DEPT. (circle one) DOES/DOES NOT (circle one) WISH TO TRANSFER THEFTEM FOR ITS OWA USE (this item is applicable to Computer equipment only) DESIRED DATE FOR ASSET REMOVAL TO STORAGE: As soon as possible. In 6L Room D3. WAS ASSET PURCHASED WITH GRANT FUNDING? YES/CO IF YES, ATTACH DOCUMENTATION SHOWING FUNDING? YES/CO DEPARTMENT: INFORMATION TECHNOLOGY SIGNATURE AUDITOR ORIGINAL PURCHASE DATE <u>1-8-04</u> RECEIPT INTO <u>1190-3836 H/O</u> ORIGINAL COST <u>410</u> TRANSFER DEPARTMENT NAME <u>NUMBER</u> LOCATION WITHIN DEPARTMENT LOCATION WITHIN DEPARTMENT LOCATION WITHIN DEPARTMENT TRADEUCTIONSEALED BIDS OTHER EXPLAIN COMMISSION ORDER NUMBER <u>122-2015</u> DATE APPROVED <u>123-2015</u> DATE APPROVED <u>123-2015</u> DATE APPROVED <u>123-2015</u> DATE APPROVED <u>123-2015</u>		**	Received
COUNTY COUNTY AUDITOR CONDITION OF ASSET: POOR - PURCHASED 2004 REASON FOR DISPOSITION: REPLACEMENT COUNTY/COURT IT DEPT. (circle one) DOES/DOES NOT (circle one) WISH TO TRANSFER TELESTIEM FOR ITS OWD-USSE (this item is applicable to computer equipment only) DESIRED DATE FOR ASSET REMOVAL TO STORAGE: As soon as possible. In 6L Room 103. WAS ASSET PURCHASED WITH GRANT FUNDING? YES/OD IF YES, ATTACH DOCUMENTATION SHOWING FUNDING AGENCY'S PERMISSION TO DISPOSE OF ASSET. DEPARTMENT: INFORMATION TECHNOLOGY SIGNATURE AUDITOR ORIGINAL PURCHASE DATE 1-8-04 RECEIPT INTO 1190-3836 HD ORIGINAL FUNDING SOURCE 2731 TRANSFER CONFIRMED COUNTY COMMISSION / COUNTY CLERK APPROVED DISPOSAL METHOD: TRANSFER DEPARTMENT NAME NUMBER LOCATION WITHIN DEPARTMENT INDIVIDUAL TRADE AUCTION SEALED BIDS OTHER EXPLAIN COMMISSION ORDER NUMBER 122-2015 DATE APPROVED AND AND AND AND AND AND AND AND AND AN			FEB 202015
OTHER INFORMATION: CONDITION OF ASSET: POOR - PURCHASED 2004 REASON FOR DISPOSITION: REPLACEMENT COUNTY/COURT IT DEPT. (circle one) DOES/DOES NOT (circle one) WISH TO TRANSFER THENTEMFOR ITS OWN-USET (this item is applicable to computer equipment only) DESIRED DATE FOR ASSET REMOVAL TO STORAGE: As seen as possible. In 6L Recom 103. WAS ASSET PURCHASED WITH GRANT FUNDING? YESHO IF YES, ATTACH DOCUMENTATION SHOWING FUNDING AGENCY'S PERMISSION TO DISPOSE OF ASSET. DEPARTMENT: INFORMATION TECHNOLOGY SIGNATURE	REQUESTED MEANS OF DISPOSAL:	SELL .	BOONE COUNTY AUDITOR
REASON FOR DISPOSITION: REPLACEMENT COUNTY/COURT JT DEPT. (circle one) DOES/DOES NOT (circle one) WISH TO TRANSFER THIS TTEM FOR ITS OWAUGET (this item is applicable to computer equipment only) DESIRED DATE FOR ASSET REMOVAL TO STORAGE: As soon as possible. In 66 Raom 103. WAS ASSET PURCHASED WITH GRANT FUNDING? YESHO IF YES, ATTACH DOCUMENTATION SHOWING FUNDING AGENCY'S PERMISSION TO DISPOSE OF ASSET. DEPARTMENT: INFORMATION TECHNOLOGY SIGNATURE	OTHER INFORMATION:		
COUNTY/COURT IT DEPT. (circle one) DDES/DOES NOT (circle one) WISH TO TRANSFER THENTEM FOR ITS OWN-USE (this item is applicable to computer equipment only) DESIRED DATE FOR ASSET REMOVAL TO STORAGE: As soon as possible. In 6L Reem 123. WAS ASSET PURCHASED WITH GRANT FUNDING? YES (D) IF YES, ATTACH DOCUMENTATION SHOWING FUNDING AGENCY'S PERMISSION TO DISPOSE OF ASSET. DEPARTMENT: INFORMATION TECHNOLOGY SIGNATURE	CONDITION OF ASSET: POOR - PURCH	HASED 2004	
OWNUGE (this item is applicable to computer equipment only) DESIRED DATE FOR ASSET REMOVAL TO STORAGE: As seen as possible. In 66 Room 123. WAS ASSET PURCHASED WITH GRANT FUNDING? YESKO IF YES, ATTACH DOCUMENTATION SHOWING FUNDING AGENCY'S PERMISSION TO DISPOSE OF ASSET. DEPARTMENT: INFORMATION TECHNOLOGY SIGNATURE AUDITOR ORIGINAL PURCHASE DATE 1-8-04 RECEIPT INTO 1190-3836 H0 ORIGINAL COST 410 TRANSFER DROUP 602	REASON FOR DISPOSITION: REPLACE	EMENT	
WAS ASSET PURCHASED WITH GRANT FUNDING? YES TO IF YES, ATTACH DOCUMENTATION SHOWING FUNDING AGENCY'S PERMISSION TO DISPOSE OF ASSET. DEPARTMENT: INFORMATION TECHNOLOGY SIGNATURE	OWN-USE (this item is applicable to comp	uter equipment only)	
WAS ASSET PURCHASED WITH GRANT FUNDING? YES TO IF YES, ATTACH DOCUMENTATION SHOWING FUNDING AGENCY'S PERMISSION TO DISPOSE OF ASSET. DEPARTMENT: INFORMATION TECHNOLOGY SIGNATURE	DESIRED DATE FOR ASSET REMOVAL	L TO STORAGE: As soon as possible.	In 66 Room 123.
AUDITOR ORIGINAL PURCHASE DATE 1-8-04 RECEIPT INTO 1190-3836 H0 ORIGINAL COST 410 TRANSFER CONFIRMED ORIGINAL FUNDING SOURCE 2.731 TRANSFER CONFIRMED COUNTY COMMISSION / COUNTY CLERK APPROVED DISPOSAL METHOD:	WAS ASSET PURCHASED WITH GRAN	IT FUNDING? YES NO	
AUDITOR ORIGINAL PURCHASE DATE <u>1-8-04</u> RECEIPT INTO <u>1190-3836 HP</u> ORIGINAL COST <u>410</u> TRANSFER CONFIRMED COUNTY COMMISSION / COUNTY CLERK APPROVED DISPOSAL METHOD: TRANSFER DEPARTMENT NAMENUMBER LOCATION WITHIN DEPARTMENT INDIVIDUALTRADEAUCTIONSEALED BIDSOTHER EXPLAIN COMMISSION ORDER NUMBER <u>122-2015</u> DATE APPROVED J <u>5</u> 3-19215			
OKIGINAL COST 410 ORIGINAL FUNDING SOURCE 2731 ASSET GROUP 1602 COUNTY COMMISSION / COUNTY CLERK APPROVED DISPOSAL METHOD: TRANSFER DEPARTMENT NAME NUMBER LOCATION WITHIN DEPARTMENT INDIVIDUAL TRADE AUCTION SEALED BIDS OTHER EXPLAIN COMMISSION ORDER NUMBER 122-2015 DATE APPROVED DATE APPROVED Author		Ū.	
APPROVED DISPOSAL METHOD: TRANSFER DEPARTMENT NAMENUMBER LOCATION WITHIN DEPARTMENT INDIVIDUAL TRADEAUCTIONSEALED BIDS OTHER EXPLAIN COMMISSION ORDER NUMBER 122-2015 DATE APPROVED 3-19-15- DATE APPROVED 3-19-15-	ORIGINAL COST <u>41</u> ORIGINAL FUNDING SOURCE 27	0 731 TRANSFER CONFIRME	
TRANSFER DEPARTMENT NAMENUMBER LOCATION WITHIN DEPARTMENT INDIVIDUAL TRADEAUCTIONSEALED BIDS OTHER EXPLAIN COMMISSION ORDER NUMBER DATE APPROVED	COUNTY COMMISSION / COUNTY (<u>CLERK</u>	
LOCATION WITHIN DEPARTMENT INDIVIDUAL TRADEAUCTIONSEALED BIDS OTHER EXPLAIN COMMISSION ORDER NUMBER _ 122 - 2015 DATE APPROVED3-19-15- DATE APPROVED3-19-15-	APPROVED DISPOSAL METHOD:		
INDIVIDUAL	TRANSFER DEPARTMENT	NAMENUMBI	ER
TRADEAUCTIONSEALED BIDS OTHER EXPLAIN COMMISSION ORDER NUMBER 122-2015 DATE APPROVED3-19-15- DATE APPROVED3-19-15-	LOCATION WI	THIN DEPARTMENT	
TRADEAUCTIONSEALED BIDS OTHER EXPLAIN COMMISSION ORDER NUMBER 122-2015 DATE APPROVED3-19-15- DATE APPROVED3-19-15-	INDIVIDUAL		
COMMISSION ORDER NUMBER 122-2015 DATE APPROVED 3-19-15	TRADEAUCTION	SEALED BIDS	
COMMISSION ORDER NUMBER 122-2015 DATE APPROVED 3-19-15 SIGNATURE ALL MALLES	OTHER EXPLAIN		
	COMMISSION ORDER NUMBER 12 DATE APPROVED $3-1$ SIGNATURE 2	2.2015 3-15- Relles	

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE : February 20, 2015	FIXED ASSET	TAG NI IMPER	00014481				
, ,	FIXED ASSET	TAO NOWIDER	. 00014481		BE	70 F** 68 <i>H F</i> ***	1255
DESCRIPTION HP L1730 MONITOR LCD 17 INC	СН				KE	CEIVE	U
REQUESTED MEANS OF DISPOSAL:	SELL				FEB	20201	5
OTHER INFORMATION:					BOONE C	CUNTY AUC	TOR
CONDITION OF ASSET: POOR - PURC	CHASED 2004						
REASON FOR DISPOSITION: REPLAC	CEMENT						
COUNTY/COURT IT DEPT. (circle one) OWN USE (this item is applicable to comp	outer equipment on	Iy)	-				
DESIRED DATE FOR ASSET REMOVA	L TO STORAGE:	As soon a	as possi	ble. I	n 60	Room	n 123
WAS ASSET PURCHASED WITH GRA IF YES, ATTACH DOCUMENTATION	NT FUNDING? Y SHOWING FUNE	ES NO DING AGENCY	'S PERMISSIO	ON TO DISI	POSE OF A	ASSET.	
DEPARTMENT: INFORMATION TECH	NOLOGY	SIGNATURE	Au	idy-			
AUDITOR							
ORIGINAL PURCHASE DATE 7-	8-04	RECI	EIPT INTO	1190-3	3836	Ha	
ORIGINAL COST 41 ORIGINAL FUNDING SOURCE 273	<u> </u>	TRAI	NSFER CONFI	RMFD			
ASSET GROUP	<u> </u>	-					
COUNTY COMMISSION / COUNTY	<u>CLERK</u>						
APPROVED DISPOSAL METHOD:							
TRANSFER DEPARTMEN	T NAME		N	UMBER			
LOCATION W	TTHIN DEPARTM	1ENT					
INDIVIDUAL							
TRADEAUCTION	SE.	ALED BIDS					
OTHER EXPLAIN	·						
COMMISSION ORDER NUMBER	2-2015						
DATE APPROVED	19-15-	_					
SIGNATURE Jace M. 6	hellin	_					

DATE : February 20, 2015	FIXED ASSET TAG NUMBER: 000	RECEIVED
DESCRIPTION HP L1740 MONITOR LCD 17 INC	Н	FFB 20 2015
REQUESTED MEANS OF DISPOSAL:	SELL	BOONE COUNTY AUDITOR
OTHER INFORMATION:		aution
CONDITION OF ASSET: POOR - PURC	HASED 2007	
REASON FOR DISPOSITION: REPLAC	EMENT	
COUNTY/COURT IT DEPT. (circle one) OWN USE (this item is applicable to comp	outer equipment only)	
DESIRED DATE FOR ASSET REMOVA	l to storage: As soon as po	ssible. In 66 Room 123.
WAS ASSET PURCHASED WITH GRAM IF YES, ATTACH DOCUMENTATION	NT FUNDING? YES NO	
DEPARTMENT: INFORMATION TECH	NOLOGY SIGNATURE	Judy
AUDITOR		***************************************
ORIGINAL PURCHASE DATE <u>2-6-</u> ORIGINAL COST <u>188</u> ORIGINAL FUNDING SOURCE <u>213</u> ASSET GROUP <u>160</u>		NTO_1190-3836 H0 CONFIRMED
COUNTY COMMISSION / COUNTY	<u>CLERK</u>	
APPROVED DISPOSAL METHOD:		
TRANSFER DEPARTMENT	Г NAME	NUMBER
LOCATION W	THIN DEPARTMENT	<u> </u>
INDIVIDUAL_		
TRADEAUCTION	SEALED BIDS	
OTHER EXPLAIN		
11	1- 2015	
COMMISSION ORDER NUMBER $\frac{12}{5}$	<u>A-15</u>	
DATE APPROVED	hilling	
SIGNATURE	- • • • • • • • • • • • • • • • • • • •	

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE : February 20, 2015	FIXED ASSET TAG NUMBER: 00015815	RECEIVED
DESCRIPTION HP L1740 MONITOR LCD 17 INC	Н	FED 202015
REQUESTED MEANS OF DISPOSAL:	SELL	BOONE COUNTY AUDITOR
OTHER INFORMATION:		
CONDITION OF ASSET: POOR - PURC	HASED 2007	
REASON FOR DISPOSITION: REPLAC	EMENT	
COUNTY#COURT IT DEPT. (cirele one) I OWN USE (this item is applicable to comp	DOES/DOES_NOT (circle_one) WISH TO TRANSFER uter equipment only)	THIS IJEM FOR ITS
DESIRED DATE FOR ASSET REMOVAL	L TO STORAGE: As soon as possible.	In 66 Room 123
WAS ASSET PURCHASED WITH GRAN		
DEPARTMENT: INFORMATION TECH	NOLOGY SIGNATURE	<u> </u>
AUDITOR	······································	
ORIGINAL PURCHASE DATE 2-6 ORIGINAL COST 88 ORIGINAL FUNDING SOURCE 273 ASSET GROUP 1603	TRANSFER CONFIRMED	
COUNTY COMMISSION / COUNTY	<u>CLERK</u>	
APPROVED DISPOSAL METHOD:		
TRANSFER DEPARTMENT	NAMENUMBE	R
LOCATION WI	THIN DEPARTMENT	
INDIVIDUAL_		
TRADEAUCTION	SEALED BIDS	
OTHER EXPLAIN		
10		
COMMISSION ORDER NUMBER $\frac{12}{3-16}$ DATE APPROVED $\frac{3-16}{3-16}$	<u>x-2012</u>	
DATE APPROVED	1-12	
SIGNATURE TAN D.	Hellin .	

. .

DATE : February	20, 2015	FIXED ASSET	TAG NUMBER: 00014476
DESCRIPTION	HP L1730 MONITOR LCD 17 INC	Н	RECEIVED
REQUESTED MI	EANS OF DISPOSAL:	SELL	FEB 202015
OTHER INFORM	IATION:		BOONE COUNTY AUDITOR
CONDITION OF	ASSET: POOR - PURCI	HASED 2004	
REASON FOR D	ISPOSITION: REPLACI	EMENT	
OWN USE (this it	tem is applicable to comp	uter equipment o	DT (circle one) WISH TO IRANSFER THIS ITEM PORTTS nly)
DESIRED DATE	FOR ASSET REMOVAL	L TO STORAGE	As soon as possible. In 6C Room 123
WAS ASSET PUI	RCHASED WITH GRAN	IT FUNDING?	NESNO DING AGENCY'S PERMISSION TO DISPOSE OF ASSET.
DEPARTMENT:	INFORMATION TECH		
AUDITOR			
ORIGINAL COS	CHASE DATE 7-8 r 41 DING SOURCE 2-7 / 60	131	RECEIPT INTO <u>190-3836</u> HQ TRANSFER CONFIRMED
COUNTY COM	MISSION / COUNTY	<u>CLERK</u>	
APPROVED DIS	POSAL METHOD:		
TRANSFE	R DEPARTMENT	NAME	NUMBER
	LOCATION WI	THIN DEPART	MENT
	INDIVIDUAL_	- <u>-</u>	
TRADE	AUCTION	SI	EALED BIDS
OTHER	EXPLAIN		
COMMISSION O DATE APPROVE SIGNATURE	order NUMBER 12 Ed. 3-19- Kare M. O.	2.2015 -15 helles	

DATE : February 20, 2015	FIXED ASSET TAG NU	JMBER: 00014477	
DESCRIPTION HP L1730 MONITOR LCD 17 IN	ICH		received
REQUESTED MEANS OF DISPOSAL:	SELL		FEB 20 2015
OTHER INFORMATION:			BOOKE COUNTY AUDITOR
CONDITION OF ASSET: POOR - PUR	CHASED 2004		
REASON FOR DISPOSITION: REPLA	CEMENT		
COUNTY/COURT IT DEPT. (circle one OWN USE (this item is applicable to con	nputer equipment only)		
DESIRED DATE FOR ASSET REMOV	AL TO STORAGE: As	500n as poss	ibk. In 66 Room 123
WAS ASSET PURCHASED WITH GRA IF YES, ATTACH DOCUMENTATION	ANT FUNDING? YES NO		
DEPARTMENT: INFORMATION TEC	HNOLOGY SIGNA	TURE	udy
AUDITOR			
ORIGINAL FUNDING SOURCE	10	RECEIPT INTO TRANSFER CONF	1/90-3836 <i>HO</i>
		****	****
<u>COUNTY COMMISSION</u> / <u>COUNTY</u>	Y CLERK		
APPROVED DISPOSAL METHOD:			
TRANSFER DEPARTMEN	NT NAME	N	UMBER
LOCATION	WITHIN DEPARTMENT		
INDIVIDUAL	s		
TRADEAUCTION	SEALED B	IDS	
OTHER EXPLAIN			
COMMISSION ORDER NUMBER $\frac{13}{3}$ DATE APPROVED 3 - SIGNATURE 2	12-2015 19-15 Mullis		
	1. 1. H.N.		

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE: 2-20-15

NIA FIXED ASSET TAG NUMBER:

DESCRIPTION: 10 8 Keyboards

REQUESTED MEANS OF DISPOSAL:

OTHER INFORMATION:

Poor

RECEIVED

1EB 20 2015

EOONE COUNTY AUDITOR

CONDITION OF ASSET:

- /

REASON FOR DISPOSITION:

COUNTY / COURT IT DEPT. (check one) DOES / DOES NOT (check one) WISH TO TRANSFER THIS ITEM FOR ITS OWN USE (this item is applicable to computer equipment only)

DESIRED DATE FOR ASSET REMOVAL TO STORAGE:

.

WAS ASSET PURCHASED WITH GRANT FUNDING? YES IF YES, ATTACH DOCUMENTATION SHOWING FUNDING AGENCY'S PERMISSION TO DISPOSE OF ASSET. 1 -11 0

1

DEPARTMENT:	formation lectrologysign	VATURE Mudy
AUDITOR	De No Data. SE DATE	RECEIPT INTO 1190-3836 Ha
	SOURCE	GRANT NAME
ASSET GROUP		AGENCY DOCUMENTATION ATTACHED (Y/N) TRANSFER CONFIRMED
COUNTY COMMISS	SION / COUNTY CLERK	
APPROVED DISPOSA	AL METHOD:	
TRANSFER	DEPARTMENT NAME	NUMBER
	LOCATION WITHIN DEPAR	ГМЕNT
	INDIVIDUAL	
TRADE	AUCTIONS	SEALED BIDS
OTHER E	XPLAIN	
COMMISSION ORDE	R NUMBER 122-2015	
DATE APPROVED	h n n,	

S:\all\AUDITOR\Accounting Forms\Fixed Asset Disposal.doc

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE : February 18, 2015	FIXED ASSET TAG NUME	ER: 00015362	
DESCRIPTION HP L1740 MONITOR LCD 17 INC	CH .		
REQUESTED MEANS OF DISPOSAL:	SELL		RECEIVED
OTHER INFORMATION:			FEB 182015
CONDITION OF ASSET: POOR - PURC	HASED 2006		BOONE COUNTY AUDITOR
REASON FOR DISPOSITION: REPLAC	EMENT		
COUNTY/COURT IT DEPT. (circle one) OWN USE (this item is applicable to comp	outer equipment only)		-
DESIRED DATE FOR ASSET REMOVA	L TO STORAGE: AS SOM	as possible.	In GL Room 123
WAS ASSET PURCHASED WITH GRAM	NT FUNDING? YES NO SHOWING FUNDING AGEN	CY'S PERMISSION	
DEPARTMENT: ASSESSOR	SIGNATURE	udy	
AUDITOR		0	
ORIGINAL PURCHASE DATE	14-06 R	CEIPT INTO <u>20</u>	10-3836 HPL
ORIGINAL COST ORIGINAL FUNDING SOURCE ASSET GROUP	<u>2743</u> 1633	ANSFER CONFIRM	1ED
COUNTY COMMISSION / COUNTY	<u>CLERK</u>		************************
APPROVED DISPOSAL METHOD:			
TRANSFER DEPARTMENT	Г NAME	NUM	IBER
LOCATION W	ITHIN DEPARTMENT		
INDIVIDUAL_			
TRADEAUCTION	SEALED BIDS		
OTHER EXPLAIN			
COMMISSION ORDER NUMBER $\frac{12}{3-1}$	2-2015		
DATE APPROVED	9-15		
signature tare the	Kellin		

٨

1

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE: February 18, 2015	FIXED ASSET TAG NUMB	ER: 00015361	RECEIVED
DESCRIPTION HP L1740 MONITOR LCD 17 INC	CH		FEB 18 2015
REQUESTED MEANS OF DISPOSAL:	SELL		BOONE COUNTY AUDITOR
OTHER INFORMATION:			
CONDITION OF ASSET: POOR - PURC	HASED 2006		
REASON FOR DISPOSITION: REPLAC	EMENT		
COUNTY/COURT IT DEPT. (circle one) OWN USE (this item is applicable to comp	outer equipment only)		
DESIRED DATE FOR ASSET REMOVA	l to storage: A<i>3 500</i> n	as possible - I	n 66 Room 123.
WAS ASSET PURCHASED WITH GRAI IF YES, ATTACH DOCUMENTATION	NT FUNDING? YES NO		
DEPARTMENT: ASSESSOR	SIGNATURE _	ly	· · ·
AUDITOR			
ORIGINAL PURCHASE DATE <u>3</u> - ORIGINAL COST <u>30</u> ORIGINAL FUNDING SOURCE <u>2</u> ASSET GROUP <u>16</u>	4.00 ИЗ ТЕ	ECEIPT INTO <u>2010</u> RANSFER CONFIRME	-3836 НФ
COUNTY COMMISSION / COUNTY	<u>CLERK</u>		
APPROVED DISPOSAL METHOD:			
TRANSFER DEPARTMENT	Г NAME	NUMBI	ER
LOCATION W	ITHIN DEPARTMENT		
INDIVIDUAL_			
TRADEAUCTION	SEALED BIDS		
OTHER EXPLAIN			
COMMISSION ORDER NUMBER $\frac{12}{3-16}$ DATE APPROVED $\frac{3-16}{5}$ SIGNATURE $\frac{12}{5}$	2-2015 1-15 Mullis		
•			

.

DATE : February 18, 2015	FIXED ASSET TAG N	NUMBER: 00014994	
DESCRIPTION HP L1740 MONITOR LCD 17 I	NCH		received
REQUESTED MEANS OF DISPOSAL	.: SELL		FEB 182015
OTHER INFORMATION:			BOONE COUNTY AUDITOR
CONDITION OF ASSET: POOR - PU	RCHASED 2005		·
REASON FOR DISPOSITION: REPLA	ACEMENT		
COUNTY/COURT IT DEPT. (circle on OWN USE (this item is applicable to co	ompater equipment only)		
DESIRED DATE FOR ASSET REMO	val to storage: A_3	soon as possible	. In 66 Room 123
WAS ASSET PURCHASED WITH GR IF YES, ATTACH DOCUMENTATIO	RANT FUNDING? YES NO	AGENCY'S PERMISSION	TO DISPOSE OF ASSET.
DEPARTMENT: PLANNING & ZONI	NG SIGNATURE	- Andy	
AUDITOR			
ORIGINAL PURCHASE DATE ORIGINAL COST ORIGINAL FUNDING SOURCE ASSET GROUP	2780		160 - 3836 HQ
COUNTY COMMISSION / COUNT	<u>ry clerk</u>		
APPROVED DISPOSAL METHOD:			
TRANSFER DEPARTME	ENT NAME	NUM	BER
LOCATION	WITHIN DEPARTMENT		
INDIVIDUA	L		
TRADEAUCTIO	ONSEALED	BIDS	
OTHER EXPLAIN			
COMMISSION ORDER NUMBER $\frac{1}{3-19}$ DATE APPROVED $\frac{3-19}{3-19}$	122-2015 -15 Dulla		

DATE : February 18, 2015	FIXED ASSET TAG NUMBER: 00	0014804
DESCRIPTION HP L1740 MONITOR LCD 17 INC	CH	RECEIVED
REQUESTED MEANS OF DISPOSAL:	SELL	neceivel
OTHER INFORMATION:		FEB 18 2015
CONDITION OF ASSET: POOR - PURC	HASED 2005	BOONE COUNTY AUDITOR
REASON FOR DISPOSITION: REPLAC	EMENT	
COUNTY/COURT IT DEPT. (circle one) OWN USE (this item is applicable to comp	DOES/DOES NO T (circle one) WI SH outer equipment only)	TO TRANSFER PHISTIEM FOR HTS
DESIRED DATE FOR ASSET REMOVA	L TO STORAGE: AS SOON AS A	Dossible. In 66 Room 123.
WAS ASSET PURCHASED WITH GRAD IF YES, ATTACH DOCUMENTATION	NT FUNDING? YES NO	
DEPARTMENT: GIS - COUNTY	SIGNATURE	<u> </u>
AUDITOR	0	
ORIGINAL PURCHASE DATE 2-1 ORIGINAL COST 52	308.00	INTO 2010-3836 Ha
ORIGINAL FUNDING SOURCE 2	<u>743</u> TRANSFI 603	ER CONFIRMED
<u>COUNTY COMMISSION</u> / <u>COUNTY</u>	<u>CLERK</u>	
APPROVED DISPOSAL METHOD:		
TRANSFER DEPARTMEN	Г NAME	NUMBER
LOCATION W	ITHIN DEPARTMENT	
INDIVIDUAL_		
TRADEAUCTION	SEALED BIDS	
OTHER EXPLAIN		
COMMISSION ORDER NUMBER $\frac{12}{3-19}$ DATE APPROVED $\frac{3-19}{3-19}$ SIGNATURE $\frac{1}{3}$	2-2015 -15 - Relles	
	and the state of the	

DATE: February 9, 2015	FIXED ASSET TAG NUMBER: 00	015365
DESCRIPTION HP XW6200 PC WORKSTATION		RECEIVED
REQUESTED MEANS OF DISPOSAL:	SELL	FEB 09 2015
OTHER INFORMATION:		BOONE COUNTY AUDITOR
CONDITION OF ASSET: PURCHASEE	2006 - POOR	
REASON FOR DISPOSITION: REPLACE	CEMENT	
COUNTY/COURTIT DEPT. (circle one) OWN USE (this item is ap plicable to com	puter equipment only)	-
DESIRED DATE FOR ASSET REMOVA	AL TO STORAGE: AS SOON as	possible. In 62 Room 123.
WAS ASSET PURCHASED WITH GRA IF YES, ATTACH DOCUMENTATION		
DEPARTMENT: GIS - COUNTY		
AUDITOR	U	
ORIGINAL PURCHASE DATE <u>3-</u> ORIGINAL COST <u>\$3</u> ORIGINAL FUNDING SOURCE <u>27</u> ASSET GROUP <u>66</u>	58 TRANSFE	INTO
COUNTY COMMISSION / COUNTY	<u>CLERK</u>	
APPROVED DISPOSAL METHOD:		
TRANSFER DEPARTMEN	T NAME	NUMBER
LOCATION W	TTHIN DEPARTMENT	
INDIVIDUAL_		
TRADEAUCTION	SEALED BIDS	
OTHER EXPLAIN		
COMMISSION ORDER NUMBER $/\lambda$	2-2015	
DATE APPROVED 3-1	9-15 ,	
SIGNATURE Jacks dr. 6	Rublins	

DATE : February 9, 2015	FIXED ASSET	TAG NUMBER: 00016078	
DESCRIPTION HP LP2065 MONITOR LCD 20 IN	СН		RECEIVED
REQUESTED MEANS OF DISPOSAL:	SELL		FEB 0 9 2015
OTHER INFORMATION:			BOONE COUNTY AUDITOR
CONDITION OF ASSET: PURCHASED	2007 - POOR		
REASON FOR DISPOSITION: REPLAC	CEMENT		Ň
COUNTY/COURT IT DEPT. (circle one) OWAY USE (this item is applicable to com			
DESIRED DATE FOR ASSET REMOVA	AL TO STORAGE	: As soon as poss	ible. In 62 Room 123.
WAS ASSET PURCHASED WITH GRA IF YES, ATTACH DOCUMENTATION	NT FINDING? Y	ESNO2	
DEPARTMENT: INFORMATION TECH	INOLOGY	SIGNATURE	udy
AUDITOR	,		0
ORIGINAL PURCHASE DATE <u>4-6</u> - ORIGINAL COST <u>\$360</u> ORIGINAL FUNDING SOURCE <u>274</u> ASSET GROUP603		_ RECEIPT INTO_ _ TRANSFER CON	2045-3836 HQ
COUNTY COMMISSION / COUNTY	<u>CLERK</u>		
APPROVED DISPOSAL METHOD:			
TRANSFER DEPARTMEN	T NAME		NUMBER
LOCATION W	ITHIN DEPART	MENT	
INDIVIDUAL			
TRADEAUCTION	SE	ALED BIDS	
OTHER EXPLAIN			
COMMISSION ORDER NUMBER $\frac{12}{3-19}$	2-2015	_	
SIGNATURE Jack JA. 6	Miller		

DATE : February 9, 2015	FIXED ASSET TAG N	UMBER: 00016079	
DESCRIPTION HP LP2065 MONITOR LCD 20 INC	СН		RECEIVED
REQUESTED MEANS OF DISPOSAL:	SELL		FEB 09 2015
OTHER INFORMATION:			BOONE COUNTY AUDITOR
CONDITION OF ASSET: PURCHASED	2007 - POOR		
REASON FOR DISPOSITION: REPLAC	CEMENT		
COUNTY/COURT IT DEPT. (circle one) OWN USE (this item is applicable to comp		one) WISH <u>TO TRANSFER</u>	THIS ITEM FOR ITS
DESIRED DATE FOR ASSET REMOVA	L TO STORAGE: A3	soon as possible.	In 66 Room 123
WAS ASSET PURCHASED WITH GRAD IF YES, ATTACH DOCUMENTATION	NT FUNDING? YES NO) '	
DEPARTMENT: INFORMATION TECH	NOLOGY SIGN.	ATURE hedy	
AUDITOR		0	
ORIGINAL PURCHASE DATE 4-6 ORIGINAL COST 8366 ORIGINAL FUNDING SOURCE 274 ASSET GROUP 1603	-07 7 8	RECEIPT INTO <u>2045</u> TRANSFER CONFIRMEL	
COUNTY COMMISSION / COUNTY			
APPROVED DISPOSAL METHOD:			
TRANSFER DEPARTMEN	Т NAME	NUMBE	CR
LOCATION W	ITHIN DEPARTMENT_		
INDIVIDUAL_			
TRADEAUCTION	SEALED E	BIDS	
OTHER EXPLAIN			
COMMISSION ORDER NUMBER $/2$	2-2015		
DATE APPROVED, 3-19-1 SIGNATURE Jack M. C	15 Dellis		
	2011		

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE : February 2, 2015	FIXED ASSET TAG NUMBER: 00015942	RECEIVED
DESCRIPTION HP DC5700 PC WORKSTATION		• • • • • • •
	CET I	FEB 02-2015
REQUESTED MEANS OF DISPOSAL: OTHER INFORMATION:	SELL	BOONE COUNTY AUDITOR
CONDITION OF ASSET: HARD DRIVE	SWEMORY REMOVED	
REASON FOR DISPOSITION: REPLAC	EMENT	
OUNTIER (this item is small to be sound	DOES/DOES NOT (circle one) WISH TO TRANSFER THI outer equipment only)	
DESIRED DATE FOR ASSET REMOVA	L TO STORAGE: As soon as possible. In	62 Koom 123.
WAS ASSET PURCHASED WITH GRAM	IT FUNDING? YES NO	
DEPARTMENT: ASSESSOR	SHOWING FUNDING AGENCY'S PERMISSION TO DIS	
AUDITOR	0	
ORIGINAL PURCHASE DATE <u>3-2</u> ORIGINAL COST <u>\$610</u> . ORIGINAL FUNDING SOURCE <u>274</u> ASSET GROUP <u>(60</u>)	2-07 RECEIPT INTO 2010-39 00 TRANSFER CONFIRMED 3 TRANSFER CONFIRMED	
COUNTY COMMISSION / COUNTY	<u>CLERK</u>	
APPROVED DISPOSAL METHOD:		
TRANSFER DEPARTMENT	NAMENUMBER	
LOCATION WI	THIN DEPARTMENT	
INDIVIDUAL_		
TRADEAUCTION	SEALED BIDS	
OTHER EXPLAIN		
COMMISSION OPDER NUMBER 11	2.2015	
$\frac{1}{2} = \frac{1}{2}$		
COMMISSION ORDER NUMBER 122 DATE APPROVED 3-19 SIGNATURE Have Dr. 1	7 0 00 0	
SIGNATURE Jace M. O.	Rellie	

.

DATE : January	27, 2015	FIXED ASSET TAG NU	MBER: 00015088		
DESCRIPTION	HP DC7100 PC WORKSTATION			RECEN	/ED
REQUESTED M	IEANS OF DISPOSAL:	SELL		JAN 272	
OTHER INFORM	MATION:				
CONDITION OF	ASSET: HARD DRIVE	/MEMORY REMOVED		BOONE COUNTY	AUDITOR
REASON FOR D	DISPOSITION: REPLAC	EMENT			
	RT IT DEPT. (circle one) I item is applicable to comp	DOES/DOES NOT (circle c uter equipment only)	ne) W ISH TO TRA	NSFER THISHTEN	FOR ITS
DESIRED DATE	E FOR ASSET REMOVAL	l to storage: A3 30	oon as possib.	k. In 66	Room 123
	URCHASED WITH GRAN CH DOCUMENTATION S	IT FUNDING? YES NO	ENCY'S PERMISS	ION TO DISPOSE (OF ASSET.
DEPARTMENT	PUBLIC WORKS	SIGNATURE	Judy		
AUDITOR		به به های و و و و و و و و و و و و و و و و و و و	U	یس این میں جود میٹر سے خوا میڈ ایڈر ایڈ ایڈر ایڈ	14 ter er sin an ini ini ini ini ini ini ini ini in
ORIGINAL COS	CHASE DATE 6-30 5T 6-30 5T 6-30 5T 6-30 50 50 50 50 50 50 50 50 50 5			2045-3836 FIRMED	
COUNTY COM	MISSION / COUNTY	CLERK			
APPROVED DIS	SPOSAL METHOD:				
TRANSFE	R DEPARTMENT	`NAME]	NUMBER	
	LOCATION WI	THIN DEPARTMENT			
	INDIVIDUAL_			<u></u>	
TRADE	AUCTION	SEALED BI	DS		
OTHER	EXPLAIN				<u></u> _
COMMISSION (DATE APPROV SIGNATURE	order NUMBER 12. Ed. 3-19 Kace M. 1.	2.2015 -15. helles			

DATE : January 29, 2015	FIXED ASSET TAG NU	MBER: 00015789	
DESCRIPTION HP DC7700 PC WORKSTATION		RE	CEIVED
REQUESTED MEANS OF DISPOSAL:	SELL	JA	N 30 2015
OTHER INFORMATION:			OUNTY AUDITOR
CONDITION OF ASSET: HARD DRIVE	E/MEMORY REMOVED		A A A A A A A A A A A A A A A A A A A
REASON FOR DISPOSITION: REPLAC	EMENT		
COUNTY/COURT IT DEPT (eircle one) OWN USE (this item is applicable to com			
DESIRED DATE FOR ASSET REMOVA	IL TO STORAGE: A3 &	oon as possible.	In GC Room 123.
IF YES, ATTACH DOCUMENTATION	SHOWING FUNDING AG	ENCY'S PERMISSION TO D	ISPOSE OF ASSET.
DEPARTMENT: INFORMATION TECH	NOLOGY SIGNA	TURE Judy	
AUDITOR			
ORIGINAL PURCHASE DATE ORIGINAL COST 12 ORIGINAL FUNDING SOURCE ASSET GROUP 1	27-07 51,00 .741 603	RECEIPT INTO <u>2045</u> TRANSFER CONFIRMED	
COUNTY COMMISSION / COUNTY	<u>CLERK</u>		~~
APPROVED DISPOSAL METHOD:			
TRANSFER DEPARTMEN	Г NAME	NUMBER_	
LOCATION W	ITHIN DEPARTMENT		
INDIVIDUAL_			
TRADEAUCTION	SEALED BI	DS	
OTHER EXPLAIN			
COMMISSION ORDER NUMBER 12	2-2015		
COMMISSION ORDER NUMBER $\frac{12}{3-16}$ DATE APPROVED, $\frac{3-16}{7}$ SIGNATURE $\frac{12}{7}$	7-15		
signature Jaces 2. 6	Keller		

DATE : January	13, 2015	FIXED ASSET TAG NU	MBER: 00016162	
DESCRIPTION	HP L1940T MONITOR LCD 19 INC	Н		RECEIVED
REQUESTED M	EANS OF DISPOSAL:	SELL		
OTHER INFORM	MATION:			JAN 132015
CONDITION OF	ASSET: NON-WORKIN	١G		BOONE COUNTY AUDITOR
REASON FOR E	DISPOSITION: REPLACE	EMENT		
OWN USE (this	item is applicable to comp	uter equipment only)		SFER T HIS ITEM FOR ITS
DESIRED DATE	E FOR ASSET REMOVAL	l to storage: As 50	on as possi	bk. In 66 Room 123.
WAS ASSET PU	RCHASED WITH GRAN	IT FUNDING? YES NO		N TO DISPOSE OF ASSET.
DEPARTMENT:	PROSECUTING ATTOP	RNEY SIGNA	TURE	udy
AUDITOR				0
ORIGINAL COS ORIGINAL FUN	CHASE DATE <u>4-2</u> T <u>\$220</u> DING SOURCE <u>274</u> 0010010000000000000000000000000000000			045-3836 HO RMED
COUNTY COM	MISSION / COUNTY	<u>CLERK</u>	****	
APPROVED DIS	SPOSAL METHOD:			
TRANSFE	R DEPARTMENT	`NAME	N	JMBER
	LOCATION WI	THIN DEPARTMENT		
	INDIVIDUAL_		·	
TRADE	AUCTION	SEALED BI	DS	
OTHER	EXPLAIN			
COMMISSION (DATE APPROV	order number $\frac{12}{53-6}$	2.2015		
SIGNATURE	· pirka e / 5. 0			

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE : January 5, 2015	FIXED ASSET TAG NUMBER: 00014328	
DESCRIPTION SHARP LLT19D1-B MONITOR LCD 19 INC	СН	RECEIVED
REQUESTED MEANS OF DISPOSAL:	SELL	10316725
OTHER INFORMATION:		BUOWE GOUNTY AUDITOR
CONDITION OF ASSET: NON-WORKI	NG	
REASON FOR DISPOSITION: REPLAC	CEMENT	
OWN USE (this item is applicable to comp		-
DESIRED DATE FOR ASSET REMOVA	I TO STORAGE: As soon as possible	. In 66 Room 123
WAS ASSET PURCHASED WITH GRAD	NT FUNDING? YES NO SHOWING FUNDING AGENCY'S PERMISSION	
DEPARTMENT: INFORMATION TECH	NOLOGY SIGNATURE	9 <u> </u>
AUDITOR)
ORIGINAL PURCHASE DATE 12-3 ORIGINAL COST ORIGINAL FUNDING SOURCE ASSET GROUP	2.97 272 TRANSFER CONFIR™	20-3836 #0
COUNTY COMMISSION / COUNTY	<u>CLERK</u>	
APPROVED DISPOSAL METHOD:		
TRANSFER DEPARTMEN	T NAMENUN	/BER
LOCATION W	ITHIN DEPARTMENT	
INDIVIDUAL_		
TRADEAUCTION	SEALED BIDS	
OTHER EXPLAIN	_	
COMMISSION ORDER NUMBER $\frac{12}{2}$	2-2015	
DATE APPROVED 3-19	1-15	
SIGNATURE Jace D. J.	2.ll	
	www.com	

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE : December 30, 2014	FIXED ASSET TAG NUMBER: 00016733	RECEIVED
DESCRIPTION PANASONIC TOUGHB LAPTOP NOTEBOOK	OOK CF19	JAN 06 2015
REQUESTED MEANS OF DISPOSAL:	SELL	BOONE COUNTY AUDITOR
OTHER INFORMATION:		
CONDITION OF ASSET: HARD DRIVE	/MEMORY REMOVED	
REASON FOR DISPOSITION: NO LONG	GER NEEDED	
OWN USE (this item is applicable to comp	• • •	_
DESIRED DATE FOR ASSET REMOVA	L TO STORAGE: As soon as possible. In	66 Room 123.
WAS ASSET PURCHASED WITH GRAM		
DEPARTMENT: DESIGN & CONSTRUC		
AUDITOR	0	
ORIGINAL PURCHASE DATE <u>3-2</u> ORIGINAL COST <u>42.1</u> ORIGINAL FUNDING SOURCE <u>2</u> ASSET GROUP <u>16</u>	7 + 7 TRANSFER CONFIRMED	
COUNTY COMMISSION / COUNTY	<u>CLERK</u>	
APPROVED DISPOSAL METHOD:		
TRANSFER DEPARTMENT	NAMENUMBER	
LOCATION W	THIN DEPARTMENT	
INDIVIDUAL_		
TRADEAUCTION	SEALED BIDS	
OTHER EXPLAIN		
COMMISSION ORDER NUMBER $\frac{12}{3-16}$ DATE APPROVED $\frac{3-16}{3-16}$ SIGNATURE $\frac{12}{3-16}$	2-2015 9-15_ Rellie	

....

DATE : December 31, 2014	FIXED ASSET TAG NUMBER: 0001	RECEIVED
DESCRIPTION HP DC7900 PC WORKSTATION		JAN 0 6 2015
REQUESTED MEANS OF DISPOSAL:	SELL	BOONE COUNTY AUDITOR
OTHER INFORMATION:		
CONDITION OF ASSET: HARD DRIVE	MEMORY REMOVED	
REASON FOR DISPOSITION: REPLAC	EMENT	
COUNTY/COURT IT DEPT. (circle one) OWN USE (this item is applicable to comp		DEPRANSFER THIS IFFEM FOR ITS
DESIRED DATE FOR ASSET REMOVA	L TO STORAGE: As SOON as po	ssible. In 66 Room 123
WAS ASSET PURCHASED WITH GRAD IF YES, ATTACH DOCUMENTATION	NT FUNDING? YES NO	
DEPARTMENT: DESIGN & CONSTRUC	CTION SIGNATURE	Judy
AUDITOR		
ORIGINAL PURCHASE DATE 4-7 ORIGINAL COST 697 ORIGINAL FUNDING SOURCE 274 ASSET GROUP 160	.98 TRANSFER	NTO 2045-3836 HO CONFIRMED
COUNTY COMMISSION / COUNTY	<u>CLERK</u>	
APPROVED DISPOSAL METHOD:		
TRANSFER DEPARTMEN	T NAME	NUMBER
LOCATION W	THIN DEPARTMENT	
INDIVIDUAL_		
TRADEAUCTION	SEALED BIDS	
OTHER EXPLAIN		
COMMISSION ORDER NUMBER 12 DATE APPROVED $3 - 19 - 1$		
DATE APPROVED <u>3-19-1</u> SIGNATURE <u>Jace</u> JA.	Author	

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

REQUES	I FOR DISI				NOT ENT I
DATE : 12-24-14	4	FIXED ASSE	ET TAG NUMBER:	No Tag	RECEIVED
DESCRIPTION: AF					DEC 242014
REQUESTED MEANS	OF DISPOSAL:	/			BOONE COUNTY AUDITOR
OTHER INFORMATIO	N: Model	RBL -	4"Long x.	3" Wide	x 3"/all
CONDITION OF ASSE	T: Very	Rad			
REASON FOR DISPOS	ITION:				
COUNTY / COURT IT FOR ITS OWN USE (th				e) WIS H TO TR	ANSFER THIS ITEM
DESIRED DATE FOR A	ASSET REMOVA	L TO STORAC	GE:		
WAS ASSET PURCHAS IF YES, ATTACH DOC	UMENTATION S	SHOWING FUI	NDING AGENCY'S PE	RMISSION TO) DISPOSE OF ASSET.
department: $\mathcal I$	formation k	Pchnology BIG	NATURE	hedge	
AUDITOR ORIGINAL PURCHASI	NO DA	TA	RECEIPT INTO _	1190-382	36 Ha
ORIGINAL COST			_ GRANT FUNDEI	D (Y/N)	-
ORIGINAL FUNDING	SOURCE		_ % FUNDING	<u>_</u>	
ASSET GROUP			DOCUMENTAT	ION ATTACHE	ED (Y/N)
COUNTY COMMISSI	<u>on</u> / <u>county</u>	<u>CLERK</u>		~~~~~~~~~~~	
APPROVED DISPOSAI	L METHOD:				
TRANSFER	DEPARTMEN	Г NAME	a	NUME	BER
	LOCATION W	ITHIN DEPAR	TMENT		
	INDIVIDUAL_				
TRADE	AUCTION		SEALED BIDS		
OTHER EX	PLAIN				
COMMISSION ORDER	NUMBER / 2	2-2015			
COMMISSION ORDER	> 3-10	3-15	,		
SIGNATURE /)a	en dr. U				

.

S:\all\AUDITOR\Accounting Forms\Fixed Asset Disposal.doc

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE : Decembe	er 24, 2014	FIXED ASSET TAG N	JMBER: 00017556		
DESCRIPTION	CANON MX870 PRINTER INKJET COLO	OR		REENVED	
REQUESTED ME	EANS OF DISPOSAL:	SELL		DE 2 2 4 2014	
OTHER INFORM	ATION:			6. BOONEXINITY AUDITOR	
CONDITION OF	ASSET: PURCHASED	IN 2010 - VERY POOR			
REASON FOR D	SPOSITION: DOES NO	OT WORK			
OWN USE (this it	em is applicable to comp	uter equipment only)	-	NSFER THIS ITEM FOR ITS	
DESIRED DATE	FOR ASSET REMOVAL	L TO STORAGE: As	soon as possi	ble. In 62 Room 123	;.
WAS ASSET PUH	RCHASED WITH GRAN	IT FUNDING? YES NO)	ON TO DISPOSE OF ASSET.	
DEPARTMENT:	SHERIFF	SIGNATURE	redy		
AUDITOR					
ORIGINAL COST ORIGINAL FUNI	CHASE DATE <u>12-3</u> 199. DING SOURCE <u>273</u> 160	<u>98</u>		1190-3836 Ha- FIRMED	
<u>COUNTY COMM</u>	MISSION / COUNTY	<u>CLERK</u>			
APPROVED DISI	POSAL METHOD:				
TRANSFER	DEPARTMENT	NAME	N	NUMBER	
	LOCATION WI	THIN DEPARTMENT			
	INDIVIDUAL_				
TRADE	AUCTION	SEALED E	IDS		
OTHER	EXPLAIN				
COMMISSION O DATE APPROVE SIGNATURE	rder NUMBER 12 d3-19 Jace D. d	2-2015 -15 helled			

1

DATE : Decemb	per 18, 2014	FIXED ASSET TAG N	UMBER: 00012133			
DESCRIPTION	HP LASERJET 4050N PRINTER LASER MON	OCHROME	F	RECEIVE		
REQUESTED M	EANS OF DISPOSAL:	SELL	_			
OTHER INFORM	MATION:			DEC 19 2014	ł	
CONDITION OF	ASSET: PURCHASED	1999 - VERY POOR	B001	NE COUNTY AUE	DITOR	
REASON FOR I	DISPOSITION: REPLACE	EMENT				
OWN USE (this	RT IT DEPT. (circle one) I item is applicable to comp	uter equipment only)			-	_
DESIRED DATE	E FOR ASSET REMOVAL	l to storage: A3	500n as possi	ble. In	66 Room la	73
WAS ASSET PL	URCHASED WITH GRAN CH DOCUMENTATION S	IT FUNDING? YE Y NO)			
DEPARTMENT	CHILD SERVICES	SIGNATURE	- hud	F		
AUDITOR			U			
ORIGINAL COS	CHASE DATE 10 - 2 5T	2.14	RECEIPT INTO			
COUNTY COM	MISSION / COUNTY	<u>CLERK</u>				
APPROVED DIS	SPOSAL METHOD:					
TRANSFE	R DEPARTMENT	`NAME		NUMBER		
	LOCATION WI	THIN DEPARTMENT_				
	INDIVIDUAL_		<u> </u>			
TRADE	AUCTION	SEALED	BIDS			
OTHER	EXPLAIN					
COMMISSION (DATE APPROV SIGNATURE	order NUMBER $\frac{12}{3-19}$	2-2015 -15 - Rellis				
	ľ	A and the				

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE: 12-2-14

FIXED ASSET TAG NUMBER: N/A

DESCRIPTION: 3 Boxes Of Miscellaneous PC/Computer Components

REQUESTED MEANS OF DISPOSAL:

OTHER INFORMATION: Unknown if working.

CONDITION OF ASSET: Unknown

REASON FOR DISPOSITION:No longer needed

COUNTY + COURT IT DEPT (check one) DOES + DOES NOT (check one) WISH TO TRANSFER THIS ITEM FOR ITS OWN USE (this item is applicable to computer equipment only)

DESIRED DATE FOR ASSET REMOVAL TO STORAGE: As soon as possible. InGC Room 123.

WAS ASSET PURCHASED WITH GRANT FUNDING? YES NO IF YES, ATTACH DOCUMENTATION SHOWING FUNDING AGENCY'S PERMISSION TO DISPOSE OF ASSET.

	nation Technology SIG	NATURE Judy
AUDITOR	- 1 -	
ORIGINAL PURCHA	SE DATE	RECEIPT INTO 1190-3836 Ha
ORIGINAL COST		_ GRANT FUNDED (Y/N)
ORIGINAL FUNDINC	SOURCE	
ASSET GROUP		DOCUMENTATION ATTACHED (Y/N) TRANSFER CONFIRMED
COUNTY COMMISS	SION / COUNTY CLERK	
APPROVED DISPOSA	AL METHOD:	
TRANSFER	DEPARTMENT NAME	NUMBER
	LOCATION WITHIN DEPAF	RTMENT
	INDIVIDUAL	
TRADE	AUCTION	SEALED BIDS
OTHER E	XPLAIN	
COMMISSION ORDE	R NUMBER 122-2015	
DATE APPROVED	3-19-15	
signature	u. M. Milling	2

S:\all\AUDITOR\Accounting Forms\Fixed Asset Disposal.doc

RECEIVED

DEC: 02 2014

BOONE COUNTY AUDITOR

DATE : December 2, 2014	FIXED ASSET TAG NUMBER:	00016575
DESCRIPTION HP DL380 SERVER NETWORK		RECEIVED
REQUESTED MEANS OF DISPOSAL:	SELL	
OTHER INFORMATION:		DEC 022014
CONDITION OF ASSET: HARD DRIVE	/MEMORY REMOVED	BOONE COUNTY AUDITOR
REASON FOR DISPOSITION: REPLAC	EMENT	
COUNTY/COURT IT DEPT. (circle one) OWN USE (this item is applicable to comp	uter equipment only)	
DESIRED DATE FOR ASSET REMOVA	L TO STORAGE: As SOON a	s possible. In 1966 Room 123
WAS ASSET PURCHASED WITH GRAM	IT FUNDING? YES NO	S PERMISSION TO DISPOSE OF ASSET.
DEPARTMENT: INFORMATION TECH		Mudy
AUDITOR		
ORIGINAL PURCHASE DATE9-9ORIGINAL COST663ORIGINAL FUNDING SOURCE27ASSET GROUP16	-08 RECE	IPT INTO 2010-3835 Ha-
<u>COUNTY COMMISSION</u> / <u>COUNTY</u>		
APPROVED DISPOSAL METHOD:		
TRANSFER DEPARTMENT	NAME	NUMBER
LOCATION W	THIN DEPARTMENT	
INDIVIDUAL_		
TRADEAUCTION	SEALED BIDS	
OTHER EXPLAIN		
COMMISSION ORDER NUMBER $\frac{12}{2}$	2-2015	
SIGNATURE Free Dr.	15 Rellini	

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE: 2/4/15

FIXED ASSET TAG NUMBER: 12951

RECEIVED

DESCRIPTION: Compaq Deskpro Tower

REQUESTED MEANS OF DISPOSAL: sell

OTHER INFORMATION: Serial Number: 6113FRAZD058 -- purchased through JABG Grant #99JAIBG-LG-002

CONDITION OF ASSET: poor

REASON FOR DISPOSITION: no longer need

COUNTY / COURT IT DEPT. (circle one) DOES / DOES NOT (circle one) WISH TO TRANSFER THIS ITEM FOR ITS OWN USE (this item is applicable to computer equipment only)

DESIRED DATE FOR ASSET REMOVAL TO STORAGE:

WAS ASSET PURCHASED WITH GRANT FUNDING? (YES') NO IF YES, ATTACH DOCUMENTATION SHOWING FUNDING AGENCY'S PERMISSION TO DISPOSE OF ASSET.

DEPARTMENT:	fjc si	GNATURE QUILS CUILD
ORIGINAL COST ORIGINAL FUNDING	se date <u>5-24-01</u> <u>1534.74</u> g source <u>2744</u> <u>1603</u>	RECEIPT INTO <u>[190-3836 Iffe</u> GRANT FUNDED (Y/N) <u>Y</u> GRANT NAME <u>Juv Acc Incentive Block</u> % FUNDING <u>100</u> AGENCY <u>US Dept of Justice</u> DOCUMENTATION ATTACHED (Y/N) <u>Y</u> TRANSFER CONFIRMED
COUNTY COMMISS	SION / COUNTY CLERK	
APPROVED DISPOSA	AL METHOD:	
TRANSFER	DEPARTMENT NAME	NUMBER
	LOCATION WITHIN DEPA	RTMENT
TRADE	AUCTION	SEALED BIDS
OTHER E	XPLAIN	
COMMISSION ORDE	R NUMBER 122-2015	

DATE APPROVED 🛛	3-19-15
SIGNATURE Tares	m. Muller

FEB 0 4 2015 BOONE COUNTY

AUDITOR

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE: 2/4/15

FIXED ASSET TAG NUMBER: N/A

DESCRIPTION: 2 Floor Computer Tower Stands, DVD/CD Holder - pictures

REQUESTED MEANS OF DISPOSAL: sell

OTHER INFORMATION:

CONDITION OF ASSET: good

REASON FOR DISPOSITION: no longer need

COUNTY / COURT IT DEPT. (circle one) DOES /DOES NOT (circle one) WISH TO TRANSFER THIS ITEM FOR ITS OWN USE (this item is applicable to computer equipment only)

DESIRED DATE FOR ASSET REMOVAL TO STORAGE:

WAS ASSET PURCHASED WITH GRANT FUNDING	NG? YES NO FUNDING AGENCY'S PERMISSION TO DISPOSE OF ASSET.
	SIGNATURE COM Schills
AUDITOR NO DATA ORIGINAL PURCHASE DATE	RECEIPT INTO
ORIGINAL COST ORIGINAL FUNDING SOURCE	GRANT NAME
ASSET GROUP	DOCUMENTATION ATTACHED (Y/N) TRANSFER CONFIRMED
COUNTY COMMISSION / COUNTY CLERK	=======================================
APPROVED DISPOSAL METHOD:	
TRANSFER DEPARTMENT NAME	NUMBERNUMBER
LOCATION WITHIN DEP	PARTMENT
INDIVIDUAL	
TRADEAUCTION	SEALED BIDS
OTHER EXPLAIN	
COMMISSION ORDER NUMBER $/22 - 201$.	5
COMMISSION ORDER NUMBER 122-201. DATE APPROVED 3-19-15 SIGNATURE Face M. Malle	al al
SIGNATURE pres 6 m. 600000	

REQUEST FOR DISPOSAL/TRANSFER OF COUNTY PROPERTY

DATE: 1/28/15

FIXED ASSET TAG NUMBER: N/A

DESCRIPTION: Lexmark Multi-function printer Model: 4444-301 Serial Number: 000P0350234

REQUESTED MEANS OF DISPOSAL: sell

OTHER INFORMATION:

CONDITION OF ASSET: not working

REASON FOR DISPOSITION: not working

COUNTY (COURT IT DEPT. (circle one) DOES DOES NOT (dircle one) WISH TO TRANSFER THIS ITEM FOR ITS OWN USE (this item is applicable to computer equipment only)

DESIRED DATE FOR ASSET REMOVAL TO STORAGE: as soon as possible

WAS ASSET PURCHASED WITH GRANT FUNDING? YES NO IF YES, ATTACH DOCUMENTATION SHOWING FUNDING AGENCY'S PERMISSION TO DISPOSE OF ASSET.

DEPARTMENT:	JC sic	GNATURE CUSCINAL
AUDITOR ORIGINAL PURCHAS	NO DATA	RECEIPT INTO 1190-3836 HD
		GRANT NAME
ORIGINAL FUNDING	SOURCE	% FUNDING AGENCY
		DOCUMENTATION ATTACHED (Y/N)
	TION / COUNTY CLERK	
APPROVED DISPOSA	AL METHOD:	
TRANSFER	DEPARTMENT NAME	NUMBER
	LOCATION WITHIN DEPAI	RTMENT
	INDIVIDUAL	
TRADE	AUCTION	SEALED BIDS
OTHER EX	KPLAIN	
	R NUMBER 122-2015	
COMMISSION ORDE		
DATE APPROVED	3-19-15	
SIGNATURE	re of Okellin	

RECEIVED

FEB 0 4 2015

BOONE COUNTY AUDITOR

Date:		01/21/2015	Fixed Asset Tag Number: 12361
Description:		FAX Machine / CFX-L3500	IF
Requested Means of Disposal:		SURPLUS	
Other Information:		Current Location: Boone Co Room: Technology Service	ounty Courthouse / Floor: 1 /
Condition of Asset:		BROKEN	
Reason for Disposition:		BROKEN/NO LONGER FU	
•	NOT wish to trans	fer this item for its own use.	
Desired Date for Asset Removal to Sto			JAN 222015
Was Asset Purchased with Grant Fund	-	 ^//	
DEPARTMENT: 1210-Circuit Court SI	-	MAM Esa'	BOONE COUNTY AUDITOR
		The former	
		V	
AUDITOR	-2000	1190-	2836 40
Original Purchase Date: <u>5-04</u>	<u> </u>	Receipt Into [190 - Grant Funded (Y/N)	<u>5850 [10</u>
Original Cost: \$67		Grant Funded (Y/N)	
Original Cost: \$61	.00	Grant Name	
011	21	%Funding	
Original Funding Source 27:		Agency	
	- 1	Documentation Attached (
Asset Group:60	21	Transer Confirmed	
COUNTY COMMISSION / COUNTY CL APPROVED DISPOSAL METHOD: TRANSFER	DEPARTMEN NUMBER	T NAME:	
	INDIVIDUAL:		
TRADE		ON	SEALED BIDS
OTHER	EXPLAIN		
OTHER	EXPLAIN		
COMMISSION ORDER NUMBER: $\frac{12}{3-19}$ DATE APPROVED: $\frac{3-19}{3-19}$ SIGNATURE: $\frac{12}{3-19}$	2-2015 1-15 hell		

Date:		01/21/2015	Fixed Asset Tag Number: 12980
Description: Requested Means of Disp	osal:	Desktop PC / DeskPro EN SURPLUS	
Other Information:		Current Location: Boone Cou Room: Technology Services	inty Courthouse / Floor: 1 /
Condition of Asset: Reason for Disposition:		BROKEN/NO LONGER FUN	
	DOES NOT wish to trans		JAN 222015
Was Asset Purchased with DEPARTMENT: 1210-Circl	- /	Many Epzi	BOONE COUNTY AUDITOR
AUDITOR Original Purchase Date:	5-10-2001	Receipt Into Grant Funded (Y/N)	3836 HO
Original Cost:	\$1343.03	Grant Funded (Y/N)/V Grant Name %Funding	
Original Funding Source	2731	Agency	
Asset Group:	1603	Documentation Attached (Y/ Transer Confirmed	·
COUNTY COMMISSION /	COUNTY CLERK		
TRANSFER		IT NAME:	
	LOCATION W	/ITHIN DEPARTMENT:	
	INDIVIDUAL:		
TRADE OTHER	AUCTIO	ON	SEALED BIDS
COMMISSION ORDER NUI DATE APPROVED:	MBER: 122-2015 3-19-15 Dr. Mullig	<i>p</i>	
	• <i>P</i>		

.

Date:		01/21/2015	Fixed Asset Ta 12996	ag Number:
Description:		Desktop PC / DeskPro EN		
Requested Means of Disposal:		SURPLUS		
Other Information:		Current Location: Boone Cou Room: Technology Services	inty Courthouse	
Condition of Asset:		BROKEN		Received
Reason for Disposition:		BROKEN/NO LONGER FUN sfer this item for its own use.	CTIONS	JAN 222015
			DI	AMP ASING AUTOS
Desired Date for Asset Removal to Stor Was Asset Purchased with Grant Fundi			B	DONE COUNTY AUDITOR
DEPARTMENT: 1242-Juvenile Justice C	-	IDE MALERO	λ	
DEPARTMENT: 1242-Juvenile Justice C	Jenter Signan	URE: 1100mg ggg	<u> </u>	,
AUDITOR	-01	100	Dac 110	,
Original Purchase Date: $5 - 10$			3836 HB	
17.10	1 02	Grant Funded (Y/N)		
Original Cost: 134:	5.09	Grant Name		
0.00		%Funding		
Original Funding Source273)	Agency		
	٨	Documentation Attached (Y/	′N)	
Asset Group:160	5	Transer Confirmed		
COUNTY COMMISSION / COUNTY CLI APPROVED DISPOSAL METHOD:	ERK			
TRANSFER	DEPARTMEN NUMBER	T NAME:		
	LOCATION W	ITHIN DEPARTMENT:		
	INDIVIDUAL:			
TRADE		N	SEALED BID	DS
OTHER	EXPLAIN			-
			_	
COMMISSION ORDER NUMBER: 12 DATE APPROVED: 3- SIGNATURE:	2-2015 19-15- Thelly			

Date:	(01/21/2015	Fixed Asset Tag Number: 14780
Description: Requested Means of Disposal: Other Information: Condition of Asset: Reason for Disposition: COUNTY IT O DOES O DOES NO Desired Date for Asset Removal to Stora Was Asset Purchased with Grant Fundin DEPARTMENT: 9999-*Donated SIGNAT	S F OT wish to transfe ge: IMMEDIATEL	Tower PC / xw4100 SURPLUS Current Location: Boone Cour Room: Technology Services OUTDATED ROUTINE REPLACEMENT er this item for its own use.	nty Courthouse / Floor: 1 / RECEIVED JAN 222015 BOONE COUNTY AUDITOR
AUDITOR Original Purchase Date:	·2004	Receipt Into <u>190-3</u> 8 Grant Funded (Y/N) <u>N</u>	36 140
Original Cost: \$900		Grant Funded (Y/N)	
Original Funding Source275	2	%Funding Agency Documentation Attached (Y/i Transer Confirmed	N)
COUNTY COMMISSION / COUNTY CLE APPROVED DISPOSAL METHOD:	<u>RK</u>		
TRANSFER	NUMBER	NAME: 'HIN DEPARTMENT:	
TRADE OTHER	AUCTION EXPLAIN	ـــــ	SEALED BIDS
COMMISSION ORDER NUMBER: 12; DATE APPROVED: 3-19- SIGNATURE: August 20	2-2015 15 Della		

· .

Date:		01/21/2015	Fixed Asset Tag Number: 15546
Description:		Network Printer / LaserJet 24	30
Requested Means of Disposal	:	SURPLUS	
Other Information:		Current Location: Boone Cou Room: Technology Services	nty Courthouse / Floor: 1 /
Condition of Asset:		BROKEN	RECEIVED
Reason for Disposition:		BROKEN/NO LONGER FUNC	CTIONS
COUNTY IT O DOES	DOES NOT wish to trans	fer this item for its own use.	JAN 222015
Desired Date for Asset Remov	al to Storage: IMMEDIATE	ELY	BAANE AAININ AUDRAD
Was Asset Purchased with Gr	ant Funding? NO	M -	BOONE COUNTY AUDITOR
DEPARTMENT: 1241-Juvenile	Office SIGNATURE: _	Mary Epzi	
AUDITOR Original Purchase Date:	4-06-06		3836 HO-
	915	Grant Funded (Y/N)	
Original Cost:	945	Grant Name	
	0721	%Funding	
Original Funding Source	215	Agency	
	1602	Documentation Attached (Y/	·
Asset Group:		Transer Confirmed	
COUNTY COMMISSION / COU APPROVED DISPOSAL METH			
TRANSFER	DEPARTMEN NUMBER	T NAME:	
	LOCATION W	ITHIN DEPARTMENT:	
	INDIVIDUAL:		
	AUCTIO	DN .	SEALED BIDS
OTHER	EXPLAIN		
COMMISSION ORDER NUMBE DATE APPROVED:	ER: 122.2015 3-19-15- 2 Milly	 	

,

Date:		01/21/2015	Fixed Asset Tag Number: 16713
Description:		15" Notebook Computer / Co	ompaq 6730b
Requested Means of Dispo	osal:	SURPLUS	
Other Information:		Current Location: Boone Con Room: Technology Services	
Condition of Asset:		OUTDATED	RECEIVED
Reason for Disposition:		ROUTINE REPLACEMENT	
COUNTY IT O DOES	DOES NOT wish to trans	sfer this item for its own use.	JAN 222015
Desired Date for Asset Ren	moval to Storage: IMMEDIAT	ELY	
Was Asset Purchased with DEPARTMENT: 4061-Court	I Grant Funding? NO rthouse Expansion SIGNATI	URE: May Epa	BOONE COUNTY AUDITOR
AUDITOR Original Purchase Date:	2-13-09	Receipt Into <u>190</u> - Grant Funded (Y/N) N	3836 HB
Original Cost:	1183.72	Grant Name	
	0.000	%Funding	
Original Funding Source	2782	Agency	
	1000	Documentation Attached (Y	
Asset Group:	605	Transer Confirmed	
COUNTY COMMISSION / C APPROVED DISPOSAL ME			
TRANSFER	DEPARTMEN NUMBER	NT NAME:	
	LOCATION W	VITHIN DEPARTMENT:	
	INDIVIDUAL:		
TRADE	AUCT	ON	SEALED BIDS
OTHER	EXPLAIN	_	
COMMISSION ORDER NUI DATE APPROVED; SIGNATURE:	MBER: 122 - 2015 3-19-15- M. Malla	· · · · · · · · · · · · · · · · · · ·	
ŀ			

Description: 17" LCD Monitor / SDM-S71R Requested Means of Disposal: SURPLUS Other Information: Current Location: Boone County Courthouse / Floor: 1 / Room: Technology Services Condition of Asset: BROKEN Reason for Disposition: BROKEN COUNTY IT O DOES DOES NOT wish to transfer this item for its own use. Desired Date for Asset Removal to Storage: IMMEDIATELY Was Asset Purchased with Grant Funding? NO DEPARTMENT:	
Requested Means of Disposal: SURPLUS Other Information: Current Location: Boone County Courthouse / Floor: 1 / Room: Technology Services Condition of Asset: BROKEN Reason for Disposition: BROKEN/NO LONGER FUNCTIONS COUNTY ITO DOES DOES NOT wish to transfer this item for its own use. Desired Date for Asset Removal to Storage: IMMEDIATELY JAN 22 2015 BOONE COUNTY AUDIN DEPARTMENT: MO DATTA SIGNATURE: Original Purchase Date: Receipt Into	
Room: Technology Services Reason for Disposition: BROKEN RECEIVED COUNTY IT O DOES DOES NOT wish to transfer this item for its own use. JAN 222015 Desired Date for Asset Removal to Storage: IMMEDIATELY Was Asset Purchased with Grant Funding? NO BOONE COUNTY AUDIT DEPARTMENT:	
Reason for Disposition: BROKEN/NO LONGER FUNCTIONS COUNTY IT O DOES DOES NOT wish to transfer this item for its own use. JAN 222015 Desired Date for Asset Removal to Storage: IMMEDIATELY Was Asset Purchased with Grant Funding? NO BOONE COUNTY AUDIT DEPARTMENT:	
Reason for Disposition: BROKEN/NO LONGER FUNCTIONS COUNTY IT O DOES DOES NOT wish to transfer this item for its own use. JAN 22 2015 Desired Date for Asset Removal to Storage: IMMEDIATELY Was Asset Purchased with Grant Funding? NO BOONE COUNTY AUDIT DEPARTMENT:	ð
Desired Date for Asset Removal to Storage: IMMEDIATELY Was Asset Purchased with Grant Funding? NO DEPARTMENT:	9
Was Asset Purchased with Grant Funding? NO DEPARTMENT:	
DEPARTMENT:	
Original Purchase Date: Receipt Into 90 - ,3836 140 Grant Funded (Y/N) Original Cost: Grant Name %Funding Original Funding Source Agency Documentation Attached (Y/N)	OR
Original Cost:	
Original Cost:	
%Funding Original Funding Source Agency Documentation Attached (Y/N)	
Original Funding Source Agency Documentation Attached (Y/N)	
Documentation Attached (Y/N)	
<u>COUNTY COMMISSION / COUNTY CLERK</u> APPROVED DISPOSAL METHOD:	
TRANSFER DEPARTMENT NAME: NUMBER	
LOCATION WITHIN DEPARTMENT:	
INDIVIDUAL:	
TRADEAUCTIONSEALED BIDS	
OTHER EXPLAIN	
COMMISSION ORDER NUMBER: 122-2015	
DATE APPROVED:	
SIGNATURE: Jace Mr. Mullin	

Date:			01/21/2015	Fixed Asset Ta <none></none>	ag Number:
Description:			17" LCD Monitor / L1706		
Requested Means of Disp	osal:		SURPLUS		
Other Information:			Current Location: Boone C Room: Technology Service		/ Floor: 1 /
Condition of Asset:			BROKEN		RECEIVED
Reason for Disposition:			BROKEN/NO LONGER FU	JNCTIONS	
	DOES NOT w	vish to trans	fer this item for its own use.		JAN 222015
Desired Date for Asset Re	emoval to Storage:	IMMEDIAT	ELY		2,
Was Asset Purchased wit DEPARTMENT:	h Grant Funding? N	10	SIGNATURE: 1	Mary Epi	DONE COUNTY AUDITOR
				0	
AUDITOR Original Purchase Date:	No Data		Receipt Into 1190-3	3836 HO	_
			Grant Funded (Y/N)		
Original Cost:			Grant Name		
			%Funding		
Original Funding Source			Agency		
1			Documentation Attached		
Asset Group:			Transer Confirmed		
COUNTY COMMISSION / APPROVED DISPOSAL M					
TRANSFER	DE	PARTMEN	T NAME:		
	LO	CATION W	THIN DEPARTMENT:		
	INE	DIVIDUAL:			
TRADE			N	SEALED BI	DS
OTHER	EX	PLAIN			
COMMISSION ORDER NU DATE APPROVED: SIGNATURE:	мвек: 122- 3-19-1	2015 5 			

Date:		01/21/2015	Fixed Asset Ta <none></none>	ag Number:
Description: Requested Means of Disposal: Other Information:		Network Printer / LaserJet P3005 SURPLUS Current Location: Boone County Courthouse / Floor: 1 / Room: Technology Services		
Maa Accet Durch acced with	DOES NOT wish to trans moval to Storage: IMMEDIATE or Grant Funding? NO	BROKEN BROKEN/NO LONGER fer this item for its own us	FUNCTIONS se.	RECEIVED Jan 222015 Boone county auditor
AUDITOR	NO DATA	SIGNATURE: (
Original Purchase Date: Original Cost:		Grant Funded (Y/N) Grant Name		
Original Funding Source Asset Group:		%Funding Agency Documentation Attache Transer Confirmed	d (Y/N)	
COUNTY COMMISSION / APPROVED DISPOSAL M	COUNTY CLERK			
TRANSFER	NUMBER	T NAME: ITHIN DEPARTMENT:		
TRADE OTHER	EXPLAIN	NC	SEALED BID)S
COMMISSION ORDER NU DATE APPROVED: SIGNATURE:	MBER: 122-2015 3-19-15 D. Mallin	9		

123-2015

STATE OF MISSOURI	March Session of the January	Adjourned		Term. 20	15
County of Boone					1.5
In the County Commission of said county,	on the 19th	day of	March	20	15

the following, among other proceedings, were had, viz:

Now on this day the County Commission of the County of Boone does hereby approve the attached Cooperative Agreement between Boone County and the City of Columbia regarding 2015 Pavement Preservation Projects.

The terms of the Cooperative Agreement are stipulated in the attached Road Maintenance Cooperative Agreement. It is further ordered the Acting Presiding Commissioner is hereby authorized to sign said Agreement.

ATTEST: Wendy S. bren

Clerk of the County Commission

Daniel K. Atwill Presiding Commissioner

Julle,

Karen M. Miller Acting Presiding Commissioner

Janet M. Thompson District II Commissioner

123-2015

BOONE COUNTY AND CITY OF COLUMBIA ROAD MAINTENANCE COOPERATIVE AGREEMENT

2015 Pavement Preservation Projects

THIS AGREEMENT is entered into by and between Boone County, Missouri, through its County Commission, a political subdivision of the State of Missouri (hereinafter "Boone County"), and the City of Columbia, Missouri, a political subdivision of the State of Missouri (hereinafter "City").

WHEREAS, County and City desire to cooperate with each other on the maintenance of certain roadways in which both County and City have certain maintenance obligations; and

WHEREAS, the parties are authorized pursuant to the provisions of RSMo §70.220 to enter into this cooperative agreement; and

WHEREAS, cooperation between the parties for the purposes herein stated is intended to benefit each through the containment and reduction of associated costs as well as provide for the preservation and maintenance of the impacted roadways.

NOW, THEREFORE, in consideration of the mutual covenants, promises and representations in this agreement, the parties agree as follows:

- 1. <u>PURPOSE</u>: The purpose of this agreement is to formalize the understanding between the parties regarding the sharing of costs associated with pavement preservation work to be done as part of the 2015 construction season.
- 2. <u>SHARED MAINTENANCE OBLIGATIONS</u>: Currently the County and the City have shared maintenance obligations for the roads referenced in the attached maps and herein. The purpose of this document is to formalize an agreement for the preventative maintenance of these roads in the 2015 construction season.
- 3. LOCATION:

The locations of the shared cost projects can be found on the attached maps, which are incorporated herein by reference.

4. <u>WORK CONTEMPLATED</u>: County and City will perform, with its own forces or through a contractor, application of road oil, application of Osage River rock, Iron Mountain Trap Rock, or like aggregate, sweeping, and other associated preparatory work to complete the 2015 Preservation Chip Seal projects. County will, through a contractor, perform Fog Seal treatments using GSB-88 or other sealant. Some roads, as shown in the below tables, will receive both a Preservation Chip Seal and a Fog Seal. The City will perform with its own forces or through a contractor a 1.5" mill (concrete) and asphalt overlay. If paint striping is needed on a road, it will be the responsibility of the party that performed the projects as shown in this document.

123-2015

5. <u>COST</u>: The costs for the Preservation Chip Seal projects, the Fog Seal projects, and the mill and asphalt overlay project were calculated based on the surface area of pavement to be treated in areas of responsibility for each party and are summarized below.

2015 Preservation Chip Seal Projects Performed by County							
Road Name	Total SY	City Qty	County Qty	Unit Cost	City Cost		
Wyatt Ln.	6,141	1,412 (23%)	4,729 (77%)	\$1.85	\$2,612.20		
Bearfield Rd.	14,746	1,622 (11%)	13,124 (89%)	\$1.85	\$3,000.70		
Rock Quarry Rd.	6,922	1,177 (17%)	5,745 (83%)	\$1.85	\$2,177.45		
Starke Ave.	5,954	1,965 (33%)	3,989 (67%)	\$1.85	\$3,635.25		
Greenfield Ct.	2,336	234 (10%)	2102 (90%)	\$1.85	\$432.90		
Old Ridge Rd.	11,234	225 (2%)	11,009 (98%)	\$1.85	\$416.25		
Hill Creek Rd.	18,848	754 (4%)	18,094 (96%)	\$1.85	\$1,394.90		
Demaret Dr.	10,357	104 (1%)	10,253 (99%)	\$1.85	\$192.40		
			·	Total	\$13,862.05		
				Not to Exceed	\$15,200.00		

	2015 Fo	og Seal Projects Pe	rformed by Coun	ty	
Road Name	Total SY	City Qty	County Qty	Unit Cost	City Cost
Wyatt Ln.	6,141	1,412 (23%)	4,729 (77%)	\$1.00	\$1,412.00
Bearfield Rd.	14,746	1,622 (11%)	13,124 (89%)	\$1.00	\$1,622.00
Rock Quarry Rd.	6,922	1,177 (17%)	5,745 (83%)	\$1.00	\$1,177.00
Starke Ave.	5,954	1,965 (33%)	3,989 (67%)	\$1.00	\$1,965.00
Georgetown Dr	11,657	816 (7%)	10,841 (93%)	\$1.00	\$816.00
Greenfield Ct.	2,336	234 (10%)	2102 (90%)	\$1.00	\$234.00
Old Ridge Rd.	11,234	225 (2%)	11,009 (98%)	\$1.00	\$225.00
Hill Creek Rd.	18,848	754 (4%)	18,094 (96%)	\$1.00	\$754.00
Demaret Dr.	10,357	104 (1%)	10,253 (99%)	\$1.00	\$104.00
Bethel Ln.	2,682	617 (23%)	1,765 (77%)	\$1.00	\$617.00
				Total	\$8,926.00
					10000000

Not to Exceed \$9,800.00

201	5 1.5" Concrete N	Aill & Asphalt O	verlay Perform	ned by City	
Road Name	Total SY	City Qty	County Qty	Unit Cost	County Cost
Prairieview Dr.	4,084	3,390 (83%)	694 (17%)	\$10.86	\$7,536.84
Prairie Ln.	2,641	1,796 (68%)	845 (32%)	\$10.86	\$9,176.70
			•	Total	\$16,713.54
				Not to Exceed	\$18,400.00

123-2015

	2015 F	Preservation Chi	p Seal by City	a de la companya de l	
Road Name	Total SY	City Qty	County Qty	Unit Cost	County Cost
Richland Road	17,862	12,146 (68%)	5,716 (32%)	\$1.85	\$10,574.60
				Total	\$10,574.60
				Not to Exceed	\$11,600.00

Cost Summary:	\$	13,862.05	Preservation Chip Seal Performed by County
	\$	8,926.00	Fog Seal Performed by County
-	\$	16,713.54	1.5" Concrete Mill & Asphalt Overlay Performed by City
-	<u>\$</u>	10,574.60	Preservation Chip Seal Performed by City
Total	\$	4,500.09	County owes to City

6. <u>Method of Payment:</u>

- (a) If the amount of work performed is of the same scope as what was estimated, the estimated quantity will be used for billing. If the scope of work is directed to be changed, the actual quantity of work performed will be used for billing.
- (b) The actual unit cost will be used for billing. The City will submit to the County actual costs for work performed by City or its contractor within 60 days of completion of the work or prior to December 1st, whichever comes first.
- (c) Upon the completion of all work, if the balance of the project totals is such that the County owes the City, the County will pay the City for the balance owed. If the City owes the County, the County will submit a bill to the City for the balance owed.
- 7. <u>AUTHORITY</u>: The individuals signing this agreement below certify that they have obtained the appropriate authority to execute this agreement on behalf of the respective parties.

[SIGNATURES ON THE FOLLOWING PAGES]

123-2015

IN WITNESS WHEREOF the parties through their duly authorize representatives have executed this agreement effective as of the date of the last party and execute the same.

Executed by Boone County this 23d day of <u>FCbwaw</u>, 2015. Executed by the City of Columbia this <u>day of</u>, 2015.

CITY OF COLUMBIA

Mike Matthes, City Manager

ATTEST:

Sheela Amin, City Clerk

Director of Finance Certification:

I hereby certify that this contract is within the purpose of the appropriation to which it is to be charged and that there is an unencumbered balance to the credit of such an appropriation sufficient to pay therefore. 110-6022-521.49-90

John Blattel, Director of Finance Date 9

BOONE COUNTY

ille

Daniel Atwill, Presiding Comm. KAREN M MILLER, ACTING PRESIDING COMMISSIONER

ATTEST

Boone County Auditor Certification:

I hereby certify that a sufficient, unencumbered appropriation balance exists and is available to satisfy the obligation arising from this contract. (Note: Certification of this contract is not required if the terms of this contract do not create a measurable county obligation at this time.


<u>2041-71202</u> Date 2041-3528 June/E. Pitchford, County Auditor

APPROVED AS TO FORM:

County Counselor duse

APPROVED AS TO FORM: Nancy Thompson, City Attorney










Shared Cost Projects Rock Quarry Rd - PCS & Fog Seal

BOONE COUNTY GOVERNMENT CENTER


801 E. WALNUT ROOM 315 COLUMBIA, MO 65201-7730 (573) 886-4480 FAX (573) 886-4340

















124-2015

STATE OF MISSOURI	March Session of the January	Adjourned		Term. 20	15
County of Boone In the County Commission of said county,	on the 19th	day of	March	20	15

the following, among other proceedings, were had, viz:

Now on this day the County Commission of the County of Boone does hereby approve the attached Consultant Services Agreement with Allstate Consultants, LLC for a preliminary Transportation Engineering Report for Grace Lane near its intersection with Rocky Mountain Ave.

The terms of the Agreement are stipulated in the attached Consultant Services Agreement. It is further ordered the Acting Presiding Commissioner is hereby authorized to sign said Agreement.

ATTEST: Wendy S. Noren

Clerk of the County Commission

Daniel K. Atwill Presiding Commissioner

hello

Karen M. Miller Acting Presiding Commissioner

Janet M. Thompson District II Commissioner

124-2015

APPROVAL OF PROPOSAL FOR CONSULTANT SERVICES

Effective the day of , 2015, Boone County, Missouri, a political subdivision of the State of Missouri through its County Commission (herein "Owner") hereby approves and authorizes professional services by the Consultant referred to below for the services specified herein.

Consultant Name: Allstate Conultants, LLC 3312 LeMone Industrial Blvd, Columbia, MO 65201

Project/Work Description: Preliminary Transportation Engineering Report for Grace Lane near its intersection with Rocky Mountain Ave

Proposal Description: Consultant to provide a preliminary transportation engineering report for the above location to include reports on: 1) engineering evaluation of speed and sight distance issues, 2) proposed short-term alternatives to address speed and sight distance concerns & 3) displays and cost estimates of the proposed alternative.

Modifications to **Proposal**: Fees and expenses shall not exceed \$5,500.00 (Five thousand five hundred dollars) without prior written approval of Owner.

This form agreement and any attachments to it shall be considered the approved proposal; signature by all parties below constitutes a contract for services in accordance with the above described proposal and any approved modifications to the proposal, both of which shall be in accordance with the terms and conditions of the General Consultant Services Agreement signed by the Consultant and Owner for the current calendar year on file with the Boone County Resource Management Department, which is hereby incorporated by reference. Performance of Consultant's services and compensation for services shall be in accordance with the approved proposal and any approved modifications to it and shall be subject to and consistent with the General Consultant Services Agreement, or the inclusion of additional terms in the Consultant's proposal not found in the General Consultant Services Agreement, the terms and conditions of the General Consultant Services Agreement that shall not be applicable or this Approval of Proposal indicates agreement with a specific term or terms of Consultant's proposal not found in the General Consultant Services Agreement that shall not be applicable or this Approval of Proposal indicates agreement.

ALLSTATE CONSULTANTS, LLC

By 1. 81 tree. Title

Dated:

sto form: APPROVEN

APPROVED

Resource Management Director

BOONE COUNTY, MISSOURI By

Acting Presiding Commissioner Dated:

County Clerk

Certification:

I certify that this contract is within the purpose of the appropriation to which it is to be charged and there is an unencumbered balance of such appropriations sufficient to pay the costs arising from this contract.

2045-71102 3/11/15 Date Auditor

AGREEMENT FOR ENGINEERING SERVICES

CLIENT: BOONE COUNTY RESOURCE MANAGEMENT C/O DERIN CAMPBELL 801 EAST WALNUT RM 315 COLUMBIA, MO 65201

BILLING: SAME AS CLIENT

DATE: MARCH 6, 2015

PROJECT #: NA

PROJECT NAME AND LOCATION:

PRELIMINARY TRANSPORTATION ENGINEERING REPORT GRACE LANE NEAR ITS INTERSECTION WITH ROCKY MOUNTAIN AVE. BOONE COUNTY, MO

SCOPE OF SERVICES / FEE FOR SERVICES:

Allstate Consultants LLC, 3312 LeMone Industrial Blvd., Columbia, MO agrees to provide engineering services related to a **Preliminary Transportation Engineering Report** for the above named project at the above listed location. The services detailed in the Scope of Services will be provided for on a **fixed fee** basis as defined herein and as defined in the standard terms and conditions in Addendum A of this agreement. We propose to provide these services for a fixed fee of *Five Thousand Five Hundred Dollars (\$5,500)*.

BILLING:

An invoice will be sent at the first of each month reflecting the percentage of services completed. Payment is due in 30 days and delinquent in 45 days.

CONTRACT:

Acceptance of this agreement will serve as Allstate Consultant's notice to proceed and together with the standard terms and conditions attached hereto represent the formal contractual agreement.

Proposed-By: Ron Shy, Principal

Allstate Consultants (LC)

Accepted By:

Signature

Date

Print Name / Title

SCOPE OF SERVICES

This Addendum describes the scope and schedule of work to be performed by Allstate Consultants in connection with a **PRELIMINARY TRANSPORTATION ENGINEERING REPORT** in **BOONE COUNTY**, **MO** and this Addendum is incorporated by reference into the attached Agreement for Engineering Services. The anticipated scope of work includes the following:

- Preparation of a Preliminary Transportation Engineering Report containing:
 - Engineering evaluation of Grace Lane near its intersection with Rocky Mountain Ave. related to speed and sight distance
 - o Proposed short-term alternatives to address speed and sight distance concerns
 - Displays and cost estimates of the proposed alternatives

This lump sum fee does not include the following (if any of these items are required, a separate estimate can be provided):

- Traffic Counts
- Capacity Analysis
- Public Meetings

Proposed-By: Ron Shy Principal

Ron Shy, Principal Allstate Consultants LLC

Accepted By:

Signature

Date

Print Name/Title

125-2015

STATE OF MISSOURI		March Session of the January Adjourned			Term. 20	15
County of Boone	ea.					
In the County Commission of s	aid county, on the	19th	day of	March	20	15

the following, among other proceedings, were had, viz:

Now on this day the County Commission of the County of Boone does hereby re-appoint the following:

Name	Board	Period
Ann Gafke	Vicious Dog Advisory	March 15, 2015 through March 15,
	Board	2018

ATTEST: Noren Wendy S. Moren

Clerk of the County Commission

Daniel K. Atwill Presiding Commissioner

lle 7 Mu lire

Karen M. Miller Acting Presiding Commissioner

fanet M. Thompson District II Commissioner



Boone County Government Center 801 E. Walnut, Room 333 Columbia, MO 65201 573-886-4305 • FAX 573-886-4311 E-mail: commission@boonecountymo.org

Boone County Commission

BOONE COUNTY BOARD OR COMMISSION APPLICATION FORM

Board or Commission: Vicious Dog Advisory Board	Term:				
Current Township: Rocky Fork	Today's Date:	1/5/2015			
Name: Ann Gafke					
Home Address: 325 E. Dripping Springs Road	· · · ·				
City: Columbia	Zip Code: <u>65202</u>				
Business Address: 325 E. Dripping Springs Rd					
City: Columbia	Zip Code: _65202				
Home Phone: 5734430716	Work Phone: <u>573-443-0716</u>				
Fax: 573-874-2316	E-mail: ann@dogschooling.com				
Qualifications: Owner and Lead trainer for professional dog training school, teaching over 20 classes a week.					
Over fifty years experience with training and proble	m solving with all breeds and type	s of dogs.			

Work on committee to establish the Vicious Dog Board.

Several years of service on the Vicious Dog Board.

Several years as evaluator for the American Temperament Test Society to evaluate dogs' temperament.

Evaluator for the American Kennel Club for the Canine Good Citizen Test and the STAR puppy test.

Past evaluator for two different Therapy dog organizations.

126-2015

CERTIFIED COPY OF ORDER

STATE OF MISSOURI	March Session of the January Adjour	n of the January Adjourned		
County of Boone				
In the County Commission of said county, or	n the 19th day o	of March	20	15

the following, among other proceedings, were had, viz:

Now on this day the County Commission of the County of Boone does hereby authorize Commissioner Karen M. Miller to sign the attached Change Order #1 in lieu of Commissioner Atwill's signature regarding the Emergency Communication Center project.

ATTEST:

Wendy S. Noren Clerk of the County Commission

Daniel K. Atwill Presiding Commissioner

Karen M. Miller Acting Presiding Commissioner

Janet M. Thompson District II Commissioner

RECEIVED

MAR 2 0 2015

CHANGE ORDER

BOONE COUNTY CLERK

PROJECT: Boone County Emergency Communications Center Bid Number 44-11DEC14	CHANGE ORDER NUMBER:	01
OWNER: Boone County Commission Boone County Government Center 801 E. Walnut, Rm 333 Columbia, MO 65201-7732	DATE OF ISSUANCE: CONTRACT DATE:	3/18/2015 1/27/2015
	ADG PROJECT NUMBER: PWA PROJECT NUMBER:	916-13 201340
<u>TO CONTRACTOR:</u> Little Dixie Construction, LLC 3316 Lemone Industrial Blvd. Columbia, Missouri 65201	<u>ARCHITECT:</u> Architects Design Group 333 Knowles Ave. Winter Park Florida 32789	
	PWArchitects, Inc. 15 S. Tenth Street Columbia, MO 65201	

Change Order Number 01:

The Contract is changed as follows:

Excavate and Remove Unsuitable Soil and replace as indicated on the attached drawing C101 from Allstate Consultants titled Access Road Subgrade Stabilization Display.

This Change Order represents a maximum total amount that is authorized to complete the work indicated. Where any condition exists that will cause expenditure in excess of the cost authorized the Contractor will notify the Owner's Representative immediately for instructions. The Contractor is to fully document all quantities of materials for this change.

The attached Cost Estimate from Little Dixie Construction represents costs based on the scope identified on the attached drawing along with field observations and measurements and does not represent final quantities. It is attached only to establish the unit pricing that will be followed for excavation and replacement of the Unsuitable Soil.

All quantities for removals and material will be verified in the field with Boone County Personnel present to certify the actual quantities removed, replaced and installed. Only actual certified quantities along with allowable overhead and profit will be paid for in the execution of this work. It is understood that, to date, 345 cubic yards has been removed to determine conditions and scope of work which will be reimbursed as part of the change order.

Where the totals have been evaluated and verified and are less than the total amount of this change they will be credited to the Owner with a separate change order.

Any Contract time extension involving this Change will be evaluated through the completion of the work and a separate change order issued for contract time. Currently it is anticipated that 4 days of time will be required to complete the work.

Not valid until signed by the Owner, Architect and Contractor.

The original Contract Sum was	\$ 9,933,707.00
Net change by previously authorized Change Orders	\$ 0.00
The Contract Sum prior to this Change Order was	\$ 9,933,707.00
The Contract Sum will be increased/decreased by this Change Order in the amount	\$ 75,268.89
of	
The new Contract Sum including this Change Order will be	\$ 10,008,975.89
The Original Contract Time for the project was	294 days
Contract Period for Construction is Increased/Decreased by	0 days
New Contract Period for New Building and Site	294 days
Contract Completion Date is	April 26, 2016

ARCHITECT Architect's Agent Erik Miller, AIA, CDT Pripeipal, RWAtchitects, Inc

B١ DA

CONTRACTOR Little Dixie Construction, LLC John States Owner BY 3 20 15 DATE

OWNER Boone County, Missouri Karen M. Miller District 1 Commissioner

3 Mille ΒY DATE

OWNER''S REPRESENTATIVE Boone County Resource Management Dan Marshall **Building Inspector** Recompended For Approval 4 ΒY DANIEL MARSHALLS

DATE 3-19-2015

Boone County Emergency Communication Center

Soft Soil Remediation Estimate

03/17/2015

Emery Sapp & Sons	Remove unsuitable soil Engineered Fill	Units 750 CY 750 CY	Contracted Unit Cost \$17.80 \$44.80	Unit Cost \$13,350.00 \$33,600.00	Lump Sum
	Tensar TX 160 Geogrid		••••••	4 - -)	\$11,049.34
	Tensar TX 160 Geogrid (Se	cond Layer)			\$4,764.06
	Geotextile Filter Fabric				\$6,252.85
Allstate Consultants	Observation, 4 days				\$4,400.00
	, <u> </u>		Subtotal	\$46,950.00	\$26,466.25
		79	6 GC, P&O		\$1, <u>852.</u> 64
				\$46,950.00	\$28,318.89
	т	otal Prelimir	nary Estimate	\$75,2	68.89

2602 N. Stadium Blvd. Columbia, MO 65202 PH: 573.445.8331 FAX: 573.446.4805



CHANGE ORDER REQUEST #1 Rev 4

Submitted To:	Little Dixie Construction	Date:	 17-Mar-15	
Address:	3316 Lemone Industrial Blvd.	Contact Person:	Joe Greunder	
	Columbia, MO 65202			
Engineer:	Allstate	Date of Plans:	n/a	
Job Location:	Columbia, MO 65202	Job Name:	911 Center	

We hereby propose to furnish materials and labor necessary for the completion of:

1.00	LS	 Excavate temporary trench to day	light to drain entrance area.	@	\$ -	=	No cost
750.00	CY	 Remove unsuitable soil.	(contract unit price)	@	\$ 16.50	=	\$12,375.00
750.00	CY	 Replace with engineered fill.	(contract unit price)	@	\$ 41.50	=	\$31,125.00
		(based on utilizing 1 1/2" minu	us rock)				
1,583.00	SY	 Tensar TX 160 Geogrid		@	\$ 6.98	=	\$11,049.34
597.00	SY	 Fensar TX 160 Geogrid (second layer)		@	\$ 7.98	=	\$4,764.06
1,583.00	SY	 Geotextile Filter fabric (8 oz non woven)		@	\$ 3.95	=	\$6,252.85

4 Additional days requested to complete additional work.

Total =

\$65,566.25

Terms Net 15 Days

Clarifications

Both Pricing and Exclusions/Clarifications constitute our proposal. Proposal valid for 30 days from posted date or revision date. Proposal excludes bond and prevailing wage. Excludes all permits, fees, engineering and testing. Excludes staking, layout, licensed professional survey or as-builts.

We hereby propose to furnish material and labor -- complete in accordance with above specifications, for the following price:

SEE ABOVE

Payment to be made as follows:


Estimates First of Month

All material is guaranteed to be as specified. All work is to be completed in a substantial workmanlike manner according to the specifications submitted per standard practices. Any alteration or deviation from above specifications involving extra costs will be executed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents, or delays beyond our control. Owner to carry fire, tornado, and other necessary insurance. Our workers are fully covered by Workmen's Compensation Insurance.

~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Note: This proposal may be withdrawn by us if not accepted within 30 days.
Authorized Signature	
Accontance of Proposal	The shows prices appointing and applitude are appleted and are been appended

Sal The above prices, specifications, and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above.

Signature



127 7 -2015

STATE OF MISSOURI	<b>]</b> ea.	March Session of	the January A	Adjourned		Term. 20	15
County of Boone	<b>f</b> ca.						
In the County Commission	n of said county, o	n the	19th	day of	March	20	15

the following, among other proceedings, were had, viz:

Now on this day the County Commission of the County of Boone does hereby approve the Organizational Use of the Government Center Chambers by the Baha'i Faith Community for April 21, 2015 from 3:00 p.m. to 5:30 p.m.

ATTEST: Wendy S. Moren

Clerk of the County Commission

Daniel K. Atwill Presiding Commissioner

ller

Karen M. Miller Acting Presiding Commissioner

Jahet M. Thompson District II Commissioner

Karen M. Miller, District I Commissioner Janet M. Thompson, District II Commissioner



Boone County Government Center 801 East Walnut, Room 333 Columbia, MO 65201-7732 573-886-4305 • FAX 573-886-4311

# **Boone County Commission**

# APPLICATION FOR ORGANIZATIONAL USE OF BOONE COUNTY CONFERENCE ROOMS

The undersigned organization hereby applies for a use permit to use Boone County Government conference rooms as follows:

Organization: Baha'i Faith Community				
Address: <u>3916 Faurot Drive</u>	<u> </u>			
City: Columbia	State: MO	ZIP C	ode 65203	
Phone:573 445 6853	Websit	e: <u>www.columbiar</u>	nobahai.org	
Individual Requesting Use: Farah Nieuwenhuizen ar	nd Rachel Willenber	g	Position in Organization:	
Facility requested: x Chambers Room 301	□Room 311	Room 332	Centralia Clinic	
Event: Celebration of the Baha'i founder celebration				
Description of Use (ex. Speaker, meeting, reception)	: Baha'i commun	ity gathering and I	Reception	
Date(s) of Use: Tuesday April 21, 2015				
Start Time of Setup: 3:00 pm	AM/P	M Start Tin	ne of Event: <u>3:30 pm</u>	AM/PM
End Time of Event: 5:00 pm	AM/P	M End Tin	ne of Cleanup: 5:30pm	AM/PM
<ul> <li>The undersigned organization agrees to abide by the</li> <li>1. To abide by all applicable laws, ordinat</li> <li>2. To remove all trash or other debris tha</li> <li>3. To repair, replace, or pay for the repair</li> <li>4. To conduct its use in such a manner as</li> <li>5. To indemnify and hold the County of damages, actions, causes of action or s settlements on account of bodily injury organizational use of rooms as specified</li> </ul>	nces and county pol at may be deposited r or replacement of s to not unreasonab Boone, its officers, uits of any kind or r y or property damag	icies in using Boon (by participants) in damaged property ly interfere with Bo agents and employ nature including co ge incurred by anyo	ne County Government confer n rooms by the organizational including carpet and furnishir oone County Government bui yees, harmless from any and all osts, litigation expenses, attorne	rence rooms. use. ngs in rooms. ilding functions. I claims, demands, ey fees, judgments,
Organization Representative/Title: Rachel Willenb	erg, Secretary	_		

Email Address:rachelwillenberg@hotmail.com_

Applications may be submitted in person or by mail to the Boone County Commission, 801 E. Walnut, Room 333, Columbia, MO 65201 or by email to <u>commission@boonecountymo.org</u>.

# PERMIT FOR ORGANIZATIONAL USE OF BOONE COUNTY GOVERNMENT CONFERENCE ROOMS

The County of Boone hereby grants the above application for permit in accordance with the terms and conditions above written. The above permit is subject to termination for any reason by duly entered order of the Boone County Commission.

ATTEST:	
Wenley	S. Noren new
County Clerk//	
U DATE:	3-19-15

BOONE COUNTY, MISSOURI

- M Mille

County Commissioner